



Leblanc
illuminations

CANADA

OFFICE • +1 450 755 6902 • contact@leblanc-illuminations.ca
FREE CALL • +1 866 814 3617
SALES • +1 514 891 6902 • a.beauvais@leblanc-illuminations.ca

FRANCE

OFFICE • +33 (0)2 43 61 43 61 • contact@leblanc-illuminations.com
6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France
LOGISTICS DEPARTMENT • +33 (0)2 43 61 43 80 • leblanc.logistique@leblanc-illuminations.com
35 Boulevard Pierre Lefaucheux 72027 Le Mans Cedex 2 France
AFTER SALES SERVICE • +33 (0)2 43 61 40 87 • sav@leblanc-illuminations.com
Open monday to friday from 8 am to 12.30 am and from 1.30 pm to 6 pm.

MEXICO

OFFICE • contacto@leblanc-iluminacion.com.mx

UNITED KINGDOM

OFFICE • 01622 882424 • hello@galalights.com
TWITTER @GalaLights • **FACEBOOK** @GalaLightsUK

*We share more than light,
we share emotions.*



**Alexandra
Petit**

General Manager



**Mickaël
Névouët**

International Sales Manager



**Rachel
Net**

Sales Director France



**Eric
Frély**

Development Director



**Leblanc illuminations,
manufacturer of emotions through light**



Arnaud Leschemelle - President

Companies serving your creativity

The CSI Group of companies create, produce and feature at events and installations. The branded products and equipment we manufacture and supply, together with our bespoke services, allow you to carry out your project in its entirety with a guarantee of technical and artistic success..

Leblanc illuminations

The creator of the festive illuminations market in 1958, Leblanc illuminations has been working with cities, towns and shopping centres for over 60 years to bring to life bespoke projects, both in France and internationally.

www.leblanc-illuminations.com



Freevox

The exclusive catalogue for France of the most prestigious brands of the lighting, image and sound industry to lead professionals on 'The right path' to the success of any type of audiovisual project.

www.freevox.fr

Arbiter France

The catalogue specialised in studio equipment and high-tech products dedicated to music production : monitoring speakers, microphones, headphones, sound processing, sound and light products for DJs.

www.arbiterfrance.com

Audiopole

The catalogue of professional audio equipment for broadcast (televisions and radios), touring (concerts, touring) and fixed sound systems such as conference rooms.

www.audiopole.net



Leblanc
illuminations



A CSI GROUP COMPANY

OUR BRANDS



We have invented a profession: manufacturer of Christmas lights.
We do not follow trends, we create them!
We did not wait for recent societal and environmental awareness to get involved: we experience them for 64 years.
Forever the pioneers.

leblanc-illuminations.com



CHROMEX



French brand of cables and garlands since 1943, the brand combines simplicity and technology of lighting equipment at the service of cities and professionals. Chromex also combines aesthetics and low energy consumption in its products distributed through a large network of banners specialized in DIY, decoration, and gardening.

Find our products on chromex.fr



French product brand for professional lighting in the event sector. Starway projectors have been used for lighting shows, TV shows and festivals for 40 years.


star-way.com


HALTO

French product brand for dynamic architectural lighting : bars, spotlights, recessed lights, gobo projectors, etc.
With more than 30 years of experience, HALTO carries out long-lasting, colorful projects for the enhancement of buildings.

halto.fr







OUR VALUES

Since our creation in 1958, Leblanc illuminations' top priority has been to strengthen the positive impact of our activities on the environment by eliminating, reducing or compensating any potentially negative consequences.



A pioneering spirit.

In 1996, we were the first company in Europe to use LED technology in our decorations. Ever since, we have continued to develop leading-edge technologies.

Having put in place an ambitious CSR charter, we are constantly innovating to tackle our other great challenge: the environment. Eco-design, recycling, reduction of CO₂ emissions...

It is no surprise that we were the first player in the market to have obtained an CSR label.

Our CSR and ISO commitments

They are built on three pillars:

- Saving resources and energy
- Reducing the impact of our products on the environment
- Taking care of our teams, our clients and future generations

**Leblanc illuminations
is the most labelled
player in the market.**



Leblanc illuminations, the first French company in its sector to be labelled by an independent organization for its overall CSR approach.

CARBON FOOTPRINT

Saving resources and energy

We attach great importance to reducing carbon emissions and limiting the harmful effects of climate change. Determined to lead our industry towards a more sustainable and responsible tomorrow, we continue to work on product design innovations with a view to generating further savings of resources and energy.

Waste management

- Our packaging film consists 90% recycled plastic.
- 89% of the waste generated by our European sites is recycled.
- Plastic links previously used on our garlands have been replaced with paper links.
- 2.3 million cover have been removed from our 24 V garlands, without affecting their quality.



Energy

We choose local services and purchases where possible, like our aluminium produced in France, to avoid the emissions associated with transport. An environmental energy assessment is presented with 100% of our projects.

100%
green electricity
for all our European premises
since 2020.

7 tonnes
of paper,
i.e. the equivalent of more than 100 trees,
saved thanks to our digital catalogue.

A LUMINOUS ECO-DESIGN

Reduce the impact of our products on the environment

100% of Leblanc decorations are manufactured by our experts in-house. Therefore, we have control over the sustainability and environmental impact of our products.


We centre our recycling on three pillars:

- **Reduction** in carbon emissions, including those associated with transport, and plastic use throughout our product life-cycles.
- **Re-use** of the raw materials at the end of our product life-cycles.
- **Recycling** of all the waste from our offices and production workshops.

95%

less greenhouse gases

in 25 years thanks to a considerable reduction in the electricity consumption (down by 93%) of our decorations with the introduction of LED technology in 1996.



Carbon neutral by 2025

We have pledged to remove 100% of single-use virgin plastics from our offices by the end of 2022 and reduced all other plastics used in our manufacturing and distribution processes.

Quality and tranquillity

Our teams are constantly seeking eco-responsible solutions that will allow a reduction in plastic use and carbon footprint of our products, while improving their performance and sustainability.

Protection caps

Transparent protection caps

Ultra-flexible LED garland, **30% brighter**, with a very long life-time and low-consumption (scarcely 2.5 W/metre) and ultra-luminous rope-light (horizontal 360° wide-projection LEDs).



Daytime decoration on both sides of the lighting decoration. **Our spangles and decorative mesh are made in France and 100% recyclable.**



Maestrio

Plug & Light rapid electrical connection system

3D printing



Pre-pierced structures for fastening

Quality welding: cleaned and painted

e-deco by Leblanc

Innovative materials, optimised energy consumption, new production methods: we are transforming our business to offer you products suited to the demands of sustainable urban life.

Maestrio, 50% electricity saving

thanks to patented **Maestrio** technology, developed by our teams, simply by controlling the illuminations' light-up time.

Aluminium Hydro REDUXA

This is an aluminium with a low environmental impact. **It includes 60% recycled metal and is produced using renewable energy.**

100% of the aluminium frames returned to us at the end of their life-cycle are converted into new decorations or products.

3D PRINTING, A GREEN REVOLUTION

The promise of decorations tailor-made to strict and committed specifications: materials that are resistant without being brittle, respect the environment and have efficient recycling programmes to give them new life.



An eco-responsible process

This project is the fruit of a collaboration with **Drawn**, a French start-up.

Leblanc illuminations turns its daytime decorations into sustainable products.

This process liberates creativity by removing design limits and allows production times to be optimized.

Our 3D printed products are fully recyclable. The material will be transformed into new granules for new decorations.



For further information

Request our
e-deco by Leblanc brochure



A 100% biosourced, recyclable and sustainable material

It is manufactured with short supply chains in France. It comes from natural raw materials that do not compete with food production.

A 100% recycled, recyclable and sustainable material

Naturally white and shiny, it is manufactured in France from waste.


An acclaimed material

Our R&D teams focus their work on a new 100% recyclable material, with an in-house recycling process. Exclusively produced by Leblanc illuminations, this translucent multicoloured material projects light particularly well.

LEBLANC FOR ALL SEASONS

Coloured decorations

Leblanc illuminations can deliver stylish decorations for your events, whatever the season.



For further information ,
ask for our
off-season brochure

ABIES DÉCOR, OUR PARTNER IN NATURE



As part of our eco-commitments, in 2020 we took the decision to remove all artificial fir trees from our catalogue in favour of real fir trees.

In addition to a full range of quality real Christmas trees, Leblanc illuminations in partnership with Abies Décor proposes the Abies Caméléon, an innovative giant natural Christmas tree: with this patented system you can assemble natural 2 m fir trees grown on **French plantations into giant Christmas trees 6 to 20 m high.**

Opt for natural fir: an ecological solution

The Abies Caméléon is the ideal solution, combining a quest for **natural qualities, aesthetics and respect for the environment.**

Unlike artificial Christmas trees, natural firs are absorbers of greenhouse gases, are biodegradable and contribute to local economic development.

It is also possible to **recover value** from them (wood-chips, energy, compost...), not possible with artificial Christmas trees.

The Abies Caméléon, the easy-to-install, aesthetic and environmental alternative!



More information

p.317

LEBLANC ILLUMINATIONS, FRENCH KNOW-HOW

From order to delivery



As a French Tech company, we are always proud to support jobs with manufacture in France, participate in the economic development of the country and export French know-how.

A well conceived project

Our creative and technical teams imagine the style and feasibility of your project while ensuring the scheme conforms with the necessary safety regulations, under the watchful eye of our in-house test centre.

100% made in-house

Leblanc illuminations has the largest lighting decoration manufacturing workshop. It brings together all the expertise required for **quality production**.

Efficient logistics

Despatch in very quick time. **Deliveries every day nationwide and internationally.** 20,000 m² of storage space.

After-sales Service & Quality

Systematic checks at every step of the process ensure quality service. Leblanc illuminations guarantee your **new products for 2 years**.

COMMUNITY & BEST PRACTICE

We are passionate about our work and aim to develop solid and responsible relationships with our partners. Our good customer service and after sales care set us apart.

Taking care of our teams, our clients and future generations

Leblanc illuminations is committed to operating in a socially responsible way. In 2020, we formalised our commitments and expectations in a Responsible Purchasing Charter, sand global supply chain.



Commitment charters

We have developed a CSR Commitment Charter intended for our employees and stakeholders and a Responsible Purchasing Charter for our complete supply chain.



Encouraging recycling and local purchasing



Annual client satisfaction surveys



Employees

Identifying development opportunities for our employees.

Defending the diversity of our teams

100% of our employees have signed our charter for the promotion of equal opportunities.



CHARITY WORK

The magic of Christmas comes to hospitals!

The end-of-year festivities are a time for sharing and generosity. For more than 10 years, Leblanc illuminations and the Blouses Roses have been working together to bring smiles to the faces of the young and the not so young. Together, we offer hospitalised patients a brightly lit Christmas, by decorating their wards.

Already, 40 hospitals are illuminated
in the colours of the Blouses Roses every year.



The Blouses Roses association

The Blouses Roses charity, set up in 1944, seeks to comfort ill, aged and disabled people, be attentive to them and entertain them with fun events.

www.lesblousesroses.asso.fr

Illuminated hospitals for everyone!

Since 2017, Leblanc illuminations has been providing the GHU AP-HP. Sorbonne University* hospitals group with valuable support through their donations. In total over 50,000 LEDs, namely 2,000 metres of garlands together with low-consumption luminous motifs in 3D, complement the decorations already in place to warm the hearts of the medical staff and the hospitalised patients.



*AP-HP Sorbonne University is a university-hospital grouping under the AP-HP (public assistance – Paris hospitals) umbrella, comprising seven hospitals: Charles-Foix, Pitié-Salpêtrière, Rothschild, Saint-Antoine, Tenon, Armand-Trousseau and La Roche-Guyon.

PARTNERSHIPS

Eight years of ski cross!

Already partners of French ski resorts, the Fédération Française de Ski Cross (French ski cross federation) and the French ski cross team since 2016, we renewed our partnership during the last ski cross world cup in Megève – **until 2024**.



We wanted our partnership to be rich in terms of its history, its traditional architectural heritage, and as a symbol of French-style living. We wanted it nestled in the sumptuous setting of the Alps. We hoped it would offer 445 km of pistes, hotels, traditional chalets and lots of shops. **And we found it!** Megève is a small, internationally renowned village in the Savoy possessing these values, as well as the authenticity which won us over.

It is therefore with some pride that Leblanc is the official partner of the Megève Illuminations since 2017. A pleasure shared in front of more than 5.000 people each year at the beginning of December for the unveiling of the legendary Christmas tree in Place de l'église.

ARCHITECTURAL LIGHTING



Consistency

We are the only ones on the market to offer you complete, dynamic scenographies, mixing lighting, light decorations and lighting equipment. **That's why we have chosen the best products from our partner Freevox.**



Michaël Pamart

Hugo Tinot

Architectural lighting project department



HALTO

Halto, lighting made to measure

See the Lighting solutions

section for more details

p.328

TWINKLY PRO



Leblanc
illuminations

EXCLUSIVE DISTRIBUTOR



What is Twinkly Pro ?

Twinkly Pro is **the technological evolution of the traditional Christmas light decoration** and **a real innovation** for the lighting industry overall.

Twinkly's new generation of LED string lights are **controllable via a smartphone**. With its **integrated Wi-Fi**, users can display an **infinite number of effects that are completely customisable**.




Discover breathtaking
animations



Download
Twinkly Pro





The Twinkly Pro experience

• Instant setup

Hang your Twinkly Pro garland and download the app. Quickly setup your device to join the Wi-Fi.

• Scan our decoration

The app is able to detect the exact position of every single LED through your smartphone camera.

• Play with different effects

Choose from a huge gallery of effects that can be fully customised by changing the speed, colours and other key parameters of each animation.

• Customize your animation

You can easily create your own effects: draw what you want with your finger or download additional effects.

Infinity

Control your decorations from your smartphone and bring your illuminations to life.

Infinity is our new range of 3D decorations, dressed in Twinkly Pro garland, controllable by smartphone. Choose the colours of your decoration & select your animation from a large gallery of breathtaking customisable effects and colours!



More information
p.220

URBAN TECHNOLOGIES

An interactive desk

The interactive desk, amusing and intergenerational, offers a show that passers-by can trigger at will. Leblanc illuminations takes the interactivity of its decorations and their customisation even further for an even more immersive illuminations experience.

For further information,
contact us.



Enhanced reality in city centre

Loomie proposes an immersive experience: visitors can interact with the illuminations and their environment. Generate traffic and bring life to the town- or city-centre!

More informations
on Loomie



A turnkey service

- 1 totem with a QR code
- 3 games for children and adults
- Customisation of your greeting cards with your logo, together with 8 amusing photographic filters
- 1 redirection link to your website
- The various graphical elements for your town or city's communication



The 5 applications proposed

Discover Loomie
in detail p.322



Download Loomie





MAESTRIO

Control your electricity consumption

Concerned about protecting the environment, Leblanc illuminations has developed the first application that allows you to programme the times and period of operation of your lights on your smartphone, simply and quickly, without any additional electrical connection.

All our sets can be equipped with Maestrio.

Find out about Maestrio in detail p.324-325

Kubix³

Create your own shows with Kubix³

Kubix3 is an exclusive Leblanc illuminations technology and is ideal for mind-blowing light shows. The DMX transmission boxes make it possible to control, dim and synchronise Leblanc illuminations decorations, Starway and Griven projectors, and have independent networks which make the most amazing lighting creations possible. Many towns have already benefited from their potential so far. Why not you?

Find out about Kubix³ in detail p.326-327

Musik ♪

Add sound to your decorations !

Keep your ears open, Musik adds a new dimension to your lighting decorations. Among a large choice of talking Santa, musical letter box or 3D decoration set to music, imagine your own project with its own message or background music. Attract more visitors and enhance their experience with this new animation.

Aroma §§

The sweet smell of success !

Combine light and fragrance for a complete atmosphere ! Aroma is a fragrance dispenser box which gives your decor an aroma. Four fragrances are available: chocolate, ice pack, frosted Christmas tree or cinnamon.

Find out about Aroma in detail p.321

PRESTIGIOUS BRANDS

The power and appeal of a strong brand come from the personality that we breathe into it.

To attract and retain interest, the festive decorations need to respect and compliment their surroundings. Major French luxury brands entrust the realisation of their finest projects to us.



Cannes

Show me



Leblanc revisits your shopping centre and gives it a festive look.

Leblanc illuminations designs striking and immersive environments, proposing show-stopping centrepieces and interactive displays, indoors or outdoors, to capture your visitors' attention. Lighting scenography will animate the shopping centre and create a magical and warm atmosphere.



Canada

LEBLANC ILLUMINATIONS WORLDWIDE



90
MILLION LEDs
light up per year

25,000
PLACES DECORATED
across the world

more than **40**
COUNTRIES
across the world

They entrusted their projects to us

Miami Beach • Kourou • Marseille • Toulouse • Nouméa • Orlando • Mexico City • Bamako • Nantes • La Plagne • Nice • Les Deux Alpes • Laval • NASA • La Clusaz • Annecy • Bruxelles • Montréal • Tahiti • Puebla • Las Vegas • York • Cannes • La Réunion ...

... And many others.

COME AND VISIT OUR SHOWROOM

LEBLANC WORLDWIDE

French company, international know-how

Leblanc illuminations establishes its influence internationally thanks to 4 subsidiaries and its actual presence in more than 40 countries, through a wide network of authorised distributors.

Our subsidiaries



Canada

Jean-François Hénault

Ph. +450 755-6902
contact@leblanc-illuminations.ca



Mexico

Clément Briendo

contacto@lbi.com.mx



Romania

Elena Heuripecau

Ph. +33 (0)2 43 61 43 61
contact@leblanc-illuminations.com



United Kingdom

Christopher Stille

Ph.44 (0)1622 882424
hello@galalights.com



LEBLANC ILLUMINATIONS international DPT

+33 (0)2 43 61 43 54

international@leblanc-illuminations.com

Our authorised distributors

- **BLANDIN** - French Guiana, Guadeloupe, Martinique
- **ECLAIRAGE SGLE CORVO** - French Guiana
- **AEM LIGHTING** - Luxembourg
- **ARTISTIC HOLIDAY DESIGNS** - U.S.A
- **PACT SOLUTIONS** - Belgium
- **POSCH** - Austria
- **RAKO GROUP** - Netherlands
- **ELECTROPAC** - New Calédonia
- **JAKSCH IDEE & KONCEPT** - Germany
- **CITY ILLUMINATIONS** - Czech republic
- **SCHRÉDER SWISS** - Swiss
- **EVERLED EUROPE** - Sweden
- **GENERAL ELECTRICA ANDORRANA** - Andorra
- **MAFTEX** - Israel
- **SÉCAB** - North Réunion
- **AUTENTICA LATITUDE LDA** - Portugal
- **VINO DOMUS** - Hungary
- **YUNETUNG** - French Polynesia
- **DANA GROUPE** - Mali
- **EVERLIGHT** - Colombia & Peru
- **PANAMA LIGHTING** - Panama

Find all of our partners on
<http://www.leblanc-illuminations.com/site-public-nous/nos-distributeurs-a-l-international/>



Content

Photo gallery

Our most beautiful achievements p.27

Luminous decorations

Christmas spirit	p.70
Glittering Christmas	p.90
Frosty Christmas	p.104
A fabulous Christmas	p.116
Decorations to install	p.130
Infinity decorations	p.186
Facilities	p.210

Lighting solutions

Twinkly Pro Range	p.220
Garlands, curtain & icicle lights	p.228
MicroLED range	p.250
Suspensions	p.258
Branches, trees & floorstanding deco.	p.270
Rope lights	p.276
B22 - E27 range	p.286
Plug & Light	p.296
Daytime decorations	p.302
Technological animations	p.318

Architectural lighting

Perennial facilities	p.330
Festive facilities	p.338

Technical appendix

Standards and advices	p.348
Index	p.368





PHOTO GALLERY

Nours - ©Simon Garnier
Megève





Leblanc
Illuminations
megève

Megève
©Simon Garnier



Leblanc
Illuminations
megève



Renne Fantastique & Rudolphe
Megève



Frontage of the Town hall
Megève




Fir tree on the village square
Megève





e-deco by Leblanc, Aristide Briand bridge
Laval





Frisquet La Plagne



| Bonnet de ski
La Plagne

*Ballon Infinity - Jean Jaurès square
Béziers*






*Snowball Infinity, Étoile Infinity - Jean Jaurès square
Béziers*


*Architectural lighting on the town hall
Albert*





Architectural lighting - Place de la Liberté
Brest

Architectural lighting
Megève



e-deco by Leblanc - Cours de l'Intendance
Bordeaux





Town hall
Saint-Mandé



Neige glacée
Versailles






Sapin Amaya - JC Perreault shopping center
Canada



Renne Enchanté & Étoile Pétillante - Galerie Anspach
Belgium



*Town hall
Montrouge*





*Renne Fantastique
Montrouge*




Arche cadeau
Le Mans



Sucres d'orge pétillants
Canada



Coeur de Noël - Town hall square
Auxerre



Jean-Jaurès Square
Béziers

*Town hall
Amiens*






M.Noël - René Goblet Square
Amiens



Lamp columns & fir trees
Czech Republic



Arche Cadeau - Christmas market
Dorval - Canada





Coeur de Noël
Crawley

Amaze Light Festival
USA





3D Cake - Cleveland Zoo
USA



Grelots family
Meaux



Bauble Chair
Angoulême



Bruxelles
Belgium







e-deco by Leblanc
Besançon



Querétaro
Mexique



Sapin Magique
Evreux



Boule M Infinity & Sapin Cristal Infinity
Les vitrines d'Épernay



Twinkly Pro garlands - Martinez Hotel
Cannes




Sylma & Arche féerique
Massy







Architectural lighting on the Fillé-sur-Sarthe bridge
Citizen Project



Architectural lighting on the town hall
Le Mans

Château-Neuf
Laval

Leblanc illuminations revisits its iconic decors through the Infinity Collection.


Play with an infinite and connected colour palette!

Discover your favourite decors in their point-by-point controllable version without further delay.

Easily identify the Infinity decorations with these pictograms:

-  Dynamic animation Cold White/Warm White/Amber
-  Dynamic animation RGB/Warm white

Infinity p.186
Our icons p.202





LUMINOUS DECORATIONS



Animated decoration



Chasing effect



Colorful declination



Confetti version also available



White/warm white Control



RGB Control



Dynamic animation Cold White/Warm White/Amber



Dynamic animation RGB/Warm white


1 ESSENTIAL

ESSENTIAL decoration

Our collection of ESSENTIALS relies on **optimized and streamlined design**: Simple shapes, raw materials, and the daytime decorations which are confined to key materials. The decorations are equipped with rope lights 36 LED/m certified and patented, their brightness is excellent. They are supplied without junction box, with 3 m disconnectable supply cable.

As all our collection of lighting decorations, the ESSENTIALS can be placed horizontally and vertically. They offer a wide range of sizes, colours and animations. It is possible to combine our different collections with each other.

All our decorations are made with 100% LED, delivered with power cables & fastening kits, without bulbs and satilight. All our floorstanding 3D decorations are cabled in SELV, except for non-suitable products.



Christmas spirit



Esprit
de Noël



Christmas spirit

COLLECTIONS AND DECORATIONS
DISPLAYED:

Collection Funky p.74
Augustin le lutin p.153
New Santa p.78







Funky
Création
2022



10





Christmas spirit



Les petits
Ludiques

Création
2022



- | | |
|--|--|
| <p>1 204484 NEIGE FUNKY
Lamp column
L 0.85 x H 1.6 m.
</p> <p>2 204485 LUTIN FUNKY
Lamp column
L 0.75 x H 1.6 m.
</p> <p>3 204486 PÈRE NOËL FUNKY
Lamp column
L 0.7 x H 1.6 m.
</p> <p>4 204487 OURS FUNKY
Lamp column
L 0.8 x H 1.65 m.
</p> <p>5 204488 RENNE FUNKY
Lamp column
L 1.15 x H 2.1 m.
</p> <p>6 204489 CADEAU FUNKY
Lamp column
L 1 x H 2.5 m.
</p> <p>7 ESSENTIAL
170085 SPHERE
3D suspension
Ø 0.35 m.
</p> <p>8 201972 ZEF
3D suspension
L 0.24 x H 0.3 m.
</p> <p>9 204490 CADEAU FUNKY
Lamp column
L 0.6 x H 0.75 m.
</p> <p>10 ESSENTIAL
170149 SPHERE PLIABLE
3D suspension
Ø 0.55 m.
</p> <p>11 204493 TRAVERSÉE FUNKY
Across street
L 4 x H 0.75 m.
</p> <p>12 204491 TRAVERSÉE FUNKY
Across street
L 6 x H 1.2 m.
</p> | <p>13 204460 BONNET LUDIQUE RG
Suspension
L 0.7 x H 1 m.
</p> <p>14 204466 GINGER LUDIQUE OR
Suspension
L 0.8 x H 1 m.
</p> <p>15 204449 BOULE LUDIQUE BE
Suspension
L 0.85 x H 1 m.
</p> <p>16 204483 SAPIN LUDIQUE VE
Suspension
L 0.68 x H 1 m.
</p> <p>17 204476 CANDY LUDIQUE RG
Suspension
L 0.68 x H 1 m.
</p> <p>18 204437 CADEAU LUDIQUE OR
Suspension
L 0.8 x H 1 m.
</p> <p>19 204432 CADEAU LUDIQUE OR
Lamp column
L 0.85 x H 1 m.
</p> <p>20 204444 BOULE LUDIQUE BE
Lamp column
L 0.9 x H 1 m.
</p> <p>21 204455 BONNET LUDIQUE RG
Lamp column
L 0.72 x H 1 m.
</p> <p>22 204462 GINGER LUDIQUE OR
Lamp column
L 0.82 x H 1 m.
</p> <p>23 204480 SAPIN LUDIQUE VE
Lamp column
L 0.71 x H 1 m.
</p> <p>24 204472 CANDY LUDIQUE RG
Lamp column
L 0.73 x H 1 m.
</p> |
|--|--|



Création
2022

Lanterne



5



2

Wanda



3

Merry



4

Elfie



10




11



12



14



9



13



6




7



8

Christmas spirit



- [1] 204496 LANTERNE
Lamp column
L 1 x H 2 m. Also available in daylight garlands green or white.
※ ○
- [13] 204501 LANTERNE
Across street
L 2 x H 1.3 m. Also available in daylight garlands green or white.
※ ○
- [2] 202954 WANDA
Lamp column and across street
L 1 x H 1 m. Also available in daylight garlands green or white.
※ ○
- [14] 204502 LANTERNE
Across street
L 3 x H 1.3 m. Also available in daylight garlands green or white.
※ ○
- [3] 202942 MERRY
[4] 202932 ELFIE
Lamp column and across street
L 1 x H 1 m. Also available in daylight garlands green or white.
※ ○
- [15] 203298 ZÉBULON OR
Suspension
H 1 x W 1 m.
※ ○ ●
- [16] 203669 NOËL OR
Suspension
L 2.7 x H 2 m.
※ ○ ○ ○
- [17] 204499 LANTERNE
Suspension
L 0.5 x H 1 m.
※
- [6] 202958 WANDA
[7] 202946 MERRY
[8] 202936 ELFIE
Lamp column and across street
L 1 x H 3 m. Also available in daylight garlands green or white.
※ ○
- [5] 204498 LANTERNE
Lamp column
L 1 x H 3 m. Also available in daylight garlands green or white.
※ ○
- [18] 201976 BOULE VINTAGE
Suspension
L 1 x H 1.28 m.
※ ○
- [19] 202957 WANDA
Lamp column across street
L 1 x H 2.5 m. Also available in daylight garlands green or white.
※ ○
- [20] 202945 MERRY
Lamp column and across street
L 1 x H 2.5 m. Also available in daylight garlands green or white.
※ ○
- [10] 201978 COURONNE VINTAGE
Suspension
L 1 x H 1.2 m.
※
- [11] 201975 FLOCON VINTAGE
Suspension
L 1 x H 1 m.
※
- [12] 201977 ETOILE VINTAGE
Suspension
L 1 x H 1 m.
※
- [21] 202935 ELFIE
Lamp column and across street
L 1 x H 2.5 m. Also available in daylight garlands green or white.
※ ○



1



2


Santa



4



5




3


New Santa



6



19



4


7




15

7


Christmas spirit




Couronnes enchantées




Précieuses Couronnes




Couronnes glacées



Couronnes de Noël



Couronnes scintillantes



Couronnes merry

- [1] 202664 SANTA
Lamp column and across street
L 1 x H 1 m.



- [2] 202669 JOYEUX NOËL SANTA
Across street
L 3.9 x H 1.6 m.



- [3] 203068 NEW SANTA
Across street
L 5 x H 1.5 m.



- [4] 202668 SANTA
Lamp column and across street
L 1 x H 3 m.



- [5] 202705 MERRY CHRISTMAS
SANTA
Across street
L 3.9 x H 3.9 m.



- [6] 203067 NEW SANTA
Across street
L 5 x H 1.5 m.



- [7] 203069 NEW SANTA
Across street
L 5 x H 1.5 m.



- [8] 204884-24V COURONNE
ENCHANTEE
Suspension
L 1.5 x H 1.5 m.



- [9] 204883-24V COURONNE
ENCHANTEE
Suspension
L 0.95 x H 1 m.



- [10] 204892-24V PRÉCIEUSE
COURONNE
Suspension
L 1.5 x H 1.5 m.



- [11] 204891-24V PRÉCIEUSE
COURONNE
Suspension
L 0.9 x H 0.9 m.



- [12] 204886-24V COURONNE
GLACÉE
Suspension
L 1.5 x H 1.5 m.



- [13] 204885-24V COURONNE
GLACÉE
Suspension
L 0.9 x H 0.9 m.



- [14] 204882-24V COURONNE
DE NOËL
Suspension
L 1.5 x H 1.5 m.



- [15] 204881-24V COURONNE
DE NOËL
Suspension
L 1.17 x H 0.9 m.



- [16] 204890-24V COURONNE
SCINTILLANTE
Suspension
L 1.5 x H 1.5 m.



- [17] 204889-24V COURONNE
SCINTILLANTE
Suspension
L 0.95 x H 0.9 m.




- [18] 204888-24V COURONNE
MERRY
Suspension
L 1.5 x H 1.5 m.



- [19] 204887-24V COURONNE
MERRY
Suspension
L 0.9 x H 0.9 m.





Christmas spirit



① 204582 LOUISE

Across street
L 5.2 x H 0.24 m.



⑧ 203294 MERRY

Across street
L 5.2 x H 0.24 x D 0.24 m.



② 204581 LOUISE

Across street
L 5.2 x H 0.8 m.



⑨ 203295 MERRY

Across street
L 5.2 x H 0.8 x D 0.24 m.



③ 204578 DIAMANT

Across street
L 5.2 x H 0.24 m.



⑩ 203296 ENCHANTÉE

Across street
L 5.2 x H 0.24 x D 0.24 m.



④ 204577 DIAMANT

Across street
L 5.2 x H 0.8 m.



⑪ 203297 ENCHANTÉE

Across street
L 5.2 x H 0.8 x D 0.24 m.



⑤ 204584 MIRA ÉTOILE

Across street
L 5.2 x H 0.24 m.



⑥ 204583 MIRA ÉTOILE

Across street
L 5.2 x H 0.8 m.



⑦ 204587 LANTERNE

Across street
L 5.2 x H 1.24 m. Also available in
daylight garlands green or white.



Christmas spirit

COLLECTIONS AND DECORATIONS
DISPLAYED:

Collection Noeud p.84
Collection Cadeau p.84
Cadeau enchanté p.147



Joieuses

Fêtes







Noeud

Création
2022

Cadeau

Boule



Christmas spirit



- [1] 204598 NŒUD OR
Lamp column
L 1 x H 3 m.

- [2] 204529 CADEAU OR
Lamp column
L 1.1 x H 3.2 m.

- [3] 203317 BOULE OR
Lamp column and across street
L 1 x H 3 m.

- [4] 203337 NŒUD OR
Globe
L 1 x H 2.2 m.

- [5] 203304 CADEAU OR
Globe
L 1 x H 2.2 m.

- [6] 203320 BOULE OR
Globe
L 1 x H 2.2 m.


- [7] 204531 CADEAU OR
Across street
L 5 x H 1.4 m.

- [8] 204601 NŒUD OR
Across street
L 6 x H 1.4 m.

- [9] 203319 BOULE OR
Across street
L 6 x H 1 m.

- [10] 204603 ARCHE NŒUD OR
Across street
L 6 x H 2 m.


- [11] 204532 CADEAU OR
Across street
L 6 x H 2 m.

- [12] 203318 BOULE OR
Suspension
L 0.95 x H 1.15 m.

- [13] 204599 NŒUD OR
Suspension
L 0.9 x H 1.3 m.

- [14] 204530 CADEAU OR
Suspension
L 1.15 x H 1.15 m.

- [15] 203312 CADEAU 3D OR⁽¹⁾
Lamp column
L 2.95 x H 3.5 x D 2.1 m.

- [16] 203420 MEILLEURS VŒUX
Across street
L 4.5 x H 1.2 m.

- [17] 204534 JOYEUX CADEAU OR
Across street
L 5 x H 1.4 m.

- [18] 204877 JOYEUX NOËL FILANT
Across street
L 5 x H 1.5 m.


⁽¹⁾ Decor with specific constraints. Please contact us for any project.



[1]



[2]



[3]

Ara

Boucle

Mila




[4]



[5]




[6]




[7]




[8]



[9]



[10]



[2]

[2]

Chandelier Création 2022



Clara

Brin



16

17



Noeud 3d

15



18

Christmas spirit

1 ESSENTIAL

171222 ARA
Lamp column and across street
L 1 x H 3 m.



10 ESSENTIAL

171157 CLARA
Across street
L 6 x H 1.3 m.



2 ESSENTIAL

171247 BOUCLE
Lamp column and across street
L 1 x H 3 m.



11 204725 CHANDELIER

3D suspension
H 2.2 x Ø 1.3 m.



12 ESSENTIAL

171171 CLARA
Suspension
L 1 x H 1 m.



3 ESSENTIAL

171108 MILA
Lamp column and across street
L 1 x H 3 m.



4 ESSENTIAL

171221 ARA
Lamp column and across street
L 1 x H 2 m.



13 ESSENTIAL

171156 CLARA
Lamp column
L 1 x H 3 m.



5 ESSENTIAL

171246 BOUCLE
Lamp column and across street
L 1 x H 2 m.



14 ESSENTIAL

171259 BRIN
Lamp column and across street
L 1 x H 3 m.



6 ESSENTIAL

171106 MILA
Lamp column and across street
L 1 x H 2 m.



15 203731 NOEUD 3D

3D suspension
L 2.8 x H 2.5 x D 0.8 m.



7 ESSENTIAL

171155 CLARA
Across street
L 5 x H 1 m.



16 ESSENTIAL

171154 CLARA
Lamp column
L 1 x H 2 m.



8 202475 JOYEUSES FÊTES EN FOLIE

Across street
L 5 x H 1 m.



17 ESSENTIAL

171258 BRIN
Lamp column and across street
L 1 x H 2 m.



9 ESSENTIAL


171109 MILA
Across street
L 5 x H 1 m.




18 ESSENTIAL

171232 MILA
Globe
L 1.3 x H 2 m.






Brassée
d'étoiles




Rideau
étoile




Mira
Crédit 2022

Rideau
Cadeaux



Christmas spirit



- | | |
|--|---|
| <p>1 204186 NOVA OR
Suspension
L 0.77 x H 0.75 m.
</p> <p>2 204187 NOVA OR
Globe
L 0.8 x H 2.2 m.
</p> <p>3 204183 NOVA OR
Lamp column and across street
L 1 x H 2 m.
</p> <p>4 204185 NOVA OR
Lamp column and across street
L 1 x H 3 m.
</p> <p>5 ESSENTIAL
171315 BRASSÉE D'ÉTOILES
Lamp column and across street
L 1 x H 3 m.
</p> <p>6 204332 MIRA ÉTOILES
Lamp column
L 1 x H 2 m.
</p> <p>7 204334 MIRA ÉTOILES
Lamp column
L 1 x H 3 m.
</p> <p>8 204335 MIRA ÉTOILES
Globe
L 1.25 x H 1.2 x D 1.25 x Ø 1.25 m.
</p> | <p>9 204062 RIDEAU ÉTOILE
Lamp column
L 1 x H 1.25 m.
</p> <p>10 204063 RIDEAU ÉTOILE
Lamp column
L 1 x H 1.96 m.
</p> <p>11 204078 RIDEAU CADEAUX
Lamp column
L 1 x H 1.25 m.
</p> <p>12 204079 RIDEAU CADEAUX
Lamp column
L 1 x H 1.96 m.
</p> <p>13 203405 ARCHE FILANTE BLANC
Across street
L 6 x H 2.5 m.
</p> <p>14 204188 NOVA OR
Across street
L 5 x H 1 m.
</p> <p>15 204080 RIDEAU CADEAU OR
Across street
L 4 x H 1.2 m.
</p> <p>16 204065 RIDEAU CADEAU OR
Across street
L 4 x H 1.85 m.
</p> <p>17 204336 MIRA ÉTOILES
Across street
L 6 x H 1.2 m.
</p> |
|--|---|

Glittering Christmas




Noël
étonnant

coûteux


Glittering Christmas

COLLECTIONS AND DECORATIONS
DISPLAYED:

Inaya p.94
Snow p.94









Alya


Snow
Création
2022

Inaya
Création
2022





14 Lustre Snow



15 Carillon
Création 2022



16



Glittering Christmas

- 1 203366 ALYA OR
Lamp column and across street
L 1 x H 2 m.



- 9 204263 SNOW OR
Suspension
L 0.8 x H 2 m.



- 2 204260 SNOW OR
Lamp column and across street
L 1 x H 2 m.



- 10 204311 INAYA OR
Across street
L 5 x H 1 m.



- 3 204308 INAYA OR
Lamp column and across street
L 0.8 x H 2 m.



- 11 203371 ALYA GAUCHE OR
Across street
L 2 x H 0.65 m.



- 4 203368 ALYA OR
Lamp column and across street
L 1 x H 3 m.



- 12 203372 ALYA DROIT OR
Across street
L 2 x H 0.65 m.



- 5 204262 SNOW OR
Lamp column and across street
L 1 x H 3 m.



- 13 204264 SNOW OR
Across street
L 5 x H 1 m.



- 6 204310 INAYA OR
Lamp column and across street
L 1 x H 3 m.



- 14 204721 LUSTRE SNOW
3D suspension
L 2 x H 2 x D 2 x Ø 2 m.



- 7 203369 GOUTTE ALYA OR
Suspension
L 0.6 x H 1.1 m.



- 15 204712 CARILLON OR
3D suspension
L 2 x H 1.4 x D 2 x Ø 2 m.



- 8 203370 COURRONNE ALYA OR
Suspension
L 1 x H 1.25 m.



- 16 203783 AGATHE OR
Across street
L 5 x H 1.15 m.





1

2

3



4


5

6

Louise


Féérique

Millésime



10


10



7

8

9




11



12

Glittering Christmas



- 1 203755 PETITE LOUISE OR
Suspension
L 0.14 x H 0.63 m.



- 2 203347 MILLÉSIME OR
Suspension
L 1.35 x H 1.35 x Ø 1.35 m.



- 3 203753 LOUISE OR
Suspension
L 0.45 x H 1.2 m.



- 4 203750 LOUISE OR
Lamp column and across street
L 1 x H 3 m.



- 5 203026 FÉRIQUE OR
Lamp column and across street
L 1 x H 3 m.



- 6 203346 MILLÉSIME OR
Lamp column and across street
L 1 x H 3 m.



- 7 203751 LOUISE OR
Lamp column and across street
L 1 x H 2 m.



- 8 203024 FÉRIQUE OR
Lamp column and across street
L 1 x H 2 m.



- 9 203344 MILLÉSIME OR
Lamp column and across street
L 1 x H 2 m.



- 10 203802 LOUISE OR
Lamp column and across street
L 1 x H 2.5 m.



- 11 203351 MILLÉSIME OR
Across street
L 6 x H 1.3 m.



- 12 203419 JOYEUSES FÊTES !
Across street
L 4.35 x H 1.3 m.



- 13 203418 JOYEUSES FÊTES
RUBAN
Across street
L 6 x H 2 m.



- 14 203348 MILLÉSIME OR
Across street
L 4 x H 1.55 m.



- 15 203027 FÉRIQUE OR
Across street
L 5 x H 1 m.




Glittering Christmas

COLLECTION DISPLAYED:

Atmos p.100







Glittering Christmas

9



7



7



2



10

- 1 203788 AGATHE BF
Suspension
L 0.2 x H 0.5 x D 0.5 m.
○ ○ ● ●

- 6 203780 AGATHE OR
Lamp column and across street
L 1 x H 2 m.
★ ○ ○ ● ●

- 2 204415 ATMOS
Suspension
L 0.85 x H 0.85 m.

- 7 204414 ATMOS OR
Lamp column and across street
L 1 x H 3 m.
★ ○ ○ ● ●

- 3 203782 AGATHE OR
Suspension
L 0.2 x H 0.5 m.
○ ○ ● ●

- 8 203778 AGATHE OR
Lamp column and across street
L 1 x H 3 m.
★ ○ ○ ○ ● ●

- 4 204416 ATMOS OR
Globe
L 1.1 x H 2.3 m.
★ ○ ○ ● ●

- 9 204417 ATMOS OR
Across street
L 8 x H 1.5 m.
★ ○ ○ ● ●

- 5 204412 ATMOS OR
Lamp column and across street
L 1 x H 2 m.
★ ○ ○ ● ●

- 10 204413 ATMOS OR
Lamp column and across street
L 1 x H 2.5 m.
★ ○ ○ ● ●

Perle filante



[1]

Dentelle



[2]

Janyce



[3]



[5]




[6]



[7]




[4]



[8]


Arche ruban

Glittering Christmas



- 1 ESSENTIAL**
171300 PERLE FILANTE
Lamp column and across street
L 0.8 x H 3 m.
★ ○ ○ ●
- 2 ESSENTIAL**
171004 DENTELLE
Lamp column and across street
L 1 x H 3 m.
★ ○
- 3 ESSENTIAL**
171309 JANYCE
Lamp column and across street
L 1 x H 3 m.
★ ○ ●
- 4 ESSENTIAL**
171005 DENTELLE
Across street
L 5 x H 1 m.
★ ○
- 5 204388 COLLIER OR**
Across street
L 5 x H 1.15 m.
★ ○ ○ ● ●
- 6 203040 COLLIER**
Across street
L 5 x H 1 m.
★ ○ ○ ○
- 7 203034 ARCHE COLLIER**
Across street
L 5 x H 2 m.
★ ○
- 8 203403 ARCHE RUBAN**
Across street
L 6 x H 2.2 m.
★ ○
- 9 202217 LUSTRE COLLIER**
3D suspension
L 3 x H 1.8 x D 3 x Ø 3 m.
★ ○ ○
- 10 203424 ALTI OR**
3D suspension
H 4 x Ø 2 m.
★ ○
- 11 203035 COLLIER**
Lamp column
L 1 x H 1 m.
★ ○ ○
- 12 204382 COLLIER OR**
Lamp column
L 1 x H 1 m.
★ ○ ○ ● ●
- 13 204387 COLLIER OR**
Globe
L 0.75 x H 1.7 m.
★ ○ ○ ○ ● ●
- 14 203039 COLLIER**
Lamp column
L 1 x H 3 m.
★ ○ ○ ○
- 15 204386 COLLIER OR**
Lamp column
L 1 x H 3 m.
★ ○ ○ ○ ● ●

Frosty Christmas



Noël
de
gout




Frosty Christmas

COLLECTIONS DISPLAYED:


Winter p.110
Flocon p.109
Sapin nature p.179







Ruban
flocon



[1]

[3]


[2]

[6]

[7]

[11]

Frosty Christmas



Neige
glacée

Flocon
Création 2022



1 203383 RUBAN FLOCON

Lamp column
L 1,5 x H 4,95 m.



8 204215 FLOCON OR

Suspension
L 1 x H 1 m.



2 203382 NEIGE GLACÉE BLANC

Globe
L 1,1 x H 2 m.



9 203381 NEIGE GLACÉE BLANC

Suspension
Ø 1,2 m.



3 204216 FLOCON OR

Globe
L 1 x H 2 m.



10 203380 NEIGE GLACÉE BLANC

Lamp column
L 1,2 x H 3 m.



4 203387 ARCHE GLACÉE BLANC

Across street
L 4 x H 1,7 m.



11 204214 FLOCON OR

Lamp column and across street
L 1,45 x H 3 m.



5 203385 NEIGE GLACÉE BLANC

Across street
L 5,4 x H 1,8 m.



12 203378 NEIGE GLACÉE BLANC

Lamp column
L 1,2 x H 1,8 m.



6 203386 NEIGE GLACÉE BLANC

Across street
L 5 x H 1,5 m.



13 204212 FLOCON OR

Lamp column and across street
L 1 x H 2 m.



7 204211 FLOCON OR

Lamp column and across street
L 0,75 x H 1,5 m.





Frozen
Création 2022



Winter
Création 2022



[8]



[3]




[4]

[9]




[5]



[6]

[10]





Frosty Christmas

- [1] 204378 FROZEN BE**
Lamp column
L 1 x H 3 m.

- [9] 204525 WINTER BF**
Across street
L 5 x H 1 m. Also available in day-light garlands green or white.

- [2] 204522 WINTER BF**
Lamp column
L 1 x H 3 m. Also available in day-light garlands green or white.

- [10] 204381 FROZEN BE**
Across street
L 5 x H 1,15 m.

- [3] 204376 FROZEN BE**
Lamp column
L 1 x H 2 m.

- [11] 203292 SOUPLE GLACÉE**
Across street souple
L 5,2 x H 0,24 x P 0,24 m.

- [4] 204520 WINTER BF**
Lamp column
L 1 x H 2 m. Also available in day-light garlands green or white.

- [12] 203293 SOUPLE GLACÉE**
Across street souple
L 5,2 x H 0,8 x P 0,24 m.

- [5] 204380 FROZEN BE**
Globe
L 1 x H 2 m.

- [13] 204586 SOUPLE FLOCON**
Across street
L 5,2 x H 0,24 m.

- [6] 204524 WINTER BF**
Globe
L 0,75 x H 1,5 m. Also available in day-light garlands green or white.

- [14] 204585 SOUPLE FLOCON**
Across street
L 5,2 x H 0,8 m.

- [7] 204379 FROZEN BE**
Suspension
L 0,5 x H 1,13 m.

- [15] 204580 SOUPLE GIVRÉE**
Across street
L 5,2 x H 0,24 m.

- [8] 204523 WINTER BF**
Suspension
L 0,28 x H 1,13 m.

- [16] 204579 SOUPLE GIVRÉE**
Across street
L 5,2 x H 0,8 m.




1



2



3

Tess

Frost

Roméo



4



5



6



7



8



9



10



11




12



13

Frosty Christmas



1 ESSENTIEL

171176 TESS
Lamp column and across street
L 1 x H 1 m.



8 ESSENTIEL

171051 ROMÉO
Suspension
L 0,45 x H 0,75 m.



2 203325 FROST OR

Lamp column
L 1 x H 1 m.



9 ESSENTIEL

171033 ROMÉO
Suspension
L 0,45 x H 0,75 m.



3 ESSENTIEL

171048 ROMÉO
Lamp column and across street
L 1 x H 1 m.



10 ESSENTIEL

171035 ROMÉO
Across street
L 5 x H 1 m.



4 ESSENTIEL

171180 TESS
Lamp column and across street
L 1 x H 3 m.



11 ESSENTIEL

171181 TESS
Across street
L 5 x H 1 m.



5 203329 FROST OR

Lamp column
L 1 x H 3 m.



12 ESSENTIEL

171049 GLOBE ROMÉO
Globe
L 1 x H 1,6 m.



6 ESSENTIEL

171052 ROMÉO
Lamp column and across street
L 1 x H 3 m.



13 203330 FROST OR

Globe
L 1 x H 2,2 m.



7 203331 FROST OR

Suspension
L 0,75 x H 1,5 m.





1



2

Flocon
Virevolte



3



4



Rideau
flocons
Création
2022



7



6



8



9



10

11



12

12



13



14



Frosty Christmas



- 1** 202889 FLOCON VIREVOLTE
Lamp column and across street
L 1 x H 3 m.
- 11** 201211 FLOCON STRASS
Suspension
L 0,45 x H 0,45 m.
- 2** 202874 BOUQUET GLACÉ
Lamp column and across street
L 1 x H 3 m.
- 12** 202873 BOUQUET GLACÉ
Lamp column and across street
L 1 x H 2,5 m.
- 3** 202887 FLOCON VIREVOLTE
Lamp column and across street
L 1 x H 2 m.
- 13** 203279 COURONNE GLACÉE
Suspension
L 1 x H 1 m.
- 4** 202872 BOUQUET GLACÉ
Lamp column and across street
L 1 x H 2 m.
- 14** 203725 BOUQUET GLACÉ
Globe
L 1 x H 1,6 m.
- 5** 204094 RIDEAU FLOCONS
Lamp column
L 1 x H 1,25 m.
- 15** 202010 SNOW FLAKE BLANC
Suspension
L 1 x H 1 m.
- 6** 202925 VIREVOLTE
Lamp column and across street
L 1 x H 3 m.
- 16** 203274 CRISTAL
Suspension
L 1 x H 1 m.
- 7** 204095 RIDEAU FLOCONS
Lamp column
L 1 x H 1,96 m.
- 17** 203280 COURONNE GLACÉE
Suspension
L 0,8 x H 0,8 m.
- 8** 202923 VIREVOLTE
Lamp column and across street
L 1 x H 2 m.
- 18** 202002 CRYSTAL FLAKE BLANC
Suspension
L 1 x H 1 m.
- 9** 202875 BOUQUET GLACÉ
Across street
L 5 x H 1 m.
- 19** 204096 RIDEAU FLOCON OR
Across street
L 4 x H 1,2 m.
- 10** 202888 FLOCON VIREVOLTE
Lamp column and across street
L 1 x H 2,5 m.
- 20** 204097 RIDEAU FLOCON OR
Across street
L 4 x H 1,9 m.

*A fabulous
Christmas*



Un
fabuleux
Noël



A fabulous Christmas

COLLECTIONS DISPLAYED:

Dream p.120
Lustre dentelle p.120






Dream
Création 2022




Songe



Création
2022

Lustre dentelle

Gaïa



A fabulous Christmas



19



- [1] 204130 DÉCOR C DREAM OR**
Lamp column
L 1 x H 3 m.
- [10] 203233 COURONNE SONGE**
Suspension
L 1.8 x H 2 x D 2 m.
- [11] 204717 DÉCOR 3D S LUSTRE**
DENTELLE OR
3D suspension
L 1.8 x H 2.2 x D 1.55 m.
- [12] 202973 GAÏA**
[13] 202972 GAÏA
Across street
L 5 x H 1 m. Also available in day-light garlands green or white.
- [14] 203236 DREAM CERF**
Suspension
L 0.97 x H 1.46 m.
- [15] 203238 DREAM RENARD**
Suspension
L 0.64 x H 1.28 m.
- [16] 203237 DREAM RENNE**
Suspension
L 0.6 x H 1.32 m.
- [17] 203235 DREAM HIBOU**
Suspension
L 0.6 x H 1.43 m.
- [18] 204131 DÉCOR S DREAM OR**
Suspension
L 0.6 x H 1.2 m.
- [19] 204133 DÉCOR T DREAM OR**
Across street
L 5 x H 1.2 m.
- [2] 204134 DÉCOR C DREAM OR**
Lamp column
L 1 x H 2 m.
- [3] 204135 DÉCOR C DREAM RÊVE**
OR
Lamp column
L 1 x H 2 m.
- [4] 204136 DÉCOR C DREAM NOËL**
OR
Lamp column
L 1 x H 2 m.
- [5] 204137 DÉCOR C DREAM**
XMAS OR
Lamp column
L 1 x H 2 m.
- [6] 204138 DÉCOR C DREAM JOIE**
OR
Lamp column
L 1 x H 2 m.
- [7] 204139 DÉCOR C DREAM**
FÊTES OR
Lamp column
L 1 x H 2 m.
- [8] 204132 DÉCOR G DREAM OR**
Globe
L 1 x H 2 m.
- [9] 203234 JOYEUSES FÊTES**
SONGE
Across street
L 3 x H 0.83 m.



[1]




[2]



[3]

Lisie

Anthéa



[4]



[5]



[11]



[6]



[7]



[8]



[10]




[9]

A fabulous Christmas


Lustre bouquet



[12]




[13]



[5]

[10]



[14]

- [1] 202393 LISIE
Lamp column and across street
L 1 x H 1.5 m.



- [2] 202392 LISIE
Lamp column and across street
L 1 x H 1 m.



- [3] 203388 ANTHÉA
Lamp column and across street
L 0.8 x H 1.5 m.



- [4] 202396 LISIE
Lamp column and across street
L 1 x H 3 m



- [5] 203391 DÉCOR TC ANTHÉA
Lamp column and across street
L 1 x H 3 m.



- [6] 201972 ZEF
[7] 202986 ZEF
3D suspension
H 0.6 x Ø 0.24 m.



- [8] 202399 LISON
Suspension
L 1 x H 0.75 m.



- [9] 203392 DÉCOR S ANTHÉA
Suspension
Ø 1.15 m.



- [10] 201848 JARDIN FÉERIQUE
Suspension
L 1.5 x H 0.45 x D 0.45 m.



- [11] 202398 LISIE
Globe
L 1.2 x H 1.9 m.



- [12] 203412 DÉCOR 3D S LUSTRE BOUQUET
3D suspension
H 2 x Ø 2 m.



- [13] 202397 LISIE
Across street
L 5 x H 1 m.



- [14] 203393 DÉCOR T ANTHÉA
Across street
L 6 x H 1.5 m.



A fabulous Christmas

COLLECTIONS AND DECORATIONS
DISPLAYED:



Raphaël p.126
Lustre plumes p.127









[1]



[1]





Lustre plumes

A fabulous Christmas

- 1** 203810 RAPHAËL OR
Suspension
L 0.45 x H 1.2 m.
 203812 PETIT RAPHAËL OR
Suspension
L 0.08 x H 0.75 m.
- 2** 203249 COURONNE DREAM
Suspension
L 1.2 x H 1.2 x D 0.2 m.
- 3** 203809 RAPHAËL OR
Lamp column and across street
L 1 x H 1.5 m.
- 4** 202134 AURORE OR
Lamp column and across street
L 1 x H 1 m.
- 5** 203001 AURA
Lamp column and across street
L 1 x H 1 m. Also available in day-light garlands green or white.
- 6** 203806 RAPHAËL OR
Lamp column and across street
L 1 x H 3 m.
- 7** 202150 AURORE OR
Lamp column and across street
L 1 x H 3 m.
- 8** 203005 AURA
Lamp column and across street
L 1 x H 3 m. Also available in day-light garlands green or white.
- 9** 203000 AURA
Suspension
L 1 x H 1 m. Also available in day-light garlands green or white.
- 10** 203811 GRAND RAPHAËL OR
Suspension
L 0.13 x H 1.2 m.
- 11** 202153 AURORE
Suspension
L 1 x H 1 m.
- 12** 202154 AURORE OR
Suspension
L 1 x H 1 m.
- 13** 203807 RAPHAËL OR
Lamp column and across street
L 1 x H 2.5 m.
- 14** 203413 LUSTRE PLUMES
3D suspension
H 2 x Ø 2 m.
- 15** 203657 LUSTRE PLUMES OR
3D suspension
H 2 x Ø 2 m.
- 16** 202158 AURORE OR
Globe
L 1.15 x H 2.07 m.
- 17** 202999 GLOBE AURA
Globe
L 1.15 x H 2.07 m.
- 18** 202999 GLOBE AURA
Globe
L 1.15 x H 2.07 m.




Esmeralda




Tiago




Eywa



Boréal



A fabulous Christmas



[1] 202644 ESMERALDA

Lamp column
L 1 x H 1 m.



[10] 201844 BULLE D'OR

Suspension
H 1.2 x Ø 0.55 m.



[2] ESSENTIAL

171093 TIAGO

Lamp column and across street
L 1 x H 1 m.



[11] 202643 PETITE LANTERNE

3D suspension
L 0.3 x H 0.6 x D 0.3 m.



[3] 202966 EYWA

Lamp column
L 1 x H 1 m.



[12] 203058 BORÉAL

Across street
L 3 x H 1.35 m.
Also available in daylight garlands green or white.



[4] 202648 ESMERALDA

Lamp column
L 1 x H 3 m.



[13] 203059 BORÉAL

Across street
L 4 x H 1.5 m. Also available in daylight garlands green or white.



[5] ESSENTIAL

171095 TIAGO

Lamp column and across street
L 1 x H 3 m.



[15] ESSENTIAL

171092 BOUQUET TIAGO

Suspension
L 0.5 x H 0.5 x D 0.5 m.



[6] 202970 EYWA

Lamp column
L 1 x H 3 m.



[7] 203057 BORÉAL

Lamp column
L 0.6 x H 3 m. Also available in daylight garlands green or white.



[8] 202650 ESMERALDA

Globe
L 1.2 x H 1.9 m.



[9] ESSENTIAL

171096 TIAGO

Globe
L 1.3 x H 2.1 m.



[16] 202971 EYWA

Across street

L 6 x H 1 m.



[17] 203060 BORÉAL

Across street

L 5 x H 1.15 m.



[18] 202649 ESMERALDA

Across street

L 5 x H 1 m.



Decorations to install



L'Atelier
du Père
Noël




Twinkeling Arches

COLLECTIONS AND DECORATIONS
DISPLAYED:

-
- Sapin ruban p.179
 - Sapin p.135
 - Renne p.135







Twinkeling Arches

Cadre photo



10

11

- 1 204682-24V SAPIN L OR
3D floorstanding decoration
L 1.2 x H 2 m.
Don't forget your set-up accessories which are sold separately.



- 7 204661-24V BOULE STAR OR
3D floorstanding decoration
L 0.8 x H 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 2 204678-24V SAPIN S OR
3D floorstanding decoration
L 0.65 x H 1 m.
Don't forget your set-up accessories which are sold separately.



- 8 204684-24V SNOWMAN
3D floorstanding decoration
L 1.25 x H 1.5 m.
Don't forget your set-up accessories which are sold separately.



- 3 204680-24V SAPIN M OR
3D floorstanding decoration
L 0.95 x H 1.5 m.
Don't forget your set-up accessories which are sold separately.



- 9 204676-24V RENNE
3D floorstanding decoration
L 1.6 x H 2 m.
Don't forget your set-up accessories which are sold separately.



- 4 204669-24V FLAKE
3D floorstanding decoration
L 1.4 x H 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 10 204685-24V CADRE PHOTO
3D floorstanding decoration
L 1.95 x H 2.55 x D 1 m.
Don't forget your set-up accessories which are sold separately.



- 5 204672-24V ETOILE NOVA
3D floorstanding decoration
L 2.15 x H 1.5 m.
Don't forget your set-up accessories which are sold separately.






- 11 204711-24V OPTION JOYEUX
NOËL
3D floorstanding decoration
L 1.6 x H 0.83 m.
Don't forget your set-up accessories which are sold separately.



- 6 204665-24V BOULE ARTY
3D floorstanding decoration
L 0.8 x H 0.8 m.
Don't forget your set-up accessories which are sold separately.





Twinkeling Arches

J'M ma ville



1 203394-24V ARCEAU ANTHÉA

3D floorstanding decoration

L 2.4 x H 3.5 m.

Don't forget your set-up accessories which are sold separately.




6 203321-24V ARCEAU BOULE

3D floorstanding decoration

L 3.5 x H 2.5 m.

Don't forget your set-up accessories which are sold separately.



2 203352-24V ARCEAU MILLÉSIME

3D floorstanding decoration

L 3.5 x H 2.5 m.

Don't forget your set-up accessories which are sold separately.



7 203912-24V J'M MA VILLE

3D floorstanding decoration

L 4.3 x H 2.5 x D 1 m.

Don't forget your set-up accessories which are sold separately.



3 203398-24V ARCEAU MONTAGNE

3D floorstanding decoration

L 3.5 x H 2 m.

Don't forget your set-up accessories which are sold separately.



8 203309-24V ARCEAU CADEAU

3D floorstanding decoration

L 3.5 x H 2.5 m.

Don't forget your set-up accessories which are sold separately.



4 203323-24V ARCEAU BOULES


3D floorstanding decoration

L 3.5 x H 1.75 m.

Don't forget your set-up accessories which are sold separately.



Arceau
Cadeau



8

Arceau
Lune



9

5 203324-24V ARCEAU BOULES

3D floorstanding decoration

L 2 x H 1.3 m.

Don't forget your set-up accessories which are sold separately.



9 203400-24V ARCEAU LUNE

3D floorstanding decoration

L 3.5 x H 2.5 m.

Don't forget your set-up accessories which are sold separately.



Twinkeling Arches

DECORATIONS DISPLAYED

Cadeaux p.183
Boule étoilée p.143





Arche
Champagne



[1]



[2]



[3]



[4]

Twinkeling Arches



5

Arche féerique



6

Passage de Noël

- 1 204686-24V ARCHE CHAMPAGNE
3D floorstanding decoration
L 5.5 x H 4 x D 1.5 m.
Don't forget your set-up accessories which are sold separately.



- 4 204690-24V ARCHE BOULE
3D floorstanding decoration
L 4.5 x H 4 x D 1 m.
Don't forget your set-up accessories which are sold separately.



- 2 204694-24V ARCHE NOVA
3D floorstanding decoration
L 4.5 x H 4 x D 1.5 m.
Don't forget your set-up accessories which are sold separately.



- 5 202224-24V ARCHE FÉERIQUE
3D floorstanding decoration
L 7 x H 2.5 x D 1.65 m.
Don't forget your set-up accessories which are sold separately.




- 3 204698-24V ARCHÉTOILE
3D floorstanding decoration
L 5.25 x H 4 x D 1 m.
Don't forget your set-up accessories which are sold separately.




- 6 202226-24V PASSAGE DE NOËL
3D floorstanding decoration
L 4.85 x H 4 x D 2 m.
Don't forget your set-up accessories which are sold separately.





Twinkeling Arches



Arche
Sapin

[5]

Arche
Etoile

[6]

- 1 204707-24V BOULE ÉTOILÉE
3D floorstanding decoration
L 4 x H 3.45 x D 4 x Ø 4 m.
Don't forget your set-up accessories which are sold separately.



- 2 203142-24V ARCHE CADEAU
3D floorstanding decoration
L 5.25 x H 4.7 x D 1 m.
Don't forget your set-up accessories which are sold separately.



- 3 204702-24V KIOSQUE
3D floorstanding decoration
L 2.4 x H 3 x D 2.4 x Ø 2.4 m.
Don't forget your set-up accessories which are sold separately.



- 4 203291-24V CHALET PAIN D'ÉPICES
3D floorstanding decoration
L 4.1 x H 3.5 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 5 203141-24V ARCHE SAPIN
3D floorstanding decoration
L 5.2 x H 4.85 x D 1 m.
Don't forget your set-up accessories which are sold separately.




- 6 203143-24V ARCHE ÉTOILE
3D floorstanding decoration
L 7.7 x H 5.5 x D 1 m.
Don't forget your set-up accessories which are sold separately.



Traditional Christmas

COLLECTIONS AND DECORATIONS
DISPLAYED

-
- Bougie pétillante p.149
 - Sapin pétillant p.149
 - Ginger pétillant p.149
 - Sapin pétillant p.149
 - Snowman pétillant p.149





AUS
Krankenpflege

IMFLECKEN

NÖ


CAFE
Haus Bremke & Weihnachtsmarkt

DER STALL VON
BETHLEHEM


Handgebrannte
Mandeln

Schokogrotte

Peperkorn



Cadeau



Cadeau
enchanté
Création
2022



Boule
enchantée
Création
2022




Sapin
enchanté
Création
2022

Traditional Christmas



5 Bulle dorée



6 Cœur de Noël

- 1 203837-24V CADEAU
3D floorstanding decoration
L 3.75 x H 3.8 x D 3.75 m.
Don't forget your set-up accessories which are sold separately.



- 4 204895-24V SAPIN ENCHANTÉ
3D floorstanding decoration
L 2 x H 3 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 2 204893-24V CADEAU ENCHANTÉ
3D floorstanding decoration
L 2.2 x H 3 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 3 204894-24V BOULE ENCHANTÉE
3D floorstanding decoration
L 2.3 x H 3 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 5 203185-24V BULLE DORÉE
3D floorstanding decoration
L 4.5 x H 4.5 x D 4.05 m.
Don't forget your set-up accessories which are sold separately.



- 6 201805-24V CŒUR DE NOËL
3D floorstanding decoration
L 4.8 x H 4.4 x D 4.45 m.
Don't forget your set-up accessories which are sold separately.



Eclat
pétillant

1



Création
2022

Houx
pétillant


3



Création
2022

Flocon
pétillant

2



Etoile
pétillante

4



Bougie
pétillante

Création
2022



5

Coeur
pétillant



Sucres d'orge
pétillants




7


Renne
pétillant



8



option



Traditional Christmas

- [1] 204732-24V ECLAT PÉTILLANT BF
3D floorstanding decoration
L 2.9 x H 2 x D 1 m.
Don't forget your set-up accessories which are sold separately.

- [2] 202988-24V RENNE PÉTILLANT OR
3D floorstanding decoration
L 1.4 x H 1.95 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.

- [3] 204730-24V SNOWMAN PÉTILLANT BF
3D floorstanding decoration
L 2 x H 2 x D 1 m.
Don't forget your set-up accessories which are sold separately.

- [4] 203145-24V BOULE PÉTILLANTE OR
3D floorstanding decoration
L 2.3 x H 2 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.

- [5] 203146-24V PAQUET CADEAU PÉTILLANT OR
3D floorstanding decoration
L 1.8 x H 2 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.

- [6] 202991-24V CŒUR PÉTILLANT OR
3D floorstanding decoration
L 2.2 x H 1.7 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.

- [7] 204737-24V BOUGIE PÉTILLANTE OR
3D floorstanding decoration
L 1 x H 2 x D 1 m.
Don't forget your set-up accessories which are sold separately.

- [8] 202987-24V SUCRES D'ORGE PÉTILLANTS
3D floorstanding decoration
L 1.95 x H 2.2 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.

- [9] 204733-24V HOUX PÉTILLANT OR
3D floorstanding decoration
L 2.6 x H 2 x D 1 m.
Don't forget your set-up accessories which are sold separately.

- [10] 203147-24V SAPIN PÉTILLANT OR
3D floorstanding decoration
L 2.5 x H 5 x D 0.9 m.
Don't forget your set-up accessories which are sold separately.

- [11] 204740-24V SAPIN PÉTILLANT BF
3D floorstanding decoration
L 2 x H 2 x D 1 m.
Don't forget your set-up accessories which are sold separately.

- [12] 204735-24V GINGER PÉTILLANT OR
3D floorstanding decoration
L 2.2 x H 2 x D 1 m.
Don't forget your set-up accessories which are sold separately.



Santa's workshop

DECORATIONS DISPLAYED

- Chapin de Noël p.153
- Père Noël Oups p.155
- Petit Renne p.159
- Luge des lutins p.159
- Boîte lutins p.155







① Chapin
de Noël

Création
2022



② M. Noël



Papy
Noël

④ Mamie
Noël

③

Santa's workshop

⑤ Augustin
le lutin

Création
2022



⑥ Borne interactive



- ① 204658-24V CHAPIN DE NOËL
3D floorstanding decoration
L 4.3 x H 4.4 x D 3.3 m.
Don't forget your set-up accessories which are sold separately.



- ④ 203426-24V MAMIE NOËL
3D floorstanding decoration
H 5.2 x Ø 3 m.
Don't forget your set-up accessories which are sold separately.



- ② 203429-24V M. NOËL
3D floorstanding decoration
L 2.55 x H 3.4 x D 2.6 m.
Don't forget your set-up accessories which are sold separately.



- ⑤ 204657-24V AUGUSTIN LE LUTIN
3D floorstanding decoration
L 2.35 x H 3.7 x D 2.45 m.
Don't forget your set-up accessories which are sold separately.



- ③ 203425-24V PAPY NOËL
3D floorstanding decoration
H 5.2 x Ø 3 m.
Don't forget your set-up accessories which are sold separately.



- ⑥ BORNE INTERACTIVE
For further information, contact us.



Création
2022

Neige Oups



[1]



[2]

Création
2022

Père Noël Oups



[3] Lutin oups

Les Zébulos



[4]



[5]



[6]



[7] Fauteuil cadeau



[8]

[9]

[10]

[11]

[12]

[13]

[14]

La famille Grelot

Santa's workshop



- 1** 204654-24V NEIGE OUPS
3D floorstanding decoration
L 0.8 x H 1.3 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.
- 2** 204656-24V PÈRE NOËL OUPS
3D floorstanding decoration
L 0.8 x H 1.4 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.
- 3** 202378-24V LUTIN OUPS
3D floorstanding decoration
L 1.45 x H 1.8 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.
- 4** 203431-24V LUTIN ZÉBULO
5 203432-24V PÈRE NOËL ZÉBULO
6 203433-24V SOLDAT ZÉBULO
3D floorstanding decoration
L 0.8 x H 1.85 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.
- 7** 202673-24V FAUTEUIL CADEAU
3D floorstanding decoration
L 1.2 x H 1 x D 1 m.
Don't forget your set-up accessories which are sold separately.
- 8** 203103-24V GRELOT DO
3D floorstanding decoration
L 1.27 x H 1.76 x D 1.27 m.
Don't forget your set-up accessories which are sold separately.
- 9** 203104-24V GRELOT RE
13 203108-24V GRELOT LA
3D floorstanding decoration
L 1.27 x H 1.61 x D 1.27 m.
Don't forget your set-up accessories which are sold separately.
- 10** 203105-24V GRELOT MI
3D floorstanding decoration
L 1.7 x H 2.47 x D 1.7 m.
Don't forget your set-up accessories which are sold separately.
- 11** 203106-24V GRELOT FA
3D floorstanding decoration
L 1.27 x H 1.93 x D 1.27 m.
Don't forget your set-up accessories which are sold separately.
- 12** 203107-24V GRELOT SOL
3D floorstanding decoration
L 1.7 x H 2.25 x D 1.7 m.
Don't forget your set-up accessories which are sold separately.
- 14** 203109-24V GRELOT SI
3D floorstanding decoration
L 1.7 x H 2.48 x D 1.7 m.
Don't forget your set-up accessories which are sold separately.
- 15** 204647-24V BOÎTE LUTIN
3D floorstanding decoration
L 1.15 x H 1.45 x D 0.75 m.
Don't forget your set-up accessories which are sold separately.
- 16** 204648-24V BOÎTE PÈRE NOËL
3D floorstanding decoration
L 2 x H 2.4 x D 2 m.
Don't forget your set-up accessories which are sold separately.
- 17** 203430-24V BOÎTE SANTA
3D floorstanding decoration
L 0.7 x H 1.5 x D 0.5 m.
Don't forget your set-up accessories which are sold separately.
- 18** 202675-24V TRAINOISSIMO
3D floorstanding decoration
L 2.1 x H 1.8 x D 1.1 m.
Don't forget your set-up accessories which are sold separately.
- 19** 202672-24V LA BOÎTE DES LUTINS
3D floorstanding decoration
L 0.8 x H 1.8 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.
- 20** 201744-24V BOÎTE AUX LETTRES
3D floorstanding decoration
L 1 x H 1.5 x D 0.6 m.
Don't forget your set-up accessories which are sold separately.


Santa's workshop

DECORATIONS DISPLAYED

Avion p.159
Petit train p.159
Wagon p.159
Cadre photo p.135







Santa's workshop

Avion
Création 2022



7

Luge des lutins
Création 2022



Petit renne
Création 2022

Voiture
de course
Création 2022

10



- 1 204633-24V FUSÉE**
3D floorstanding decoration
L 1.4 x H 2.2 x D 0.9 m.
Don't forget your set-up accessories which are sold separately.



- 2 203427-24V CARROUSEL**
3 203428-24V CARROUSEL DE NOËL
3D floorstanding decoration
H 3 x Ø 2.5 m.
Don't forget your set-up accessories which are sold separately.



- 4 204631-24V BATEAU PIRATE**
3D floorstanding decoration
L 3.5 x H 3 x D 1.85 m.
Decoration supplied with a telescope and a spinning rudder
Don't forget your set-up accessories which are sold separately.



- 5 204636-24V PETIT TRAIN**
3D floorstanding decoration
L 2.15 x H 1.6 x D 1.2 m.
Spinning wheel, whistle handle to pull. Optional : locomotive sound and smoke
Don't forget your set-up accessories which are sold separately.



- 6 204637-24V WAGON**
3D floorstanding decoration
L 1.5 x H 0.6 x D 1 m.
Don't forget your set-up accessories which are sold separately.



- 7 204634-24V AVION**
3D floorstanding decoration
L 2.65 x H 1.4 x D 2.6 m.
Spinning wheel and propeller.
Don't forget your set-up accessories which are sold separately.



- 8 204649-24V LUGE DES LUTINS**
3D floorstanding decoration
L 1.35 x H 1.4 x D 0.6 m.
Don't forget your set-up accessories which are sold separately.



- 9 204650-24V PETIT RENNE**
3D floorstanding decoration
L 2 x H 1 x D 0.95 m.
Don't forget your set-up accessories which are sold separately.



- 10 204632-24V VOITURE DE COURSE**
3D floorstanding decoration
L 2.05 x H 0.95 x D 0.85 m.
Spinning wheel and key.
Don't forget your set-up accessories which are sold separately.



Santa's workshop

DECORATIONS DISPLAYED


- Sapin p.135
- Boule Arty p.135
- Sapin Glouton p.165
- Fauteuil Noël p.169
- Lutin photo p.169






Creation
2022


① Cadre
de Noël




② Cadeau
ruban




③ Bauble
chair



④ Cadeau 3d



⑤ Cadeau
photo or



⑥ Boules



⑦ Christmas
baubles

Santa's workshop



12 Sapin et bonhomme de neige

CHROMEX



Renne et Père Noël

CHROMEX


13 Lutins

CHROMEX



15 Renne

CHROMEX



16 Traîneau

CHROMEX



17 Photobooth masques

Création
2022

- 1 204659-24V CADRE DE NOËL**
3D floorstanding decoration

L 4 x H 2.6 m.

Don't forget your set-up accessories which are sold separately.



- 2 203308-24V CADEAU RUBAN**
3D floorstanding decoration

L 6.3 x H 3 x D 1 m.

Don't forget your set-up accessories which are sold separately.



- 3 202676-24V BAUBLE CHAIR**
3D floorstanding decoration

L 1.2 x H 1.7 x D 1.2 m.

Don't forget your set-up accessories which are sold separately.



- 4 202721-24V CADEAU ROUGE**
5 202724-24V CADEAU OR

- 3D floorstanding decoration

L 1.35 x H 1 x D 1 m.

Don't forget your set-up accessories which are sold separately.



- 6 203727-24V CADEAU PHOTO OR**
3D floorstanding decoration

L 2.55 x H 2.25 x D 1 m.

Don't forget your set-up accessories which are sold separately.



- 7 203891-24V BOULE DÉCO OR**
3D floorstanding decoration

L 1.65 x H 3 x D 1.4 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



- 8 203887-24V BOULE L RG**
3D floorstanding decoration

L 3 x H 3 x D 3 x Ø 3 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



- 9 203880-24V BOULE M OR**
3D floorstanding decoration

L 2 x H 2.1 x D 2 x Ø 2 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



- 10 203876-24V BOULE S RG**
3D floorstanding decoration

L 1.8 x H 2.1 x D 1.8 x Ø 1.8 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



- 11 202718-24V BAUBLE XL ROUGE**
202810-24V BAUBLE XL BC

- 3D floorstanding decoration

L 2.95 x H 3.4 x D 2.95 m.


Don't forget your set-up accessories which are sold separately.



- 12 550917 SAPIN ET BONHOMME DE NEIGE**
3D floorstanding decoration

L 2.2 x H 2.2 m.

Don't forget your set-up accessories which are sold separately.



- 13 550916 LUTINS**
3D floorstanding decoration

L 1.37 x H 1.7 m.

Don't forget your set-up accessories which are sold separately.



- 14 550918 RENNE ET PÈRE NOËL**
3D floorstanding decoration

L 1.6 x H 1.9 m.

Don't forget your set-up accessories which are sold separately.



- 15 550920 RENNE**
3D floorstanding decoration

L 2.6 x H 1.9 m.


Don't forget your set-up accessories which are sold separately.



- 16 550919 TRAINEAU**
3D floorstanding decoration

L 1.2 x H 2.7 m.


Don't forget your set-up accessories which are sold separately.




- 17 204660-24V PHOTOBOTH MASQUES**
3D floorstanding decoration


L 1.7 x H 1.7 x D 0.3 m.

Don't forget your set-up accessories which are sold separately.





Santa's workshop



- 1 204652-24V SAPIN GLOUTON
3D floorstanding decoration
L 2.1 x H 2.5 x D 2.1 m.
Don't forget your set-up accessories which are sold separately.



- 2 204635-24V MAISON BISCUIT
3D floorstanding decoration
L 1.8 x H 2 x D 1.6 m.
Don't forget your set-up accessories which are sold separately.



- 3 204653-24V CADEAU GLOUTON
3D floorstanding decoration
L 2 x H 2.4 x D 2 m.
Don't forget your set-up accessories which are sold separately.



- 4 204651-24V BOULE GLOUTONNE
3D floorstanding decoration
L 2.1 x H 2.4 x D 2.05 m.
Don't forget your set-up accessories which are sold separately.



- 5 203270-24V MAISON PAIN D'ÉPICES
3D floorstanding decoration
L 3.68 x H 4.22 x D 4.2 m.
Don't forget your set-up accessories which are sold separately.



- 6 203271-24V ETOILE PAIN D'ÉPICES
3D floorstanding decoration
L 2.5 x H 2.1 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.





Rudolphe



Pingoo



Bonhomme de neige



Albert
le bonhomme de neige

Santa's workshop

Pompon



5

Nours



6

Nougat



7

- 1 203229-24V RUDOLPHE
3D floorstanding decoration
L 3.66 x H 5.91 x D 3.13 m.
Don't forget your set-up accessories which are sold separately.



- 5 202709-24V POMPON
3D floorstanding decoration
L 2.4 x H 3.2 x D 1.9 m.
Don't forget your set-up accessories which are sold separately.



- 2 202876-24V PINGOO
3D floorstanding decoration
L 3.75 x H 5 x D 2.83 m.
Don't forget your set-up accessories which are sold separately.



- 6 202051-24V NOURS
3D floorstanding decoration
L 2.3 x H 3 x D 2.3 m.
Don't forget your set-up accessories which are sold separately.



- 3 202529-24V BONHOMME DE NEIGE
3D floorstanding decoration
L 4.9 x H 6.9 x D 3.5 m.
Don't forget your set-up accessories which are sold separately.



- 7 202708-24V NOUGAT
3D floorstanding decoration
L 2.35 x H 3.3 x D 2.5 m.
Don't forget your set-up accessories which are sold separately.



- 4 201966-24V ALBERT LE BONHOMME DE NEIGE
3D floorstanding decoration
L 1.55 x H 3 x D 1.55 m.
Don't forget your set-up accessories which are sold separately.





[1] Père Noël
Funky

Création
2022



[2] Lutin photo
Funky

Création
2022



[3] Ours Funky



[4] Renne Funky



[5] Bonhomme de neige
Funky



Pingouin Funky



Pôle Nord



[7]



[8]



[9]



[10]




[15]



[11]



[12]



[13]



[14]



[16]

Fauteuil Noël

Création
2022



Fauteuil Ours

Création
2022



Fauteuil Renne

Création
2022



Santa's workshop

- [1] 204641-24V PÈRE NOËL FUNKY**
3D floorstanding decoration
L 1.3 x H 1.7 x D 1 m.
- [11] 203153 LUNETTES OR**
3D floorstanding decoration
L 0.53 x H 0.18 x D 0.2 m.
Exists in silver.
- [2] 204645-24V LUTIN PHOTO**
3D floorstanding decoration
L 1.3 x H 1.7 x D 0.9 m.
- [12] 203076 ECHARPE**
3D floorstanding decoration
L 0.72 x H 0.57 x D 0.8 m.
- [13] 203080 NŒUD PAPILLON BOULE OR**
3D floorstanding decoration
L 0.58 x H 0.21 x D 0.18 m.
Exists in silver.
- [3] 203073-24V OURS FUNKY**
3D floorstanding decoration
L 1.3 x H 1.5 x D 1.2 m.
- [4] 203071-24V RENNE FUNKY**
3D floorstanding decoration
L 1.3 x H 2.1 x D 1.1 m.
- [5] 203075-24V BONHOMME DE NEIGE FUNKY**
3D floorstanding decoration
L 1.21 x H 1.5 x D 0.97 m.
- [6] 203074-24V PINGOUIN FUNKY**
3D floorstanding decoration
L 1.32 x H 1.5 x D 1 m.
- [7] 203084-24V CHAPEAU**
3D floorstanding decoration
L 0.8 x H 0.44 x D 0.8 m.
- [17] 202679-24V PÔLE NORD**
3D floorstanding decoration
L 1.3 x H 3 x D 1.45 m.
- [18] 204640-24V FAUTEUIL NOËL**
3D floorstanding decoration
L 2 x H 2 x D 2 m.
- [19] 204639-24V FAUTEUIL RENNE**
3D floorstanding decoration
L 2 x H 2.2 x D 2 m.
- [20] 204638-24V FAUTEUIL OURS**
3D floorstanding decoration
L 2 x H 1.8 x D 2 m.
- [8] 203078-24V CACHE OREILLE**
3D floorstanding decoration
L 0.73 x H 0.4 x D 0.3 m.
- [9] 203079-24V COURONNE**
3D floorstanding decoration
L 0.55 x H 0.3 x D 0.55 m.
- [10] 203083-24V BONNET**
3D floorstanding decoration
L 0.6 x H 0.4 x D 0.6 m.

Don't forget your set-up accessories which are sold separately..

Trip in Lapland


DECORATIONS DISPLAYED

Renne Comète p.173
Trainneau Cristal p.173
Cône givré p.179





Traineau
Cristal



6



Trip in Lapland



Igloo



Ours polaire

Baptistin
le pingouin



10



Ours
position marche

Sherlock
le phoque



1 203131-24V TRAINEAU CRISTAL

3D floorstanding decoration

L 4.14 x H 1.87 x D 1.45 m.

*Don't forget your set-up accessories
which are sold separately.*



7 204792-24V CHEVAL

3D floorstanding decoration

L 2.1 x H 2.1 x D 0.6 m.

*Don't forget your set-up accessories
which are sold separately.*



2 203176-24V RENNE COMÈTE

3D floorstanding decoration

L 1.49 x H 2 x D 0.63 m.

*Don't forget your set-up accessories
which are sold separately.*



8 203117-24V IGLOO

3D floorstanding decoration

L 3 x H 1.3 x D 3 m.

*Don't forget your set-up accessories
which are sold separately.*



3 202631-24V FAUTEUIL ELSA

3D floorstanding decoration

L 1.65 x H 2.6 x D 1.2 m.

*Don't forget your set-up accessories
which are sold separately.*



9 203287-24V OURS POLAIRE

3D floorstanding decoration

L 1.55 x H 2 x D 1.55 m.

*Don't forget your set-up accessories
which are sold separately.*



4 203118-24V CHAMOIS

3D floorstanding decoration

L 2.2 x H 2.6 x D 0.7 m.

*Don't forget your set-up accessories
which are sold separately.*



10 202518-24V BAPTISTIN LE

PINGOUIN

3D floorstanding decoration

H 1.25 x Ø 0.5 m.

*Don't forget your set-up accessories
which are sold separately.*



5 203121-24V BOUQUETIN

3D floorstanding decoration

L 4.47 x H 5 x D 1.93 m.

*Don't forget your set-up accessories
which are sold separately.*



11 203085-24V OURS POSITION

MARCHE

3D floorstanding decoration

L 1.97 x H 1.06 x D 0.63 m.

*Don't forget your set-up accessories
which are sold separately.*



6 203122-24V REINDEER

3D floorstanding decoration

L 2.2 x H 3 x D 0.95 m.

*Don't forget your set-up accessories
which are sold separately.*



12 202519-24V SHERLOCK LE

PHOQUE

3D floorstanding decoration

L 1 x H 0.7 x D 0.9 m.

*Don't forget your set-up accessories
which are sold separately.*




Beautiful Trees

DECORATIONS DISPLAYED

Diamant p.177
Houx pétillant p.149
Eclat pétillant p.149










Création
2022

Diamant




Sapin vertigineux



Beautiful Trees

Double
cône or



Sapin pailleté



- 1 204766-24V DIAMANT OR XL
3D floorstanding decoration
L 9.25 x H 12 x D 9.25 x Ø 9.25 m.
*Don't forget your set-up accessories
which are sold separately.*



- 5 203191-24V SAPIN VERTIGINEUX
3D floorstanding decoration
L 6.5 x H 8 x D 5 m.
*Don't forget your set-up accessories
which are sold separately.*



- 2 204767-24V DIAMANT BF S
3D floorstanding decoration
L 2.9 x H 3 x D 2.9 x Ø 2.9 m.
*Don't forget your set-up accessories
which are sold separately.*



- 6 201662-24V DOUBLE CÔNE OR
3D floorstanding decoration
H 10 x Ø 4 m.
*Don't forget your set-up accessories
which are sold separately.*



- 3 204764-24V DIAMANT OR M
3D floorstanding decoration
L 4.15 x H 5 x D 4.15 x Ø 4.15 m.
*Don't forget your set-up accessories
which are sold separately.*



- 7 203138-24V SAPIN PAILLETÉ
3D floorstanding decoration
L 3 x H 6 x D 3 m.
*Don't forget your set-up accessories
which are sold separately.*



- 4 204769-24V DIAMANT BF L
3D floorstanding decoration
L 6.15 x H 8 x D 6.15 x Ø 6.15 m.
*Don't forget your set-up accessories
which are sold separately.*



Création
2022

Sapin
nature




[1]



[2]

Sapin
ruban



[3]




[4]



Sapin
Louise

Beautiful Trees



- 1 204744-24V SAPIN NATURE
3D floorstanding decoration
L 3.2 x H 5.2 x D 3.2 x Ø 3.2 m.
Don't forget your set-up accessories which are sold separately.



- 5 202375-24V SAPIN COLLIER
3D floorstanding decoration
L 6 x H 8 x D 5.1 m.
Don't forget your set-up accessories which are sold separately.



- 2 202499-24V SAPIN RUBAN
3D floorstanding decoration
H 8 x Ø 6.4 m.
Don't forget your set-up accessories which are sold separately.



- 6 203187-24V CÔNE GIVRÉ
3D floorstanding decoration
L 3 x H 6 x D 3 m.
Don't forget your set-up accessories which are sold separately.



- 3 203178-24V SAPIN RUBAN DENTELLE
3D floorstanding decoration
L 4.5 x H 6 x D 4.5 m.
Don't forget your set-up accessories which are sold separately.



- 7 203189-24V CIMIER CÔNE GIVRÉ
3D floorstanding decoration
L 0.87 x H 0.85 m.
Don't forget your set-up accessories which are sold separately.



- 4 203756-24V SAPIN LOUISE
3D floorstanding decoration
H 6.1 x Ø 4 m.
Don't forget your set-up accessories which are sold separately.





① Sapin
boules
Création 2022



Sapin



④



⑥




Ellipse



⑤

Sylvestre
cadeaux
Création 2022

Beautiful Trees



- 1 204747-24V SAPIN BOULES**
3D floorstanding decoration
L 4.8 x H 8 x D 4.2 m.

Don't forget your set-up accessories which are sold separately.



- 2 203848-24V SAPIN**
3D floorstanding decoration
L 3.2 x H 6.7 x D 3.2 x Ø 3.2 m.
Don't forget your set-up accessories which are sold separately.



- 3 203852-24V CIMIER OR**
3D floorstanding decoration
L 1 x H 1 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.



- 4 203844-24V ELLIPSE**
3D floorstanding decoration
L 4 x H 5.85 x D 4 x Ø 4 m.
Don't forget your set-up accessories which are sold separately.



- 5 204749-24V SYLVESTRE CADEAUX XL**
3D floorstanding decoration
L 11 x H 11.25 x D 9.1 m.
Don't forget your set-up accessories which are sold separately.



- 6 204748-24V SYLVESTRE CADEAUX**
3D floorstanding decoration
L 7.45 x H 11.25 x D 9.1 m.
Don't forget your set-up accessories which are sold separately.



- 7 203363-24V ALYA**
3D floorstanding decoration
H 5 x Ø 3 m.

Don't forget your set-up accessories which are sold separately.



- 8 203364-24V PETIT ALYA**
3D floorstanding decoration
H 3 x Ø 2 m.
Don't forget your set-up accessories which are sold separately.



- 9 203174-24V SAPIN COURONNES VERT**
3D floorstanding decoration
L 3 x H 6 x D 3 m. Also available in daylight garlands green or white.
Don't forget your set-up accessories which are sold separately.



- 10 203194-24V CIMIER SAPIN PERLÉ**
3D floorstanding decoration
L 1 x H 1 m.
Don't forget your set-up accessories which are sold separately.




- 11 203373-24V AMAYA**
3D floorstanding decoration
H 5 x Ø 3 m.
Don't forget your set-up accessories which are sold separately.




- 12 203374-24V PETIT AMAYA**
3D floorstanding decoration
H 1.5 x Ø 1 m.
Don't forget your set-up accessories which are sold separately.





Sapin
cadeaux




Sapin
dentelle





Sapin
perlé

Beautiful Trees



Cadeaux
Création 2022



Sapin
Candy

- 1 204797-24V SAPIN CADEAUX XXL**
3D floorstanding decoration
L 6 x H 12 x D 6 x Ø 6 m.
Don't forget your set-up accessories which are sold separately.



- 2 204793-24V CIMIER ÉTOILÉ**
3D floorstanding decoration
L 1 x H 1 x D 1 x Ø 1 m.
Don't forget your set-up accessories which are sold separately.



- 3 204786-24V SAPIN CADEAUX XL**
3D floorstanding decoration
L 5 x H 10 x D 5 x Ø 5 m.
Don't forget your set-up accessories which are sold separately.



- 4 204785-24V SAPIN CADEAUX L**
3D floorstanding decoration
L 4.1 x H 8 x D 4.1 x Ø 4.1 m.
Don't forget your set-up accessories which are sold separately.



- 5 204784-24V SAPIN CADEAUX M**
3D floorstanding decoration
L 3.1 x H 6 x D 3.1 x Ø 3.1 m.
Don't forget your set-up accessories which are sold separately.



- 6 204783-24V SAPIN CADEAUX S**
3D floorstanding decoration
L 1.55 x H 3 x D 1.55 x Ø 1.55 m.
Don't forget your set-up accessories which are sold separately.



- 7 203167-24V CIMIER DENTELLE**
3D floorstanding decoration
L 0.94 x H 0.9 m.
Don't forget your set-up accessories which are sold separately.



- 8 203158-24V SAPIN DENTELLE**
3D floorstanding decoration
L 3.7 x H 6 x D 3.7 m.
Don't forget your set-up accessories which are sold separately.



- 9 203164-24V SAPIN PERLÉ**
3D floorstanding decoration
L 3.65 x H 6 x D 3.65 m.
Don't forget your set-up accessories which are sold separately.



- 10 203193-24V CIMIER SAPIN PERLÉ**
3D floorstanding decoration
L 1 x H 1 m.
Don't forget your set-up accessories which are sold separately.



- 11 204755-24V CADEAU L BF**
3D floorstanding decoration
L 5 x H 11.8 x D 5 x Ø 5 m.
Don't forget your set-up accessories which are sold separately.



- 12 204754-24V CADEAU M BF**
3D floorstanding decoration
L 3.55 x H 7.8 x D 3.55 x Ø 3.55 m.
Don't forget your set-up accessories which are sold separately.



- 13 204753-24V CADEAU S BF**
3D floorstanding decoration
L 3.2 x H 3.8 x D 3.2 x Ø 3.2 m.
Don't forget your set-up accessories which are sold separately.



- 14 202681-24V SAPIN CANDY**
3D floorstanding decoration
L 4 x H 8 x D 3.8 m.
Don't forget your set-up accessories which are sold separately.





① Renne fantastique




③ Aube



② Pot Alya



④ Théâtre des lumières



⑤ Fontaine danseuses



⑥ Sautoir sapin vert

Enchanted forest

Arche
enchantée




7

Arbre
enchanté




8

Arbre
magique



9

Saule
enchanté



10

- 1 203436-24V RENNE FANTASTIQUE**
3D floorstanding decoration
L 5.2 x H 6 x D 4.3 m.
Don't forget your set-up accessories which are sold separately.



- 2 203375-24V POT ALYA**
3D floorstanding decoration
H 1.6 x Ø 1.8 m.
Don't forget your set-up accessories which are sold separately.



- 3 202165-24V AUBE**
3D floorstanding decoration
L 1.8 x H 1.8 x D 1.8 m.
Don't forget your set-up accessories which are sold separately.



- 4 202653-24V THÉÂTRE DES LUMIÈRES**
3D floorstanding decoration
L 5 x H 3.55 x D 4 m.
Don't forget your set-up accessories which are sold separately.



- 5 202237-24V FONTAINE DANSEUSES**
3D floorstanding decoration
H 3 x Ø 4.2 m.
Don't forget your set-up accessories which are sold separately.



- 6 203041-24V SAUTOIR SAPIN VERT**
3D floorstanding decoration
L 3 x H 1.75 x D 3 m.
Don't forget your set-up accessories which are sold separately.



- 7 203134-24V ARCHE ENCHANTÉE**
3D floorstanding decoration
L 7.2 x H 4.1 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 8 203135-24V ARBRE ENCHANTÉ**
3D floorstanding decoration
L 3.6 x H 4.1 x D 0.8 m.
Don't forget your set-up accessories which are sold separately.



- 9 203258-24V ARBRE MAGIQUE**
3D floorstanding decoration
L 4 x H 5 x D 4 m.
Don't forget your set-up accessories which are sold separately.



- 10 203183-24V SAULE ENCHANTÉ**
3D floorstanding decoration
L 6.16 x H 5 x D 6.16 m.
Don't forget your set-up accessories which are sold separately.



Infinity

All our Infinity decors are dressed with Twinkly Pro strings of lights, a major innovation in the lighting decoration market:

Control your display from your smartphone and bring your illuminations to life!

Leblanc illuminations is a **global distributor** of Twinkly Pro controllable products.



Watch Spirale Infinity





Decors *Infinity*

DECORATIONS DISPLAYED

Diamant Infinity p.193
Snow Infinity p.95









1

Etoile *Infinity*



3

Cadeau *Infinity*




2



Spirale *Infinity*

Decors Infinity



Cadeau L *Infinity*

Création
2022



Kiosque
Infinity

Création
2022

- 1 203835-24V ETOILE INFINITY**
3D floorstanding decoration
L 7.85 x H 5.2 x D 4 m.
Don't forget your set-up accessories which are sold separately.



Watch
Etoile Infinity

- 2 203834-24V SPIRALE INFINITY**
3D floorstanding decoration
L 5.2 x H 5.2 x D 8.4 m.
Don't forget your set-up accessories which are sold separately.



Watch
Spirale Infinity

- 3 203836-24V CADEAU L INFINITY**
3D floorstanding decoration
L 3.75 x H 3.8 x D 3.75 m.
Don't forget your set-up accessories which are sold separately.



- 4 204758-24V CADEAU L INFINITY**
3D floorstanding decoration
L 5 x H 11.8 x D 5 x Ø 5 m.
Don't forget your set-up accessories which are sold separately.



- 5 204706-24V KIOSQUE INFINITY**
3D floorstanding decoration
H 3 x Ø 2.4 m.
Don't forget your set-up accessories which are sold separately.







Sphères *Infinity*

[1]


[2]



[4]



[5]



[6]

[7]

Cristal
Infinity


Création
2022

Infinity

Boules
Infinity



[3]



[5]

Decors Infinity



1 203870-24V SPHÈRE L INFINITY

3D suspension

H 1 x Ø 1 m.

Don't forget your set-up accessories which are sold separately.



6 203884-24V BOULE L INFINITY

3D floorstanding decoration

L 3 x H 3 x D 3 x Ø 3 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



2 203869-24V SPHÈRE M INFINITY

3D suspension

H 0.7 x Ø 0.7 m.

Don't forget your set-up accessories which are sold separately.



7 203890-24V BOULE DECO INFINITY

3D floorstanding decoration

L 1.65 x H 3 x D 1.4 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



3 203868-24V SPHÈRE S INFINITY

3D suspension

H 0.5 x Ø 0.5 m.

Don't forget your set-up accessories which are sold separately.



8 203873-24V BOULE S INFINITY

3D floorstanding decoration

L 1.8 x H 2.1 x D 1.8 x Ø 1.8 m.

Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



4 203879-24V BOULE M INFINITY

3D floorstanding decoration

L 2 x H 2.1 x D 2 x Ø 2 m.

Don't forget your set-up accessories which are sold separately.



9 204772-24V DIAMANT INFINITY M

3D floorstanding decoration

L 4.15 x H 5 x D 4.15 x Ø 4.15 m.

Don't forget your set-up accessories which are sold separately.



5 204788-24V CRYSTAL INFINITY

3D floorstanding decoration

L 5 x H 7.8 x D 3.7 m.

Don't forget your set-up accessories which are sold separately.



Decors *Infinity*

DECORATIONS DISPLAYED

Fontaine Infinity p.201
Carrosse Infinity p.201
Cheval Infinity p.201







Decors Infinity

Sapin
Infinity



- 1 203843-24V ELLIPSE XL INFINITY
3D floorstanding decoration
H 5.85 x Ø 4 m.
Don't forget your set-up accessories which are sold separately.



- 4 203713-24V ALYA INFINITY
3D floorstanding decoration
H 5 x Ø 3 m.
Daytime rug available in peacock blue.
Don't forget your set-up accessories which are sold separately.



- 2 203851-24V CIMIER INFINITY
3D floorstanding decoration
L 1 x H 1 x D 0.3 m.
Don't forget your set-up accessories which are sold separately.



- 5 203857-24V CÔNE INFINITY
3D floorstanding decoration
H 4.8 x Ø 3.2 m.
Don't forget your set-up accessories which are sold separately.



- 3 203839-24V ELLIPSE S INFINITY
3D floorstanding decoration
H 3.95 x Ø 3.2 m.
Don't forget your set-up accessories which are sold separately.



- 6 203847-24V SAPIN INFINITY
3D floorstanding decoration
H 6.7 x Ø 3.2 m.
Don't forget your set-up accessories which are sold separately.



Watch
Ellipse Infinity



Decors Infinity



Snowball *Infinity*

1 203862-24V FUNKYLAND INFINITY

3D floorstanding decoration

H 4.5 x Ø 4 m.

Don't forget your set-up accessories which are sold separately.



*Watch
Funkyland Infinity*

2 203722-24V RENNE FANTASTIQUE INFINITY

3D floorstanding decoration

L 5.2 x H 6 x D 4.3 m.

Don't forget your set-up accessories which are sold separately.



*Watch Renne
Fantastique Infinity*

3 203861-24V SNOWBALL INFINITY

3D floorstanding decoration

L 4.5 x H 4.5 x D 4.5 x Ø 4.5 m.

Don't forget your set-up accessories which are sold separately.



*Watch
Snowball Infinity*


1



Fontaines *Infinity*



2



Fontaine 2D
Infinity



3

Création
2022

Cheval




4

5

Création
2022

Carrosse
Infinity

Ballon Infinity



6



7

L' Ange
Infinity

Decors Infinity

- 1 203859-24V FONTAINE XL INFINITY
3D floorstanding decoration

H 6 x Ø 5 m.
Don't forget your set-up accessories which are sold separately.



- 4 204790-24V CHEVAL INFINITY
3D floorstanding decoration

L 5.1 x H 3.85 x D 3.1 m.
Don't forget your set-up accessories which are sold separately.




- 2 203858-24V FONTAINE S INFINITY
3D floorstanding decoration

H 3.5 x Ø 3 m.
Don't forget your set-up accessories which are sold separately.



- 5 204792-24V CARROSSE INFINITY
3D floorstanding decoration

L 2.1 x H 2.1 x D 0.6 m.
Don't forget your set-up accessories which are sold separately.



- 3 203860-24V FONTAINE 2D INFINITY
3D floorstanding decoration

L 1.2 x H 3 m.
Don't forget your set-up accessories which are sold separately.



- 6 203863-24V BALLOON INFINITY
3D floorstanding decoration

H 7.4 x Ø 5 m.
Don't forget your set-up accessories which are sold separately.



- 7 203867-24V L'ANGE INFINITY
3D floorstanding decoration

L 3.3 x H 3.5 x D 1.4 m.
Don't forget your set-up accessories which are sold separately.



Decors *Infinity*

Infinity

THE ICONS

Leblanc illuminations revisits its iconic decors through its infinity collection.


Play with an infinite and connected colour palette!

Discover your favourite decors in their point-by-point controllable version without further delay.




Watch Charmille Infinity






Sapin ruban *Infinity*




Xmas tree
Infinity



Charmille
Infinity



Arbre *Infinity*




Cœur Christmas

Infinity



Sylma *Infinity*



Decors *Infinity*

- [1] 203902-24V SAPIN RUBAN INFINITY
3D floorstanding decoration
H 5.25 x Ø 4.5 m.
Don't forget your set-up accessories which are sold separately.



- [5] 203898-24V CŒUR NOËL INFINITY
3D floorstanding decoration
L 4.8 x H 4.7 x D 4.5 m.
Don't forget your set-up accessories which are sold separately.



- [2] 203903-24V ARBRE INFINITY
3D floorstanding decoration
L 4.2 x H 5 x D 3.6 m.
Don't forget your set-up accessories which are sold separately.



- [6] 203896-24V SYLMA INFINITY
3D floorstanding decoration
L 9.55 x H 3.9 x D 5.7 m.
Don't forget your set-up accessories which are sold separately.



- [3] 203897-24V SAPIN GIVRÉ INFINITY
3D floorstanding decoration
H 6 x Ø 3 m.
Don't forget your set-up accessories which are sold separately.



Watch Sylma Infinity



- [4] 203899-24V CHARMILLE INFINITY A
3D floorstanding decoration
L 1.2 x H 2.5 x D 1 m
Don't forget your set-up accessories which are sold separately.



- 203900-24V CHARMILLE INFINITY B
3D floorstanding decoration
L 1.2 x H 2.5 x D 0.85 m
Don't forget your set-up accessories which are sold separately.



- 203901-24V CHARMILLE INFINITY C
3D floorstanding decoration
L 1.2 x H 2.5 x D 1 m
Don't forget your set-up accessories which are sold separately.



Lettering



STIJL
= Delftse
HOOSSE



Belfius

Lettering



GOLD NUMBERS AND LETTERS

2D floorstanding decorations - H 1.70 m

Requires 2 concrete pads ref.032327 per reference, or stakes ref.600171.



REFERENCE	DESCRIPTION	WIDTH	REFERENCE	DESCRIPTION	WIDTH
204799-24V	Letter A Or	1.86 m	204826-24V	Number 0 Or	1.52 m
204800-24V	Letter B Or	1.30 m	204827-24V	Number 1 Or	1 m
204801-24V	Letter C Or	1.46 m	204828-24V	Number 2 Or	1.34 m
204802-24V	Letter D Or	1.48 m	204829-24V	Number 3 Or	1.31 m
204803-24V	Letter E Or	1.31 m	204830-24V	Number 4 Or	1.50 m
204804-24V	Letter F Or	1.31 m	204831-24V	Number 5 Or	1.42 m
204805-24V	Letter G Or	1.38 m	204832-24V	Number 6 Or	1.44 m
204806-24V	Letter H Or	1.44 m	204833-24V	Number 7 Or	1.54 m
204807-24V	Letter I Or	0.64 m	204834-24V	Number 8 Or	1.05 m
204808-24V	Letter J Or	1.42 m	204835-24V	Number 9 Or	1.44 m
204809-24V	Letter K Or	1.33 m	204825-24V	Hashtag Or	1.85 m
204810-24V	Letter W Or	1.32 m			
204811-24V	Letter M Or	1.80 m			
204812-24V	Letter N Or	1.43 m			
204813-24V	Letter O Or	1.70 m			
204814-24V	Letter D Or	1.18 m			
204815-24V	Letter Q Or	1.71 m			
204816-24V	Letter R Or	1.31 m			
204817-24V	Letter S Or	1.31 m			
204818-24V	Letter T Or	1.30 m			
204819-24V	Letter U Or	1.81 m			
204820-24V	Letter V Or	1.88 m			
204821-24V	Letter W Or	2.48 m			
204822-24V	Letter X Or	1.66 m			
204823-24V	Letter Y Or	1.75 m			
204824-24V	Letter Z Or	1.66 m			




NUMBERS AND CAPITAL LETTERS

2D floorstanding decorations - H 1.80 m

Requires 2 concrete pads ref.032327 per reference, or stakes ref.600171.



REFERENCE	DESCRIPTION	WIDTH	REFERENCE	DESCRIPTION	WIDTH
204932-24V	A Majuscule BF	1.85 m	204958-24V	Number 1 BF	0.93 m
204933-24V	B Majuscule BF	1.61 m	204959-24V	Number 2 BF	1.47 m
204934-24V	C Majuscule BF	1.62 m	204960-24V	Number 3 BF	1.43 m
204935-24V	D Majuscule BF	1.44 m	204961-24V	Number 4 BF	1.55 m
204936-24V	E Majuscule BF	1.47 m	204962-24V	Number 5 BF	1.50 m
204937-24V	F Majuscule BF	1.36 m	204963-24V	Number 6 BF	1.47 m
204938-24V	G Majuscule BF	1.77 m	204964-24V	Number 7 BF	1.44 m
204939-24V	H Majuscule BF	1.69 m	204965-24V	Number 8 BF	1.47 m
204940-24V	I Majuscule BF	0.53 m	204966-24V	Number 9 BF	1.47 m
204941-24V	J Majuscule BF	1.49 m	204967-24V	Hashtag BF	1.47 m
204942-24V	K Majuscule BF	1.84 m	204825-24V	Hashtag Or	1.47 m
204943-24V	L Majuscule BF	1.36 m			
204944-24V	M Majuscule BF	2.03 m			
204945-24V	N Majuscule BF	1.69 m			
204946-24V	O Majuscule BF	1.80 m			
204947-24V	D Majuscule BF	1.61 m			
204948-24V	Q Majuscule BF	1.92 m			
204949-24V	R Majuscule BF	1.67 m			
204950-24V	S Majuscule BF	1.53 m			
204951-24V	T Majuscule BF	1.61 m			
204952-24V	U Majuscule BF	1.61 m			
204953-24V	V Majuscule BF	1.79 m			
204954-24V	W Majuscule BF	2.42 m			
204955-24V	X Majuscule BF	1.86 m			
204956-24V	Y Majuscule BF	1.89 m			
204957-24V	Z Majuscule BF	1.59 m			



Lettering

A B C D E F
G H I J K L
M N O P Q R
S T U V W
X Y Z # @
0 1 2 3 4
5 6 7 8 9



SUSPENSION ALPHABET

Suspensions

REFERENCE	DESCRIPTION	HEIGHT	WIDTH	WEIGHT P/230V
202430	A	0.50 m	0.50 m	2 Kg 12 W
202431	B	0.50 m	0.35 m	2 Kg 12 W
202432	C	0.50 m	0.35 m	2 Kg 12 W
202433	D	0.50 m	0.35 m	2 Kg 12 W
202434	E	0.50 m	0.30 m	2 Kg 12 W
202435	F	0.50 m	0.30 m	2 Kg 12 W
202436	G	0.50 m	0.30 m	2 Kg 12 W
202437	H	0.50 m	0.40 m	2 Kg 12 W
202438	I	0.50 m	0.20 m	2 Kg 12 W
202439	J	0.50 m	0.30 m	2 Kg 12 W
202440	K	0.50 m	0.35 m	2 kg 12 W
202441	L	0.50 m	0.30 m	2 Kg 12 W
202442	M	0.50 m	0.40 m	2 Kg 12 W
202443	N	0.50 m	0.35 m	2 Kg 12 W
202444	O	0.50 m	0.45 m	2 Kg 12 W
202445	P	0.50 m	0.25 m	2 Kg 12 W
202446	Q	0.50 m	0.40 m	2 Kg 12 W
202447	R	0.50 m	0.25 m	2 Kg 12 W
202448	S	0.50 m	0.30 m	2 Kg 12 W
202449	T	0.50 m	0.35m	2 Kg 12 W
202450	U	0.50 m	0.30 m	2 kg 12 W
202451	V	0.50 m	0.45 m	2 Kg 12 W
202452	W	0.50 m	0.55 m	2 Kg 12 W
202453	X	0.50 m	0.30 m	2 kg 12 W
202454	Y	0.50 m	0.30 m	2 kg 12 W
202455	Z	0.50 m	0.35 m	2 Kg 12 W

SUSPENSION NUMBER

Suspensions

REFERENCE	DESCRIPTION	HEIGHT	WIDTH	WEIGHT P/230V
202456	Zero	0.50 m	0.30 m	2 Kg 8 W
202457	One	0.50 m	0.15 m	2 Kg 8 W
202458	Two	0.50 m	0.20 m	2 kg 8 W
202459	Three	0.50 m	0.30 m	2 Kg 8 W
202460	Four	0.50 m	0.35 m	2 Kg 8 W
202461	Five	0.50 m	0.20 m	2 Kg 8 W
202462	Six	0.50 m	0.25 m	2 Kg 8 W
202463	Seven	0.50 m	0.30 m	2 Kg 8 W
202464	Eight	0.50 m	0.25 m	2 Kg 8 W
202465	Nine	0.50 m	0.25 m	2 Kg 8 W
202466	At sign	0.50 m	0.45 m	2 Kg 12 W
202467	Hashtag	0.50 m	0.35 m	2 Kg 12 W

Installation

All our decorations are made with 100% LED.

They are delivered with power cables and fastening kits, without bulbs and satilights. All our floorstanding 3D decorations are cabled in SELV.





OUR INSTALLATIONS

ACROSS STREET ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
113010	Wall/wall kit (for Ø 6 mm cable)	2 capstan screws M12, 2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 wall plates - Kits delivered without cable
113020	Wall/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 1 post plate + 1 wall plate + 2 capstan screws - Kits delivered without cable
113030	Lamp column/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 post plates + 2 capstan screws M12 - Kits delivered without cable
031855	Wall plate	Supplied by unit
031852	Capstan screws	1 ring, 1 screws de 12 x 20 mm
100504	Tensioner	Supplied by unit - 235 kg max
031895	Alpine karabiners 100 mm	Supplied by 10, Ø10 mm
122900	Shackles	Supplied by 10 for Ø6mm cable
101500	Cable grips 6 mm	Supplied by 10
032335	Self-locking gripple system	2 6-mm self-locking Gripples, 1 setting key. Use on 6-mm diameter non-sheathed cable (not supplied)
060726	Steel cable 4 mm with sleeve at 6 mm	Length 100 m - 1 260 kg max. break load
100503	Shackles	Supplied by 10
031990	Fastening kit	1 nut, 1 washer, 1 capstan screw M12, 1 alpine karabiner 100 mm - 930 kg max.



031855



031852



100504



031895



122900



101500



032335



060726




100503



031990

Assemble in 3 stages:

Choose a bracket according to the decoration width.
Plan the hanging kit. Plan on the metal band and the clips.



SUSPENSION ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
032197	Rapid fix clip	1 self-locking system, 1 Gripple, 1 M10 tip fillet, 2 nuts, 2 Ø 10 mm washers, 1 Ø 2 mm x 1.15 m galvanised cable, 1 flag Key (Gripple). For use with 6 mm galvanised cable (sleeved or unsleeved) - 45 kg max
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor
032198	Suspension clip	1 self-locking system, 1 Ø 65 mm galvanised cable ring Ø 2 mm For use with 6 mm galvanised cable (sleeved or unsleeved). 45 kg max.



032197



050768 / 050769



051039




032198


OUR INSTALLATIONS

BRACKETS

REFERENCE	DESCRIPTION	COMPOSITION
792001	Aluminium bracket 1 m	Supplied by unit - Maximum load 10 kg
792101	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 10 kg
792201	Aluminium bracket 2 m	Supplied by unit - Maximum load 10 kg
032289	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 40 kg



792001 / 792101 / 792201



032289

SUSPENSIONS

REFERENCE	DESCRIPTION	COMPOSITION
792002	Hanging kit	4 alpine karabiners 60 mm, 2 eye hooks M6, 2 x 1 m chain, 2 washers Ø 6 mm, 2 nuts M6
032233	Suspension Kit M6	1 alpine karabiner 60 mm, 1 eye hook M6, 2 washers, 2 nuts M6
032220	Suspension Kit M10	1 alpine karabiner 100 mm, 2 Ø 10 mm washers, 2 nuts M10, 1 eye hook M10x70 mm
101640	Chain with soldered links	Length 1 m - 164 kg max
031894	Alpine karabiners 60 mm	Supplied by 10, Ø 6 mm



STRAPS

REFERENCE	DESCRIPTION	COMPOSITION
032180	Strap	L 1 m x l 25 mm - Thickness : 2 mm - Tensioner included - 1 600 kg max
032361	Pliers for metal necklace	Pliers for metal necklace - Supplied by unit
032362	Metal necklaces	L 831 mm x l 19 mm - Supplied by 25



PROTECTION AND SAFETY





REFERENCE	DESCRIPTION	COMPOSITION
722101	Support for concrete post	H 100 mm x W 300 mm - L element, shaped, suitable for any concrete post
032370	Silénbloc	Can be added to conventional attachments in the event of strong wind. Maximum load 10 kg
060637	Post plate protection	One side self-adhesive rubber foam strip - W 10 m x l 19 mm



RAPIDE FIX

REFERENCE	DESCRIPTION	COMPOSITION
032242	4 sides Rapide Fix	4 plates with protection, 4 fastening parts, 4 washers, 8 nuts M10, 4 screws HM10x70, 8 washers Ø 10, 4 screws HM10x110
032094	Rapide Fix	1 plate, 1 fastening parts, 1 washer, 2 nuts M10, 1 screws HM10x70, 2 Ø 10 mm washers
032235	Wall plate Rapide Fix	1 plate, 1 fastening parts, 1 washer, 1 nut M10
032341	Multiple sides plate	Use to install a decoration in 4 or 8 sides, without a central pole.

Suitable for cylindrical, hexagonal or octagonal lamp columns of a diameter from 100 mm to 200 mm (for other types of lamp columns, please contact us).



GRID CONNECTION


REFERENCE	DESCRIPTION	COMPOSITION
059556	Angled connector cable	Cable with angled female connector for lamp column with connecting cable with bared end. L 6 m - ID 68 - Cable 3G1.5 mm ² H07RN black - 20 A max.
059557	Cap for female connector	Cap for female connector, black with safety lead.
059558	Connecting cable 2 m	Male cable with connecting cable with bared.

All the Leblanc illuminations decorations are delivered with power supply cables. Find our various cables and accessories on the part Plug & Light (p.296).



FASTENINGS FOR CIRCULAR DECORATIONS ON LAMP COLUMNS


REFERENCE	DESCRIPTION	COMPOSITION
031937	Simple crown Ø 600 mm	For pole Ø between 60 and 200 mm maximum.
031938	Simple crown Ø 800 mm	For pole Ø between 60 and 200 mm maximum.
031939	Crown extension Ø 600 mm	For pole Ø between 60 and 200 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031940	Crown extension Ø 800 mm	For pole Ø between 60 and 350 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031941	Big simple crown Ø 2 m	For pole Ø between 60 and 350 mm maximum.
031942	Big simple crown Ø 4 m	For pole Ø between 60 and 350 mm maximum.



WEIGHT AND PACKING


REFERENCE	DESCRIPTION	COMPOSITION
032392	Square concrete pad - beige	Superposable concrete pad - H 170 x W 700 mm - 200 Kg
300003	Square concrete pad - grey	Superposable concrete pad - H 170 x W 700 mm - 200 Kg
300004	Sling*	Sling for lifting of concrete pad 700x700, 1.2T max
032241	Concrete pad fastening kit	4 threaded studs M24, 8 nuts M24, 8 washers M24 Enables to set a pole on one or more blocks ref.032392 or ref.300003
032277	Circular concrete pad	H 190 mm x Ø 980 mm - 155 kg
032327	Rectangular concrete pad	H 170 x W 200 x D 400 mm - 28 kg - grey
600171	Stake / Peg	Supplied by unit - W 500 mm
550495	Fastening line	Set of 10 - L 600 mm
550496	Securing tool kit	Driving tool, mandrin, laying plate and bracket
001949	Storage rack	Effective dimensions : W 1.78 x D 0.96 m
001948	4 chandelles	Height : 1.68 m

*Sling ref.300004 not included in concrete pads ref.032392 and ref.300003.



The mooring line is strong, economical and quick to install.

Specially designed for stony ground, it avoids all the disadvantages of traditional anchoring systems.



CREAFIX FLEXIBLE BARS

REFERENCE	DESCRIPTION	WIDTH	LENGTH
032275	Set of 4 Creafix bars	0.05 m	0.95 m
032274	Set of 10 multipurpose sliders for Creafix bars	-	-
059986	Threaded end for Creafix bars (2 ends + 1 threaded stud)	-	-
050475	Connector for Creafix flexible bar	-	-




Patented system

- Flexible mounting system for decorative lighting and/or items to be hanged.
- Quicker, easier installation.
- Facilitates the installation of Plug & Light.
- Invisible cables.
- Sturdy.
- Can be used to create curtains, canopies and innovative shapes.

INDOOR FASTENINGS ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
100117	Spring double hook	Supplied by 50 - Perfect for attaching Xmas balls on motives (Ø 30 cm max)
100118	Chain	L 25 m - Maximum load 35 kg - Adaptable height
100119	Hooks C shape	Supplied by 100 - Quick and discreet fixing of hanging kits
100120	Hooks 8 shape	Supplied by 100 - For every hanging kit
401667	White barrier	Supplied by unit - White lacquered - W 1 x H 0.70 m
032358	Water bag	Perfect to stabilize floorstanding decorations without drilling (filled: 38 Kg)



401667



FAULT-DETECTING SWITCH

ANIMATEURS - CLIGNOTEURS IP54

FAULT-DETECTING PROTECTION CASE

REFERENCE	DESCRIPTION
010011	Fault-detecting protection case with manual reset



010011

- 1 bipolar plug + earth
- a 30 mA circuit breaker
- a 10 A fuse holder
- 1 earth terminal

ANIMATION CONTROLLERS

REFERENCE	DESCRIPTION
105000	Flasher 1 x 5 A - Flasher with adjustable frequency
205000	Flasher 2 x 5 A - Flasher with adjustable frequency
010001	Animateur 4 voies 5A - 10 programmes cadence réglable (de P0 à P9)
059708	2 Channel controller with rectifier

Programmes :

- Coming and going between the two ways.
- Flash between the two ways.
- Alternate blinking between the two ways, then simultaneously.
- Alternate flashing between the two ways, then simultaneously.

ENERGY SAVER

REFERENCE	DESCRIPTION
010014	Energy saver



010014

- Enables stopping and restarting the illuminations in predefined periods : 7h stop after power, reset 6h (steady) after stopping.
- Automatic disconnection, automatic reset (guide UTE NF C17-210).
- 10 A - 2300 W - 300 mA.
- This product is designed to be mounted directly on plexo box sets, by yourself or in our factory.



Animateur



Clignoteur

Programmes animateur 4 voies :

- P0 : scrolling
- P1 : P0 + Flash
- P2 : stacking
- P3 : P2 + Flash
- P4 : reverse scrolling
- P5 : P4 + Flash
- P6 : forward / back
- P7 : stacking / unstack
- P8 : reverse forward / back
- P9 : flashing 1/2 and 3/4
- PA : P0+P2+P4+P1+P3
- PB : P5+P6+P7+P8+P9
- PC : flashing 1/2 and 3/4
- PD : PC + flash
- PE : 4 forward / back + flash
- PF : alternating scrolling

CABLE GLAND

REFERENCE	DESCRIPTION
031858	Cable gland - 1 seal and 1 nut



031858

CHROMEX



Professional Quality at the Service of Lighting.

For more than 75 years, the Chromex brand has given you the benefits of its experience. It also serves private customers for whom it provides products of professional quality all year round.

Place your orders at once on the special shopping website!

I shop!





LIGHTING SOLUTIONS

- P&L
230V** Connectable 230V Plug & Light
- P&L
24V** Connectable 24V Plug & Light
- DMX changing colour
- Steady
- Glittering
- Flash / Crackling
- Chasing
- Flame effect
- Confetti effect
- SMD
LED** Latest generation SMD LED
- Indoor only
- LED colour
- Cable colour

All our 230V products are rubber wired to ensure the best possible insulation.
All our products in 24V are wired in resistant PVC.



It is a major innovation in the lighting industry.

Twinkly Pro is the most important technological development of the last few years on the lighting decoration market.

Leblanc illuminations is a **distributor of the Twinkly Pro** controllable lights in Europe, USA and around the world.


All our products are made with 100% LED.



Easily find all the products in the Twinkly Pro range thanks to this pictogram.



Discover breathtaking
animations







MUSIC

This new module will enable you to take the customization of your animations even further.

Use it to synchronize your video with your music on your Twinkly project.

24V



* NEW


REFERENCE

DESCRIPTION

550965*

Twinkly Pro Music Player

CABLE




24V



* NEW


REFERENCE	DESCRIPTION	LENGTH
550737*	Ethernet Controller, 6 outputs, 1 500 RGB pixels, supplied without plug-	
550738*	WiFi Controller, 1 output, 500 RGB pixels	1 m
550763*	WiFi Router - POE ⁽¹⁾ , IP65	1 m
550645*	Ethernet switch, 6 output sockets, POE, IP65	1 m

⁽¹⁾ Power Over Ethernet



ACCESSORIES

REFERENCE	DESCRIPTION	LENGTH CABLE
550606	Indoor transformer on socket 48W/24V	-
061218	Transformer 1.25 A max. at output	-
061219	Transformer 2.5 A max. at output	-
061220	Transformer 4.16 A max. at output	-
550628	Transformer 6.25 A max. at output	-
550336	Transformer 2x 6.25 A max. at output	-
550739*	Twinkly Pro extension cable	5 m
550740*	Y connector for WiFi controller	30 cm
550754*	Adapter Tm 07 to Tf 013	-
550762*	Adapter Tm 013 to Tf 07	-




The new generation of Twinkly Pro LED lights can be controlled by smartphone.

Thanks to its embedded Wi-Fi, users have an infinite number of fully customisable effects at their disposal.


Ref.550737: Allows you to connect up to 1 500 LEDs.

Ref.550738: Allows you to connect up to 500 LEDs. Using the connector ref.550740.

Example of cabling plan with ref.550737:



Example of cabling plan with ref.550738:







CONTROLLABLE CURTAIN LIGHTS

24V




DC

* NEW



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550741*	H 4 x L 0.50 m	250	● ●	■ ■	34,5 W
550742*	H 4 x L 0.50 m	250	● ○	■ ■	34,5 W
550743*	H 4 x L 0.50 m	250	● ○	■ ■	34,5 W



Carcassonne lights up
of a multicolored marquee
controllable by smartphone.




CONTROLLABLE ICICLE LIGHTS

24V




DC

* NEW



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550966*	H 0.80 x L 5 m	250	● ●	■ ■	34,5 W
550968*	H 0.80 x L 5 m	250	● ○	■ ■	34,5 W
550967*	H 0.80 x L 5 m	250	● ○	■ ■	34,5 W



Carcassonne, France

CONTROLLABLE GARLANDS

24V





DC

* NEW



REFERENCE	LENGTH	NB LED	LED	CABLE	P / 230V
550744*	25 m	250	●	■	35 W
550745*	25 m	250	●	□	30 W
550746*	25 m	250	○○	■	25 W
550747*	25 m	250	○○	□	25 W
550748*	25 m	250	●○	■	35 W
550749*	25 m	250	○○	□	35 W






Garlands, curtain & icicle lights

The majority of our products are available in both 230V and SELV.

SELV: Safety Extra Low Voltage, lower than 50V.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing. AC/DC:
alternating / direct current.







OPTIMA CURTAIN LIGHTS

230V



* NEW



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550851*	H 1.5 x L 2 m	360	○	—	12.5 W	1+49
550852*	H 1.5 x L 2 m	360	○	—	12.5 W	1+49
550853*	H 1.5 x L 2 m	360	●	—	12.5 W	1+49
550854*	H 1.5 x L 2 m	360	●	—	12.5 W	1+49
550855*	H 3 x L 2 m	540	○	—	19 W	1+34
550856*	H 3 x L 2 m	540	○	—	19 W	1+34
550857*	H 3 x L 2 m	540	●	—	19 W	1+34
550858*	H 3 x L 2 m	540	●	—	19 W	1+34
550860*	H 5 x L 2 m	900	○	—	40 W	1+15
550861*	H 5 x L 2 m	900	○	—	40 W	1+15
550862*	H 5 x L 2 m	900	●	—	40 W	1+15
550863*	H 5 x L 2 m	900	●	—	40 W	1+15
550864*	H 7 x L 2 m	1260	○	—	45 W	1+13
550865*	H 7 x L 2 m	1260	○	—	45 W	1+13
550866*	H 7 x L 2 m	1260	●	—	45 W	1+13
550867*	H 7 x L 2 m	1260	●	—	45 W	1+13
550868*	H 10 x L 2 m	1800	○	—	80 W	1+7
550869*	H 10 x L 2 m	1800	○	—	80 W	1+7
550870*	H 10 x L 2 m	1800	●	—	80 W	1+7
550871*	H 10 x L 2 m	1800	●	—	80 W	1+7



230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550668	H 1.5 x L 2 m	150	○	—	11 W	1+27
550669	H 1.5 x L 2 m	150	○	—	11 W	1+27
550670	H 1.5 x L 2 m	150	●	—	11 W	1+27
550671	H 1.5 x L 2 m	150	●	—	11 W	1+27
550672	H 3 x L 2 m	280	○	—	23 W	1+15
550673	H 3 x L 2 m	280	○	—	23 W	1+15
550674	H 3 x L 2 m	280	●	—	23 W	1+15
550675	H 3 x L 2 m	280	●	—	23 W	1+15
550676	H 5 x L 2 m	442	○	—	43 W	1+8
550677	H 5 x L 2 m	442	○	—	43 W	1+8
550678	H 5 x L 2 m	442	●	—	43 W	1+8
550679	H 5 x L 2 m	442	●	—	43 W	1+8
550680	H 7 x L 2 m	598	○	—	46 W	1+6
550681	H 7 x L 2 m	598	○	—	46 W	1+6
550682	H 7 x L 2 m	598	●	—	46 W	1+6
550683	H 7 x L 2 m	598	●	—	46 W	1+6
550684	H 10 x L 2 m	858	○	—	46 W	1+5
550685	H 10 x L 2 m	858	○	—	46 W	1+5



Carbon neutral by 2025

We have pledged to remove 100% of single-use virgin plastics from our offices by the end of 2022 and reduced all other plastics used in our manufacturing and distribution processes by 2025.



Now with its IP 67 enclosure, the Optima range is even more reliable.

One tonne of plastic saved. Designed without a rectifier, the Optima range requires less plastic for its manufacture.

Four tonnes of CO2 saved. Optima uses approximately 20% less energy.

Requires a non-rectified power cable ref. 550734 or 550735.



OPTIMA GARLANDS

230V




* NEW

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550885*	20 m	200	○	—	13 W	100m max
550886*	20 m	200	○	—	13 W	100m max
550887*	20 m	200	●	—	15 W	100m max
550888*	20 m	200	●	—	13 W	100m max
550889*	20 m	200	○	—	13 W	100m max
550890*	20 m	200	○	—	13 W	100m max
550891*	20 m	200	●	—	15 W	100m max
550892*	20 m	200	●	—	13 W	100m max



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550689	20 m	200	○	—	13 W	100m max
550690	20 m	200	○	—	13 W	100m max
550691	20 m	200	○	—	13 W	100m max
550692	20 m	200	○	—	13 W	100m max
550693	20 m	200	●	—	16 W	100m max
550694	20 m	200	●	—	13 W	100m max
550695	20 m	200	●	—	13 W	100m max
550696	20 m	200	●	—	16 W	100m max
550697	20 m	200	●	—	13 W	100m max
550698	20 m	200	●	—	13 W	100m max
550699	20 m	200	●	—	13 W	100m max
550700	20 m	200	●	—	13 W	100m max



Requires an unrectified power supply
ref.550734 or 550735.



OPTIMA ICICLE LIGHTS

230V




* NEW



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550872*	H 0.50 x L 4 m	150	○	4 W	100m max	
550873*	H 0.50 x L 4 m	150	○	4 W	100m max	
550874*	H 0.50 x L 4 m	150	●	4 W	100m max	
550875*	H 0.50 x L 4 m	150	●	4 W	100m max	
550876*	H 0.80 x L 4 m	200	○	9 W	100m max	
550877*	H 0.80 x L 4 m	200	○	9 W	100m max	
550878*	H 0.80 x L 4 m	200	●	9 W	100m max	
550879*	H 0.80 x L 4 m	200	●	9 W	100m max	
550881*	H 1.50 x L 4 m	300	○	13 W	100m max	
550882*	H 1.50 x L 4 m	300	○	13 W	100m max	
550883*	H 1.50 x L 4 m	300	●	13 W	100m max	
550884*	H 1.50 x L 4 m	300	●	13 W	100m max	




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550686	H 0.80 x L 4 m	200	○	12 W	100m max	
550687	H 0.80 x L 4 m	200	○	12 W	100m max	
550688	H 0.80 x L 4 m	200	●	12 W	100m max	



Carbon neutral by 2025

We have pledged to remove 100% of single-use virgin plastics from our offices by the end of 2022 and reduced all other plastics used in our manufacturing and distribution processes by 2025.



Now with its IP 67 enclosure, the Optima range is even more reliable.

One tonne of plastic saved. Designed without a rectifier, the Optima range requires less plastic for its manufacture.

Four tonnes of CO2 saved. Optima uses approximately 20% less energy.

Requires a non-rectified power cable ref. 550734 or 550735.







CURTAIN LIGHTS





230V

P&L
230V DC



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	LARG. MAX
050097	H 1.5 x L 2 m	360	○	□	29 W	1+11
050098	H 1.5 x L 2 m	360	○	□	29 W	1+11
550831	H 1.5 x L 2 m	360	○	□	29 W	1+11
550022	H 1.5 x L 2 m	360	○	□	29 W	1+11
550021	H 1.5 x L 2 m	360	○	□	29 W	1+11
050101	H 3 x L 2 m	540	○	□	44 W	1+7
050102	H 3 x L 2 m	540	○	□	44 W	1+7
550832	H 3 x L 2 m	540	○	□	44 W	1+7
550024	H 3 x L 2 m	540	○	□	44 W	1+7
550023	H 3 x L 2 m	540	○	□	44 W	1+7
550127	H 3 x L 2 m	540	○	□	44 W	1+7
050519	H 5 x L 2 m	900	○	□	72 W	1+4
059854	H 5 x L 2 m	900	○	□	72 W	1+4
550833	H 5 x L 2 m	900	○	□	72 W	1+4
550025	H 5 x L 2 m	900	○	□	72 W	1+4
550031	H 7 x L 2 m	1260	○	□	101 W	1+2
550032	H 7 x L 2 m	1260	○	□	101 W	1+2
550834	H 7 x L 2 m	1260	○	□	101 W	1+2
550034	H 7 x L 2 m	1260	○	□	101 W	1+2
550033	H 7 x L 2 m	1260	○	□	101 W	1+2
550027	H 10 x L 2 m	1800	○	□	144 W	1+1
550028	H 10 x L 2 m	1800	○	□	144 W	1+1
550835	H 10 x L 2 m	1800	○	□	144 W	1+1
550030	H 10 x L 2 m	1800	○	□	144 W	1+1
550029	H 10 x L 2 m	1800	○	□	144 W	1+1

Preprogrammed glittering effect (1/5 LED). Extendable curtain lights. Curtain lights of 5 m or more: the height can also be extended up to max 100m.




Pau, France

CURTAIN LIGHTS

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550035	H 1.5 x L 2 m	150	○	13 W	1+27	
550036	H 1.5 x L 2 m	150	○	13 W	1+27	
550038	H 1.5 x L 2 m	150	●	13 W	1+27	
550037	H 1.5 x L 2 m	150	●	13 W	1+27	
550042	H 3 x L 2 m	280	●	28 W	1+15	
550041	H 3 x L 2 m	280	●	28 W	1+15	
550043	H 5 x L 2 m	442	○	50 W	1+6	
550044	H 5 x L 2 m	442	○	50 W	1+6	
550046	H 5 x L 2 m	442	●	50 W	1+6	
550045	H 5 x L 2 m	442	●	50 W	1+6	
550047	H 7 x L 2 m	598	○	50 W	1+6	
550048	H 7 x L 2 m	598	○	50 W	1+6	
550050	H 7 x L 2 m	598	●	50 W	1+6	
550049	H 7 x L 2 m	598	●	50 W	1+6	
550537	H 10 x L 2 m	858	○	53 W	1+5	
550536	H 10 x L 2 m	858	○	53 W	1+5	



Pau, France

Curtain lights:
Perfect on a facade or
across street.


Width can be extended.
Energy-saving.

CURTAIN LIGHTS

24V



REFERENCE	HGT.	LARG.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550063	2 m	2 m	240	○	▀	14 W - 583 mA	1+1
550064	2 m	2 m	240	○	▀	14 W - 583 mA	1+1
550065	3 m	2 m	360	○	▀	20 W - 833 mA	-
550066	3 m	2 m	360	○	▀	20 W - 833 mA	-
550067	5 m	2 m	360	○	▀	20 W - 833 mA	-
550068	5 m	2 m	360	○	▀	20 W - 833 mA	-



Extendable 24V range: find all accessories p.301.

Preprogrammed glittering effect (1/5 LED). Width can be extended. Translucent cable for further discretion. Encapsulated LED. Compatible with our 24V transformers.



Angers, France

SPARKLING CURTAINS


230V



DC

* NEW

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550923*	H 5 x L 2 m	900	○	—	82 W	1+3
550924*	H 5 x L 2 m	900	○	—	82 W	1+3



All the LED curtain lights sparkle.
Requires a rectified power supply.



Watch the animation

COMET CURTAINS


230V



DC

* NEW

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550921*	H 5 x L 1 m	400	○	—	110 W
550922*	H 5 x L 1 m	400	○	—	110 W



Chasing and sparkling effects.

Expandable in width. Requires a non-rectified power supply. Works at 230 V.

Watch the animation



Dijon, France

CEILING LIGHTS


230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE P. / 230V	LARG. MAX
050506	H 30 x L 2 m	480	○	32 W	1+9
059839	H 30 x L 2 m	480	○	32 W	1+9
550836	H 30 x L 2 m	480	○	32 W	1+9



REFERENCE	DIMENSIONS	NB LED	LED	CABLE P. / 230V	LARG. MAX.
059098	H 30 x L 2 m	480	○	40 W	1+7
050526	H 30 x L 2 m	480	○	40 W	1+7



Starry sky effect to your streets or town square.

Preprogrammed glittering effect (1/5 LED), and staggered lights any 25 cm intervals (i.e. total interval of 50 cm on the same drop). Height max. 100 m.

Narbonne, France



ICICLE LIGHTS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
051328	H 0.50 x L 4 m	159	○	—	12 W	1+28
051329	H 0.50 x L 4 m	159	○	—	12 W	1+28
550824	H 0.50 x L 4 m	159	●	—	12 W	1+28
050775	H 0.50 x L 4 m	159	●	—	12 W	1+28
550053	H 0.50 x L 4 m	159	●	—	12 W	1+28
059927	H 0.80 x L 4 m	200	○	—	17 W	1+19
050518	H 0.80 x L 4 m	200	○	—	17 W	1+19
550825	H 0.80 x L 4 m	200	●	—	17 W	1+19
050536	H 0.80 x L 4 m	200	●	—	17 W	1+19
050535	H 0.80 x L 4 m	200	●	—	17 W	1+19
050537	H 1.50 x L 4 m	300	○	—	26 W	1+12
050538	H 1.50 x L 4 m	300	○	—	26 W	1+12
550826	H 1.50 x L 4 m	300	●	—	26 W	1+12
050540	H 1.50 x L 4 m	300	●	—	26 W	1+12
050539	H 1.50 x L 4 m	300	●	—	26 W	1+12

24V




* NEW

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550914*	H 0.50 x L 4 m	165	○	—	8.2 W - 196 mA
550915*	H 0.50 x L 4 m	165	○	—	8.2 W - 196 mA



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
059237	H 0.80 x L 4 m	200	○	—	19 W	1+18
059553	H 0.80 x L 4 m	200	○	—	19 W	1+18



Extendable 24V range: find all accessories p.301.

Preprogrammed glittering effect
(1/5 LED). Width can be extended. Translucent cable for further discretion. Encapsulated LED.
Compatible with our 24V transformers.



Yvré-l'Évêque, France

CLASSIC'LINE GARLANDS

230V




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
051260	20 m	200	○	—	16 W	100m max
051261	20 m	200	○	—	16 W	100m max
550007	20 m	200	●	—	16 W	100m max
550008	20 m	200	●	—	16 W	100m max
550009	20 m	200	●	—	16 W	100m max
550011	20 m	200	○	—	16 W	100m max
550013	20 m	200	●	—	16 W	100m max
550014	20 m	200	●	—	16 W	100m max
550015	20 m	200	●	—	16 W	100m max
550016	20 m	200	●	—	16 W	100m max



Latest generation high brightness SMD LED.

All the advantages of SMD LED with a traditional design.
Preprogrammed glittering effect (1/5 LED).



051261




550011

WATERCOLOUR GARLANDS

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550315	20 m	200	●	—	12 W	100m max
550316	20 m	200	●	—	17 W	100m max
550317	20 m	200	●	—	12 W	100m max



Garlands in soft pastel colours.



REMOTE-CONTROLLED WHITE / WARM W. GARLANDS AND ROPE LIGHTS

230V

P&L
230V

AC


REFERENCE	DESCRIPTION	L.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550534	White / warm w. garland	10 m	100	○○	—	60 W	1500 LED max.
550535	White / warm w. rope light	30 m	36 LED/m	○○	-	11 W/m	1500 LED max.



CONTROLLER 230V

REFERENCE	DESCRIPTION	CABLE
032376	Power cable 230V	—
550567	Controller 230V	—

Example of cabling plan 230V:



REMOTE CONTROL

REFERENCE	DESCRIPTION
550576	Remote control

Rope lights: 36 LED/m, Ø 13 mm, anti-UV treated, extendable. Remote control: 30 x 5 cm

230V range: Requires an unrectified power supply and a controller. Compatible with Plug & Light accessories.
Rope light is cuttable every 1 m.

36V range: Requires a power supply cable, a transformer and a controller.
Rope light is cuttable every 1 m.

36V

DC

REFERENCE	DESCRIPTION	L.	NB LED	LED	CABLE	EXTEND.
550532	White / warm w. garland	10 m	100	○○	—	1500 LED max.
550533	White / warm w. rope light	30 m	36 LED/m	○○	-	1500 LED max.




CONTROLLER 36V

REFERENCE	DESCRIPTION	CABLE
032371	Bipolar power cable + earth	—
550566	Controller 36V	—
550242	Transformer 36V 150W	—

ACCESSORIES BEYOND TRANSFORMER 36V

REFERENCE	DESCRIPTION	LENGTH	CABLE
032367	T-connector	25 cm	—
032366	Extend power cable	1 m	—
550244	Extend power cable	2 m	—
032368	Connector 6 falls	1 m	—
032365	Connection rope light to garland	30 cm	—
032364	Connection garland to rope light	30 cm	—

Example of cabling plan 36V:



Go from white to warm white with the touch of a button.

Rope light



Garland



Choose your colour and pre-programmed animation: glitter, fixed or automatic colour change.

A remote controller is required to change the colour and/or animation of these garlands or rope lights. A single control the garlands or rope lights. A single remote control allows you to control all the decorations.

Consult us for the implementation of your projects.



REMOTE-CONTROLLED RGB GARLANDS AND ROPE LIGHTS

230V




REFERENCE	DESCRIPTION	L.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550222	RGB garland	10 m	100	●	—	37 W	3000 LED
550221	RGB rope light	30 m	36 LED /m	●	-	2.8 W/m	3000 LED



CONTROLLER 230V

REFERENCE	DESCRIPTION	CABLE
032376	Power cable 230V	—
550220	Controller 230V	—

Example of cabling plan 230V:



REMOTE CONTROL

REFERENCE	DESCRIPTION
550575	Remote control


RGB rope lights: 36 LED/m, Ø 13 mm, anti-UV treated, extendable.

- 230V range:** Requires an unrectified power supply and a controller. Compatible with Plug & Light accessories.
Rope light is cuttable every 2 m.
- 36V range:** Requires a power supply cable, a transformer and a controller.
Rope light is cuttable every 0.27 m.

36V



REFERENCE	DESCRIPTION	L.	NB LED	LED	CABLE	EXTEND.
550240	RGB garland	10 m	100	●	—	350 LED
550241	RGB rope light	30 m	36 LED /m	●	-	350 LED




CONTROLLER 36V

REFERENCE	DESCRIPTION	CABLE
032371	Bipolar power cable + earth	—
550239	Controller 36V	—
550242	Transformer 36V 150W	—

ACCESSORIES BEYOND TRANSFORMER 36V

REFERENCE	DESCRIPTION	LENGTH	CABLE
032367	T-connector	25 cm	—
032366	Extend power cable	1 m	—
550244	Extend power cable	2 m	—
032368	Connector 6 falls	1 m	—
032365	Connection rope light to garland	30 cm	—
032364	Connection garland to rope light	30 cm	—

Example of cabling plan 36V:





Change colour or animation as you wish, with a simple remote control.

Choose your colour and pre-programmed animation: glitter, fixed or automatic colour change.

A remote controller is required to change the colour and/or animation of these garlands or rope lights. **A single control the garlands or rope lights. A single remote control allows you to control all** the decorations up to 10 m.



Consult us for the implementation of your projects.



GARLANDS

230V



DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
050503	20 m	200	●	—	17 W	100 m max
550828	20 m	200	○	—	17 W	100 m max
050765	20 m	200	○	—	17 W	100 m max
050766	20 m	200	○	—	17 W	100 m max
550829	20 m	200	○	—	17 W	100 m max



24V




DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
051097	20 m	200	○	—	9 W - 380 mA
051098	20 m	200	○	—	9 W - 380 mA
051099	20 m	200	●	—	9 W - 380 mA
051100	20 m	200	●	—	4,5 W - 190 mA
051101	20 m	200	●	—	9,5 W - 730 mA
051102	20 m	200	●	—	4,8 W - 200 mA
051103	20 m	200	●	—	9 W - 380 mA
550468	20 m	200	○	—	11,5 W - 240 mA
550469	20 m	200	○	—	11,5 W - 240 mA




DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
058897	20 m	200	○	—	17 W	100 m max
059518	20 m	200	○	—	17 W	100 m max
059519	20 m	200	○	—	17 W	100 m max
058901	20 m	200	●	—	17 W	100 m max
058902	20 m	200	●	—	17 W	100 m max
059220	20 m	200	●	—	17 W	100 m max
059219	20 m	200	●	—	17 W	100 m max
059937	20 m	200	●	—	17 W	100 m max



DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
051105	20 m	200	○	—	9,5 W - 395 mA
051106	20 m	200	○	—	9,5 W - 355 mA
051107	20 m	200	●	—	8,5 W - 354 mA
051108	20 m	200	●	—	6,5 W - 270 mA
051109	20 m	200	●	—	11 W - 458 mA
051111	20 m	200	●	—	9,5 W - 395 mA
051112	20 m	200	●	—	11 W - 458 mA



Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers.

Maximum length in series: 80m of wire.

Carbon neutral by 2025

We have pledged to remove 100% of single-use virgin plastics from our offices by the end of 2022 and reduced all other plastics used in our manufacturing and distribution processes by 2025.



TITAN GARLANDS


24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P./24V
550213	10 m	100	○	—	5.5 W - 229 mA
550214	10 m	100	○	—	5.5 W - 229 mA



REFERENCE	LENGTH	NB LED	LED	CABLE	P./24V
550211	10 m	100	○	—	5.5 W - 229 mA
550212	10 m	100	○	—	5.5 W - 229 mA
550334	10 m	100	○	—	5.5 W - 229 mA



**Light strings in black rubber cable,
to decorate trees safely.**

Preprogrammed glittering effect (1/5 LED).

Compatible with our 24V transformers.

Maximum length in series: 80m of wire.

**New extendable 24V range: find all
accessories p.301.**



Beverly Hills


CONFETTI GARLANDS

230V



REFERENCE LENGTH NB LED LED CABLE P. / 230V EXTEND.

051095 20 m 160 ● 4 W / 230V 100 m max




24V



REFERENCE LENGTH NB LED LED CABLE P. / 24V

550558 20 m 168 ● 4.1 W - 170 mA



New pastel hues

Each LED is gradually and randomly colour-changing. Ref.550558: Maximum length in series: 80m of wire.



GARLANDS WITH SPARKLING EFFECT

230V




REFERENCE LENGTH. NB LED LED CABLE P. / 230V EXTEND.

550568 20 m 140 ○ 17 W 100 m max

550570 20 m 140 ○ 17 W 100 m max

550569 20 m 140 ○ 17 W 100 m max

550656 20 m 140 ○ 17 W 100 m max





24V



REFERENCE LENGTH NB LED LED CABLE P. / 24V

550556 20 m 140 ○ 7.4 W - 300 mA

550557 20 m 140 ○ 7.4 W - 300 mA



All LED garland sparkle.



Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers.


Maximum length in series: 80m of wire.

CANOA GARLANDS

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P./230V	EXTEND.
550643	20 m	136	○	—	13.5 W	100m max
550644	20 m	136	○	—	13.5 W	100m max



The perfect garland to cover trees branches.

Preprogrammed crackling effect (1/5 LED).




Park Ridge, USA

FLAME EFFECT GARLAND

24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P./24V
550565	20 m	200	●	—	4.8 W - 200 mA



Flame effect.

One out of every two LEDs flickers to give the effect of a candle.

Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers.

Maximum length in series: 80m of wire.



The microLED

All our products are made with 100% LED.

For all glittering microLED products, every fourth LED is animated.
AC/DC: alternating / direct current.

We advise you to connect microLED products **in parallel**
rather than in series to maximize their extendability.

By default, it is the serial value that is noted in the tables.

**Next generation microLED,
3 times brighter.**

Gamme P&L 24V: find all accessories p.301.





MICROLED BOA CURTAIN LIGHT


24V



DC

REFERENCE DIMENSIONS. NB LED LED CABLE P. / 24V EXTEND.

550522 H 0.50 x L 6 m 800 ○ 19.6 W - 817 mA 1+2



MICROLED GARLANDS

24V



DC

REFERENCE LENGTH NB LED LED CABLE P. / 24V EXTEND.


550811 10 m 100 ○ 5.5 W - 227 mA 1+3



DC

REFERENCE LENGTH NB LED LED CABLE P. / 24V EXTEND.

550810 10 m 100 ○ 5.5 W - 227 mA 1+3



Next generation microLED, 3 times brighter.


Extendable 24V range: find all accessories p.301.

Preprogrammed glittering effect (1/4 LED). Indoor/Outdoor use. Ivory white LED. Compatible with our 24V transformers. Ref.550216 & 550215: Strengthened cable. Maximum length in series: 40m of wire.



MICROLED WATERFALL BOUQUET


MICROLED WATERFALL BOUQUET WITH LEAVES



24V




REFERENCE LENGTH NB LED LED CABLE P. / 24V
550219 2.40 m 1152 ○ 46 W - 1900 mA 1+2



24V



REFERENCE LENGTH NB LED LED CABLE P. / 24V
550530 2.40 m 1152 ○ 46 W - 1900 mA 1+2



Next generation microLED, 3 times brighter.

Extendable 24V range: find all accessories p.301.

Preprogrammed glittering effect (1/4 LED). Indoor/Outdoor use.


Ivory white LED. Compatible with our 24V transformers.

Connect up to 3 products in series. Maximum length in series:

80m of wire.



MICROLED BOAS




**Next generation microLED,
3 times brighter.**

**Extendable 24V range: find all
accessories p.301.**

Preprogrammed glittering effect
(1/4 LED). Indoor/Outdoor use.
Ivory white LED. 100 LED/m. Compatible
with our 24V transformers. Not
extendable in series.



MICROLED VOLUME GARLANDS



REFERENCE	LENGTH	NB LED	LED	CABLE P./6V
550263	3 m	120	○	1.4 W
550264	3 m	120	○	1.4 W
550265	3 m	120	○	1.5 W

**Next generation microLED,
3 times brighter.**

Next generation microLED.

Indoor/Outdoor use.
40 LED /m, power supply included.
Ref.550263 & 550266: ivory white LED.
Coloured packaging.

Not compatible with 24V Plug & Light.

230V/12V

REFERENCE	LENGTH	NB LED	LED	CABLE P./12V
550266	6 m	240	○	6 W
550267	6 m	240	○	6 W
550268	6 m	240	○	6 W





GAÏA, THE FOLDABLE MICROLED SPHERE

24V



REFERENCE	DESCRIPTION.	DIMENSIONS	NB LED	LED	CABLE	P./24V
550528	Suspension Gaïa	Ø 30 cm	180	○	5.8 W - 240 mA	
550529	Suspension Gaïa	Ø 60 cm	400	○	12.5 W - 510 mA	
550526	Suspension Gaïa	Ø 30 cm	180	○	5.8 W - 240 mA	
550527	Suspension Gaïa	Ø 60 cm	400	○	12.5 W - 510 mA	



**Next generation microLED,
3 times brighter.**

**Ideal for indoor or outdoor use.
Foldable aluminium structure.
Strengthened cable.**

Compatible with our 24V transformers.
Maximum distance between the first and
the last product: 80m of wire.



CHRISTMAS TREE AND MICROLED STARS




230V/24V


P&L
24V



DC



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550516	3D Christmas tree	H 118 x L 94 x P 15 cm	600	○	—	16.6 W - 690 mA
550517	3D Christmas tree	H 98 x L 87 x P 12 cm	240	○	—	8 W - 335 mA
550518	3D Star	H 118 x L 118 x P 15 cm	600	○	—	16.6 W - 690 mA
550519	3D Star	H 98 x L 98 x P 12 cm	240	○	—	8 W - 335 mA
550520	3D Star	H 75 x L 75 x P 7 cm	140	●	—	4.5 W - 187 mA



Extendable 24V range: find all accessories p.301.

Gold lacquered aluminium frame, except ref.550520 (brown lacq.).
3 attachment rings. Compatible with our 24V transformers.
Max distance between the first and the last product: 80m of wire.




Zoom ref. 550520



Zoom ref. 550519

MICROLED GLOBES

24V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P./24V
550523	Ø 20 cm	80	○	2,8 W - 113 mA	
550524	Ø 30 cm	100	○	3 W - 130 mA	
550525	Ø 40 cm	200	○	5,4 W - 220 mA	

Next generation microLED, 3 times brighter. Extendable 24V range: find all accessories p.301.

Attachment ring. Suitable for outdoor use or inside buildings not ruled by ERP. Supplied without sling. Compatible with our 24V transformers.

Maximum distance between the first and the last product: 80m of wire.



ACCESSORIES

REFERENCE	DESCRIPTION	CHARACTERISTICS
050768	sling 1 m	Maximum load 15 kg - Indoor only
050769	sling 3 m	Maximum load 15 kg - Indoor only
051039	sling 2 m	Maximum load 90 kg - Outdoor

Suspensions

The majority of our products are available in both 230V and SELV.

SELV: Safety Extra Low Voltage, lower than 50V.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing.
AC/DC: alternating / direct current.






BOUQUETS




20 branches per bouquet



230V




REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
050763	50 cm	100	○	—	7 W
050764	50 cm	100	○	—	7 W



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
051187	50 cm	100	●	—	5 W

ANGEL HAIR



Perfect in suspension or trees.


230V: Don't forget your power supply.
Work on 120V to 230V.

Extendable 24V range: find all accessories p.301.
Compatible with our 24V transformers.

24V



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
550559	50 cm	100	○	—	7.2 W - 300 mA



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
550560	50 cm	100	●	—	9.6 W - 400 mA

230V




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
050602	1 m	150	○	—	25 W
050603	1 m	150	●	—	25 W




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
051179	1 m	150	●	—	9 W



24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550561	1 m	150	○	—	9.5 W - 400 mA
550562	1 m	150	●	—	9.5 W - 400 mA



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550563	1 m	150	●	—	14.4 W - 600 mA



BOAS

230V



DC




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
059914	1 m	100	○	7 W	1+47	
050505	1 m	100	○	7 W	1+47	
550818	1 m	100	●	7 W	1+47	
059785	6 m	600	○	42 W	1+7	
050504	6 m	600	○	42 W	1+7	
550819	6 m	600	●	42 W	1+7	
550651	1 m	100	○	7 W	1+47	
550652	1 m	100	○	7 W	1+47	
550653	6 m	600	○	42 W	1+7	
550654	6 m	600	○	42 W	1+7	



DC

* NEW

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550925*	1 m	100	○	— 10 W	1+47	
550926*	1 m	100	○	— 10 W	1+47	



Volume effect.

With self-supporting steel cable. Scintillement aléatoire préprogrammé (1/5 LED). Confetti: each LED is gradually and randomly colour-changing.



FIREWORK BOAS


230V



AC/DC



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
550078	1.20 m	120	○	— 0.8 W	
550079	3 m	144	○	— 1 W	
550081	5 m	248	○	— 1.7 W	



Burning wick effect animation.

Requires an unrectified power supply.
A cable is required for horizontal use.
Non-extendable product.




Cannes, France

LIGHTING BULBS

230V

P&L
230V AC

REFERENCE	DIAMETER	LED	CABLE	P. / 230V
050754	0.29 m	○	—	5 W - 21 mA
050757	0.40 m	○	—	5 W - 21 mA
411966	0.29 m	○	—	5 W - 21 mA



Intense brightness.

**Pearlescent effect during the day / light bulbs at night.
Supplied with alpine karabiners.
Requires an unrectified power supply.**




050754

230V

P&L
230V AC/DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
050864	40 cm	180	○	—	11 W
051029	40 cm	180	○	—	11 W



Snowfall effect.

Frosted lace covering.
Suitable for outdoor use or inside buildings not ruled by ERP.
Requires a rectified power supply.
Supplied without sling (ref.051039 p.257)



050864



051029




Carquefou, France

DROPLIGHTS

230V




REFERENCE	HGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
051180	50 cm	50	○	6 W	1+19	
550485	50 cm	50	○	6 W	1+19	
550250	50 cm	50	●	6 W	1+19	
051181	100 cm	72	○	6 W	1+19	
550486	100 cm	72	○	6 W	1+19	
550251	100 cm	72	●	4 W	1+19	



24V



REFERENCE	HGT.	NB LED	LED	CABLE	P. / 24V
550172	50 cm	48	○	2.2 W - 90 mA	
550483	50 cm	48	○	2.2 W - 90 mA	
550229	50 cm	48	●	2.2 W - 90 mA	
550173	100 cm	72	○	2.2 W - 90 mA	
550484	100 cm	72	○	2.2 W - 90 mA	
550230	100 cm	72	●	2.2 W - 90 mA	



Snowfall effect.

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or light.

230V: Requires an unrectified power supply.
Work on 120V to 230V.

Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers..



Caen, France

DROPLIGHTS SPARKLE

230V




REFERENCE	HGT.	NB LED	LED	CABLE	P. / 230V
550725	50 cm	36	○	—	9 W
550726	100 cm	72	○	—	12 W
550765*	50 cm	36	○	—	9 W
550766*	100 cm	72	○	—	12 W



24V



REFERENCE	HGT.	NB LED	LED	CABLE	P. / 24V
550727	50 cm	36	○	—	4 W - 125 mA
550728	100 cm	72	○	—	4 W - 166 mA
550767*	50 cm	36	○	—	4 W - 166 mA
550768*	100 cm	72	○	—	4 W - 125 mA



Chasing & crackling effect

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights. 230V: Requires an unrectified power supply. Work on 120V to 230V.

Extendable 24V range: find all accessories p.301.


Compatible with our 24V transformers.




230V/12V



REFERENCE	HGT.	LENGTH	NB LED	LED	DROPLIGHTS	CABLE	P. / 230V	EXTEND.
059805	0.50 m	11 m	144	○	6	—	9 W	1+5
050988	0.50 m	2.50 m	144	○	6	—	9 W	1+5



MINI DROPLIGHTS GARLANDS



Snowfall effect.


Garland of 6 droplights synchronized in pairs.
Not compatible with 24V P&L.

SUR'LINE MINI DECOR ICICLE LIGHT

230V

P&L SMD LED DC

REFERENCE	WIDTH	HGT.	LED	CABLE	P./230V	EXTEND.
550018	1.50 m	4 m	○	—	69 W	1+4
550019	1.50 m	4 m	○	—	69 W	1+4
550020	1.50 m	4 m	●	—	69 W	1+4



Latest generation high brightness SMD LED.
With self-supporting steel cable.
Ref.550018: ivory white LED.



Bonaire Island, West Indies

DOUBLE SUR'LINE DECORATIONS




550499

24V

P&L SMD LED DC

REFERENCE	DESCRIPTION	WIDTH	HGT.	LED	CABLE	WEIGHT	P./24V
550500	Shooting snowflake	60 cm	60 cm	○	—	1.3 Kg	45 W - 1.9 mA
550499	Shooting snowflake	60 cm	60 cm	○	—	1.3 Kg	45 W - 1.9 mA



Animation: explosion of visiblelight on both sides.

Latest generation high brightness SMD LED.

Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers.
Double Sur'line rope light 60 LED/m
Supplied without sling (ref.051039 p.212).





STARBURSTS

24V

P&L
24V DC

REFERENCE	DESCRIPTION	DIMENSIONS	LED	CABLE	WEIGHT	P./24V
550497	Starburst RGB	Ø 1 m	●	—	0.9 Kg	13.7 W - 570 mA



550497

**Numerous animations available:
colour change, scrolling, explosion ...**

**Perfect as a crest on a pine tree or a cone.
Extendable 24V range: find all accessories p.301.**

Compatible with our 24V transformers.

Lighting decorations to hang.

Change of animation by remote control or button. Mounting hook.

Memory of the last selected animation.





RGB MINI SUSPENSIONS

230V



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550072	Stéa	47 x 45 cm	54	●	8 W	
550073	Vénus	63 x 40 cm	69	●	10 W	
550075	Hazo	44 x 40 cm	48	●	7 W	
550076	Floko RGB	55 x 37 cm	2 x 40	●	11 W	
550077	Floko white	55 x 37 cm	2 x 48	○	9 W	




550076

550077

24V



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550555	Floko white	55 x 37 cm	2 x 48	○	9.6 W - 400 mA	



Changing colours animation. Perfect in a small street with icicle lights.

Lighting decorations to hang.

Requires an unrectified power supply.



Lorient, France


STELLIZ GARLANDS

230V



REFERENCE LENGTH NB LED LED CABLE P. / 230V

050793	3 m	180	○	11 W
050795	3 m	180	○	11 W

**Radiant animation.**

One hook per star.



Velaux, France

STELLY STAR

230V



REFERENCE HGT. NB LED LED CABLE P. / 230V

050791	50 cm	110	○	8 W
050792	50 cm	110	○	8 W
550233	50 cm	110	●	8 W

24V





REFERENCE HGT. NB LED LED CABLE P. / 24V

550552	50 cm	120	○	7.2 W - 300 mA
550553	50 cm	120	○	7.2 W - 300 mA
550554	50 cm	120	●	7.2 W - 300 mA

Radiant animation to liven up trees and town gateway.

Product mainly designed for outdoor use: PVC anti-UV treated, screws inoxydables. Fixing point included. Requires an unrectified power supply.



550233


050791

RIBBON LIGHTS FOR POLE

24V



REFERENCE	L.	LARG.	NB LED	LED	MAT	P./24V
550170	4 m	20 cm	104	○	4.7 W - 195 mA	
550171	4 m	20 cm	104	○	4.7 W - 195 mA	
550548	4 m	20 cm	104	○	3.8 W - 158 mA	



**Pole decoration,
quick and easy to set up.**

**Extendable 24V range: find all accessories
p.301.**

Preprogrammed glittering effect (1/5 LED).
Green or silver PVC mat. Indoor/Outdoor use.
Compatible with our 24V transformers.



Branches, trees & floorstanding decorations

The majority of our products are available in both 230V and SELV.
SELV: Safety Extra Low Voltage, lower than 50V.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing.
AC/DC: alternating / direct current.






CEILING LIGHTS BRANCHES

230V



REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
050508	Ø 0.70 x W 3.50 m	300	○	—	20 W	1+16
050507	Ø 0.70 x W 3.50 m	300	○	—	20 W	1+16
550821	Ø 0.70 x W 3.50 m	300	○	—	20 W	1+16



REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
059243	Ø 0.70 x W 3.50 m	300	○	—	25 W	1+13
059794	Ø 0.70 x W 3.50 m	300	○	—	25 W	1+13
059244	Ø 0.70 x W 3.50 m	300	●	—	25 W	1+13
059537	Ø 0.70 x W 3.50 m	300	●	—	25 W	1+13

Volume effect.

Semi-rigid branches, simple and easy to install. Preprogrammed glittering effect (1/5 LED).



REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
050541	Ø 0.70 x W 1.50 m	150	○	—	9 W	1+39



ACROSS STREET WITH TEXT

230V



REFERENCE DÉSIGNATION

DIMENSIONS LED WEIGHT P. / 230V

550627 Across street Happy Christmas L 3 x H 1.5 m 16 Kg 46 W




230V/24V



REFERENCE DIMENSIONS NB LED LED STRUCTURE P. / 230V

550070	H 2 x Ø 0.8 m	252	●	39 W
550071	H 3 x Ø 1.2 m	285	●	55 W



FOLDABLE 3D CONES

Foldable decoration, easy to store.

Floorstanding 3D decorations. Preprogrammed glittering effect
(1/5 LED). Translucent cable for further discretion.
Indoor/Outdoor use.
Not compatible with 24V P&L.
Transformer included.




LUMINOUS SPHERE TREES

230V/31V

AC

REFERENCE	HGT.	NB LED	LED	TREE	P./230V
550112	2.40 m	600	●	—	13 W



Decorate your places and pathways bringing a poetic touch.

Floorstanding trees. Indoor/Outdoor use. Ref.550111 is animated with warm white flash LEDs. Compatible with our concrete pads (ref.300003 + fastening kit ref.032241). Not compatible with 24V P&L. Transformer included.




LUMINOUS WILLOW

230V/31V

● AC

REFERENCE	HGT.	NB LED	LED	TREE	P./230V
550113	3.75 m	2160	○	—	56 W



Volume effect.

Floorstanding trees, decorated with pearls. Indoor/Outdoor use. Compatible with our concrete pads (ref.300003 + fastening kit ref.032241). Not compatible with 24V P&L. Transformer included.




CARACAS PALM TREES

230V/24V



AC

REFERENCE	HGT.	NB LED	LED	TREE	P. / 230V
550646	1.52 m	196	○	—	10.5 W
550647	1.82 m	280	○	—	11.5 W
550648	2.13 m	302	○	—	12.5 W



Guaranteed tropical effect.

Floorstanding microLED tree. Indoor/Outdoor use. Suitable for use inside buildings not ruled by ERP. Not compatible with 24V P&L. Transformer included.



Rope lights

**The majority of our products are available in both 230V and SELV.
SELV: Safety Extra Low Voltage, lower than 50V.**

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.

AC/DC: alternating / direct current.



KEMBOURG



arla Montanum >

SUR'LINE

230V



REFERENCE	LENGTH	LED	P. / 230V	EXTEND.
051010	3 m	○	27 W	50 m max
051011	3 m	○	27 W	50 m max
051032	3 m	●	21 W	50 m max
051033	3 m	●	27 W	50 m max
051012	5 m	○	45 W	50 m max
051013	5 m	○	45 W	50 m max
051034	5 m	●	35 W	50 m max
051035	5 m	●	45 W	50 m max
051014	7 m	○	63 W	50 m max
051036	7 m	●	49 W	50 m max
051037	7 m	●	63 W	50 m max


Latest generation high brightness SMD LED.
92 LED SMD /m, extendable



ACCESSORIES SUR'LINE

REFERENCE	DESCRIPTION	LENGTH
032353	Fastening rail	2 m
058989BL	White power supply cable	1.50 m


032353



ROP'LINE

230V

P&L
230V SMD LED DC



REFERENCE	LENGTH	ROLL	LED	P. / 230V	CUTTABLE	MAX. W (1)
051264	30 m		○	6 W /m	every 1 m	100 m
550313	30 m		○	6 W /m	every 1 m	100 m
051265	30 m		○	6 W /m	every 1 m	100 m
550118	30 m		●	3.3 W /m	every 1 m	100 m
550119	30 m		●	3.3 W /m	every 1 m	100 m
550120	30 m		●	3.3 W /m	every 1 m	100 m
550121	30 m		●	3.3 W /m	every 1 m	100 m

CONNECTION KIT 230V

REFERENCE COMPOSITION

- 550732 Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve
- 550733 Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve

CABLE



Latest generation high brightness SMD LED.

60 LED SMD/m. Dual-sided rope light Ø 13 mm, extendable.
Requires a connection kit (ref.550732).

(1) Max. length with ref.550732.



CHASING ROPE LIGHTS

230V



REFERENCE	LENGTH	NB LED	LED	P. / 230V
550713	1 m	36	○	20.5 W
550714	1 m	36	○	20.5 W
550715	1 m	36	●	20.5 W
550716	2 m	60	○	28 W
550717	2 m	60	○	28 W
550718	2 m	60	●	28 W
550719	5 m	120	○	54 W
550720	5 m	120	○	54 W
550721	5 m	120	●	54 W
550722	10 m	240	○	80 W
550723	10 m	240	○	80 W
550724	10 m	240	●	80 W

24V



REFERENCE	LENGTH	NB LED	LED	P. / 24V
550701	1 m	30	○	9 W - 375 mA
550702	1 m	30	○	9 W - 375 mA
550703	1 m	30	●	9 W - 375 mA
550704	2 m	60	○	12.5 W - 520 mA
550705	2 m	60	○	12.5 W - 520 mA
550706	2 m	60	●	12.5 W - 520 mA
550707	5 m	120	○	24 W - 1000 mA
550708	5 m	120	○	24 W - 1000 mA
550709	5 m	120	●	24 W - 1000 mA
550710	10 m	240	○	48 W - 2000 mA
550711	10 m	240	○	48 W - 2000 mA
550712	10 m	240	●	48 W - 2000 mA

Chasing effect.

Anti-UV treated, Ø 13 mm.
Don't forget your power supply.


Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers.



ACCESSORY 230V

REFERENCE	DESCRIPTION	LENGTH
032376	White power supply cable	L 3 m



Béziers, France

ROPE LIGHT SPARKLE

230V



REFERENCE	LENGTH	NB LED	LED	P. / 230V
550729	2 m	60	○	27 W
550756*	2 m	60	○	27 W


ACCESSORY 230V

REFERENCE	DESCRIPTION	LENGTH
032376	White power supply cable	L 3 m

24V



REFERENCE	LENGTH	NB LED	LED	P. / 24V
550730	2 m	60	○	8.9 W - 370 mA
550757*	2 m	60	○	8.9 W - 370 mA



Chasing & crackeling effect.

Anti-UV treated, Ø 13 mm.
Don't forget your power supply.

Extendable 24V range: find all accessories p.301.

Compatible with our 24V transformers.



230V



REFERENCE	LENGTH ROLL	LED	P. / 230V	CUTTABLE	MAX. W (1)
550054	30 m	○	3.5 W /m	every 2 m	100 m
550055	30 m	○	3.5 W /m	every 2 m	100 m
550057	30 m	●	3.5 W /m	every 2 m	100 m
550056	30 m	●	3.5 W /m	every 2 m	100 m
550058	30 m	●	3.5 W /m	every 2 m	100 m

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—

Flashing animation 1 LED in 2.

36 LED/m, anti-UV treated, Ø 13 mm.
Requires a connection kit (ref.550732).



Intense brightness 360°



CANDY ROPE LIGHT

230V

DC

REFERENCE	LENGTH ROLL	LED	P. / 230V	CUTTABLE	MAX. L
550126	30 m	○	1.8 W/m	every 2 m	100 m


CONNECTION KIT 230V

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—

24V

DC

REFERENCE	LENGTH ROLL	LED	P. / 24V	CUTTABLE
550538	30 m	○	1.92 W/m - 80 mA	every 1 m



Intense brightness 360°

Candy cane effect.

36 LED/m, anti-UV treated, Ø 13 mm.

230V: Requires a connection kit (ref.550732).

Extendable 24V range: find all accessories p.301.


Compatible with our 24V transformers.



HIGHT QUALITY ROPE LIGHTS

**Very high quality rope lights.
Intense brightness 360°.**

36 LED/m, traités anti-UV, Ø 13 mm. 36 LED/m,
anti-UV treated, Ø 13 mm.



Intense brightness 360°



230V - Without power supply

DC

REFERENCE	LENGTH ROLL	LED	P. / 230V	CUTTABLE	MAX. L
058911	30 m	○	2.5 W /m	every 2 m	100 m
050567	90 m	○	4 W /m	every 1 m	100 m
059544	30 m	○	2.5 W /m	every 2 m	100 m
050689	90 m	○	4 W /m	every 1 m	100 m
058914	30 m	●	1.6 W /m	every 3.30 m	100 m
550822	30 m	●	2.5 W /m	every 2 m	100 m
550823	90 m	●	4 W /m	every 1 m	100 m
050686	90 m	●	4 W /m	every 1 m	100 m
058912	30 m	●	2.5 W /m	every 2 m	100 m
050685	90 m	●	4 W /m	every 1 m	100 m
058913	30 m	●	2.5 W /m	every 2 m	100 m
050688	90 m	●	4 W /m	every 1 m	100 m
058915	30 m	●	1.6 W /m	every 3.30 m	100 m
050687	90 m	●	4 W /m	every 1 m	100 m
059974	30 m	●	3.0 W /m	every 1.50 m	100 m

The one you can find on our décos.

Requires a connection kit (ref.550732).

230V - Power supply include


DC

REFERENCE	LENGTH ROLL	LED	P. / 230V	CUTTABLE
550307	45 m	○	2.3 W /m	tous les 1.5 m
051279	45 m	○	2.3 W /m	tous les 1.5 m
550311	45 m	●	2.3 W /m	tous les 1.5 m
550309	45 m	●	2.3 W /m	tous les 1.5 m
550310	45 m	●	2.3 W /m	tous les 1.5 m
051283	45 m	●	2.3 W /m	tous les 1.5 m

Supplied with a mounted overmoulded power cable.

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—



HIGH QUALITY ROPE LIGHTS

24V



* NEW

REFERENCE	LENGTH ROLL	LED P. / 230V	P. / 24V	CUTTABLE	MAX. W (1)
051079	30 m	○ 2.3 W /m	2.89 W /m - 120 mA	tous les 16.6 cm	20 m
051080	30 m	○ 2.3 W /m	2.89 W /m - 120 mA	tous les 16.6 cm	20 m
051083	30 m	● 2.3 W /m	1.4 W /m - 58 mA	tous les 33 cm	20 m
051082	30 m	● 2.3 W /m	2.89 W /m - 120 mA	tous les 16.6 cm	20 m
051081	30 m	● 2.3 W /m	2.89 W /m - 120 mA	tous les 16.6 cm	20 m
051084	30 m	● 2.3 W /m	1.4 W /m - 58 mA	tous les 33 cm	20 m
550577	30 m	● 2.3 W /m	1.4 W /m - 58 mA	tous les 16.6 cm	20 m

36 LED/m, anti-UV treated, Ø 13 mm.

Requires a connection kit.


Extendable 24V range:
find all accessories p.301.



Intense brightness 360°

(1) Max. length with transformer ref.061219.

CONNECTION KIT P&L 24V



Detroit, U.S.A.

STANDARD ROPE LIGHTS

230V

DC

REFERENCE	LENGTH ROLL	LED	P. / 230V	CUTTABLE	MAX. L
059710	44 m	○	1.4 W /m	every 4 m	100 m
059711	44 m	○	1.4 W /m	every 4 m	100 m
059715	44 m	●	1.4 W /m	every 4 m	100 m
059712	44 m	●	1.4 W /m	every 4 m	100 m
059713	44 m	●	1.4 W /m	every 4 m	100 m
059714	44 m	●	1.4 W /m	every 4 m	100 m

Rope lights standard.

18 LED/m, anti-UV treated,
 Ø 13 mm.
 Requires a connection kit
 (ref.550732).

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—

ROPE LIGHTS ACCESSORIES

REFERENCE	DESCRIPTION
001867	2 m nylon strip light
331300	1 T-connector
720102	1 transparent heat shrink sleeves ø 19 mm - W: 1.20 m
055193	1 junction kit to connect 2 rope lights together (1 double pin connector + 2 heat shrink sleeves)
201300	10 junction kits 055193
413000	100 nylon clips
351000	100 double pin connectors
354000	100 round tip connectors
513000	100 safety caps
055476	10 safety caps
060959	1000 white nylon collars 3.6 x 203 mm



B22 - E27 range

All our products are made with 100% LED.

AC/DC: alternating / direct current.






TRADITIONAL GARLANDS

230V

P&L
230V DC

REFERENCE	LENGTH	BULBS	EFFET	NB LED	LED	CABLE P. / 230V	EXTEND.
550634	5 m	10	milky	60	○	— 4 W	100 m
550635	5 m	10	milky	60	○	— 4 W	100 m
050779	5 m	10	filament	60	○	— 4 W	100 m
051004	5 m	10	filament	60	○	— 4 W	100 m
051026	5 m	10	filament	60	○	— 4 W	100 m
051072	5 m	10	filament	60	○	— 4 W	100 m



Filament or frosted effect.

Unbreakable polycarbonate globes.
Non-removable bulbs. Traditionnal effect.


Ref.051026 & 051072: 2 yellow, 3 red, 3 green and 2 blue bulbs.
Coloured packaging.



230V

AC

REFERENCE	LENGTH	BULBS	DOUILLES	LED	CABLE	SECT° CABLE	P. BULB
059783	10 m	10	10 B22	○	—	2 x 1.5 mm ²	0.5 W / 24 mA




Ready to use: power supply + garland + bulbs.

Supplied with plug and LED bulbs (2 blue, 2 green, 3 yellow, 3 red).
Lampholders with seals.
Coloured packaging.



JAVA GARLANDS E27




230V

P&L
230V

AC

REFERENCE	LENGTH	BULBS	DOUILLES	LED	CABLE P. BULB	EXTEND.
550300	5 m	10	10 E27	○	— 2.5 W / 44 mA 100 m	
550472	5 m	10	10 E27	○	— 2.5 W / 44 mA 100 m	
550299	5 m	10	10 E27	●	— 2.5 W / 44 mA 100 m	



**Ready to use:
power supply + garland
+ bulbs.**

Supplied with plug and E27 Ø 60 mm LED bulbs. Lampholders with seals. Coloured packaging.
Extendable.




GARLANDS WITHOUT BULBS B22 - E27


230V

P&L **AC**

REFERENCE	LENGTH	DOUILLES	CABLE	SECT°	CABLE	P. BULB	PROLONG
550236	10 m	20 E27	—	2 x 1.5 mm ²	—	15 W max	100 m max

**AC**


REFERENCE	LENGTH	DOUILLES	CABLE	SECT°	CABLE	P. BULB
058772	9 m	20 B22	—	2 x 1.5 mm ²	—	15 W max
058776	15 m	40 B22	—	2 x 1.5 mm ²	—	15 W max

Supplied with plug,
without bulb.

230V

AC

REFERENCE	LENGTH	DOUILLES	CABLE	SECT°	CABLE	P. SOCKET
059736	40 m	20 B22	—	2 x 1.5 mm ²	—	15 W max
058785	50 m	140 B22	—	2 x 1.5 mm ²	—	15 W max
058828	50 m	200 B22	—	2 x 1.5 mm ²	—	15 W max
058810	100 m	100 B22	—	2 x 1.5 mm ²	—	15 W max
058811	100 m	200 B22	—	2 x 1.5 mm ²	—	15 W max
058242	100 m	300 B22	—	2 x 1.5 mm ²	—	15 W max

Supplied without plug
nor bulb.

ACCESSORY

REFERENCE	DESCRIPTION
050989	100 black seals for B22 sockets

GARLANDS TO ASSEMBLE B22 - E27

For professional use only.

These garlands can be assembled according to your requirements with a 100 m cable roll and sockets (100 pieces in a box). Use non-removable screws.

AC

FLAT CABLE GARLAND TO ASSEMBLE

REFERENCE	DESCRIPTION	LENGTH	COL.	P. / 230 V
057032NRB	Flat cable H05RNHF 2 x 2.5 mm ²	100 m	—	4600 W max
031873	100 sockets B22	-	—	15 W max
059763	100 sockets E27	-	—	15 W max
058965	100 seals for B22 sockets	-	—	-
059838	100 seals for E27 sockets	-	—	-
058260	10 protective end caps	-	—	-

**AC**

SINGLE WIRE GARLANDS TO ASSEMBLE

REFERENCE	DESCRIPTION	LENGTH	COL.	P. / 230 V
060255NR	Single wire H05RN-F 1.5 mm ²	300 m	—	3680 W max
070008BL	100 sockets B22	-	—	15 W max
059546	100 seals for B22 sockets	-	—	-



SOCKET SUSPENSIONS E27

230V


P&L
230V

AC

REFERENCE LENGTH SOCKET CABLE SECT° CABLE P. BULB
550180 1.50 m E27 ■ 2 x 1.5 mm² 15 W max

Perfect in suspension or trees.

Suspension supplied without bulbs.
Requires an unrectified power supply.



LED FLAME BULB B22 - E27



AC/DC

REFERENCE	CULOT	DIAMETER	HEIGHT	NB LED	LED	GLOBE P. / 230 V
550087	B22	60 mm	134 mm	90	●	4.4 W - 38 mA
550122	E27	60 mm	134 mm	90	●	4.4 W - 38 mA




550122



550087

Flame effect. No matter which way up you use the bulb, the flame will always burn upwards.

White polycarbonate globe.
Work on 120V to 230V.
P. / 120V: 4.4 - 69 mA.



COLOUR-CHANGING LED BULBS B22



AC

REFERENCE DESCRIPTION

059080 4 pre-programmed bulbs

CULOT DIAM. NB LED LED P. / 230 V

B22 50 mm 14 ● 1.5 W - 47 mA

Changing colours animation.

Polycarbonate globe. Work on 120V to 230V.
14 synchronized animations, without animator.



OPTIMISED SMD LED BULBS B22



SMD LED

AC

* NEW

REFERENCE DESCRIPTION CULOT DIAM. NB LED LED GLOBE P. / 230 V

550932*	20 bulbs	B22	45 mm	3	○	—	2.3 W - 10 mA
550933*	20 bulbs	B22	45 mm	3	○	—	2.3 W - 10 mA
550934*	20 bulbs	B22	45 mm	3	●	—	1.4 W - 6 mA
550935*	20 bulbs	B22	45 mm	3	●	—	1.4 W - 6 mA
550936*	20 bulbs	B22	45 mm	3	●	—	1.4 W - 6 mA
550937*	20 bulbs	B22	45 mm	3	●	—	1.4 W - 6 mA



Optimised SMD LED bulbs


The power displayed corresponds to the real power consumption.



BULBS JAVA LED E27

AC

REFERENCE	CULOT	DIAM.	NB LED	LED P. / 230 V
550473	E27	60 mm	11	○ 2.5 W - 44 mA
550474	E27	60 mm	11	○ 2.5 W - 44 mA
550477	E27	60 mm	11	● 2.5 W - 44 mA
550476	E27	60 mm	11	● 2.5 W - 44 mA
550475	E27	60 mm	11	● 2.5 W - 44 mA
550479	E27	60 mm	11	● 2.5 W - 44 mA
550478	E27	60 mm	11	● 2.5 W - 44 mA



**Large size bulbs,
very high brightness.**

Tinted polycarbonate globe.
Packed by 5.
Coloured packaging.




SMD LED SPHERE BULBS B22

SMD
LED

AC

REFERENCE	CULOT	DIAM.	NB LED	LED P. / 230 V
050744	B22	50 mm	32	● 2 W - 20 mA
050745	B22	50 mm	32	○ 2 W - 20 mA
050746	B22	50 mm	32	● 2 W - 20 mA
051161	B22	50 mm	8	● 1.5 W - 15 mA



**Latest generation high
brightness SMD LED.**

Ref.051161: slow changing-colour.



SMD LED BULBS B22

**SMD
LED**

AC

REFERENCE	DESCRIPTION	CULOT	DIAM.	NB LED	LED	GLOBE P./230 V
050992	1 bulb	B22	50 mm	18	○	1,8 W - 27 mA
050993	1 bulb	B22	50 mm	18	○	1,8 W - 27 mA
050995	1 bulb	B22	50 mm	18	●	1,8 W - 27 mA
050994	1 bulb	B22	50 mm	18	●	1,8 W - 27 mA
050996	1 bulb	B22	50 mm	18	●	1,8 W - 27 mA
050883	20 bulbs	B22	45 mm	3	○	0,5 W - 24 mA
050884	20 bulbs	B22	45 mm	3	○	0,5 W - 24 mA
050885	20 bulbs	B22	45 mm	3	●	0,5 W - 24 mA
050887	20 bulbs	B22	45 mm	3	●	0,5 W - 24 mA
050888	20 bulbs	B22	45 mm	3	●	0,5 W - 24 mA
050886	20 bulbs	B22	45 mm	3	○	0,5 W - 24 mA

Latest generation high brightness SMD LED.

Polycarbonate globe.

18 LED bulb: work on 120V to 230V.




050992



050993



89 mm




66,5 mm



FILAMENT LED BULBS B22 - E27

AC

REFERENCE	DESCRIPTION	CULOT	DIAMETER	NB LED	LED	GLOBE P./230 V
550166	20 bulbs	B22	45 mm	1	○	3.22 W - 14 mA
550167	20 bulbs	E27	45 mm	1	○	3.22 W - 14 mA
550467	20 bulbs	B22	45 mm	1	○	3.22 W - 14 mA
550169	20 bulbs	E27	45 mm	1	○	3.22 W - 14 mA
550201	20 bulbs	B22	45 mm	1	●	3.22 W - 14 mA
550203	20 bulbs	B22	45 mm	1	●	3.22 W - 14 mA
550205	20 bulbs	B22	45 mm	1	●	3.22 W - 14 mA
550207	20 bulbs	B22	45 mm	1	○	3.22 W - 14 mA
550209	20 bulbs	B22	45 mm	1	○	3.22 W - 14 mA
550210	20 bulbs	E27	45 mm	1	○	3.22 W - 14 mA



Filament effect.

Packed by 20, plastic globe.

Ref.550209 & 550210:

5 red + 5 green + 5 yellow + 5 blue bulbs.

SUPER FLASH BULBS B22 - E27



REFERENCE	CULOT	DIAMETER	NB LED	LED P./230 V
050730	B22	50 mm	6	○ 5 W - 20 mA
050857	E27	45 mm	18	○ 2 W - 10 mA


Work on 120V to 230V.
Approximately 30 flashes/minute on 120 V - Approximately 45 flashes/minute on 230 V.



FLASH BULBS B22



REFERENCE	CULOT	DIAMETER	NB LED	LED P./230 V
051289	B22	45 mm	4	○ 0.9 W - 5 mA
051266	B22	45 mm	4	○ 0.9 W - 5 mA
051269	B22	45 mm	4	● 0.9 W - 5 mA
051268	B22	45 mm	4	○ 0.9 W - 5 mA
051267	B22	45 mm	4	○ 0.9 W - 5 mA




Latest generation high brightness SMD LED.

Approximately 45 flashes/minute on 230 V.



REFERENCE	DIAMETER	NB LED	LED	CABLE P./230 V
050761	4 cm	18	○	— 0.8 W - 3.5 mA
050762	4 cm	18	○	— 0.8 W - 3.5 mA



Latest generation high brightness SMD LED.

Suitable for garlands with Ø2.35 connector.
Approximately 60 flashes/minute. Work on 120V to 230V.




050762

Plug & Light

There are 4 different types of connectors:

- Connectors A are connecting together
- Connectors B are connecting together
- Connectors C are connecting together
- Connectors D are connecting together






230V CONNECTORS STEADY AND GLITTERING P&L

RECTIFIED POWER SUPPLY CABLE

REFERENCE CORDON LENGTH CONNECTEUR


550663	—	0.25 m	Af
550662	—	0.25 m	Af
550665	—	0.25 m	Bf
550664	—	0.25 m	Bf



RECTIFIED POWER SUPPLY CABLE

REFERENCE CORDON LENGTH


058989BL	—	1.50 m
----------	---	--------



POWER CABLE

REFERENCE CORDON LENGTH CONNECTEUR P./230 V

550734	—	1.5 m	Bf	1840 W
550735	—	1.5 m	Bf	1840 W
300002	—	3 m	Af	3680 W
300001	—	3 m	Af	3680 W
050476	—	3 m	Bf	1840 W
032376	—	3 m	Bf	1840 W
050477	—	5 m	Bf	1840 W




CONNECTORS Ø 2.35

GARLAND TO ROPE LIGHT

REFERENCE CORDON LENGTH

032187	—	0.25 m
032338	—	0.25 m
031912	—	1 m




CONNECTORS Ø 2.35

ROPE LIGHT TO GARLAND

REFERENCE CORDON LENGTH


031908	—	0.50 m
032375	—	0.30 m



EXTENSION CABLE A-A

REFERENCE CORDON LENGTH


058815	—	2 m
032283	—	2 m



EXTENSION CABLE B-B

REFERENCE CORDON LENGTH


059072	—	2 m
032284	—	2 m
031903	—	3 m
032342	—	3 m
032190	—	1 m
032374	—	1 m



RECTIFIED CONNECTOR Ø 2.35

REFERENCE CORDON LENGTH

059550	—	0.25 m
032377	—	0.25 m

RECTIFIED CONNECTORS
TO SUPPLY POWER TO ROPE LIGHTS

REFERENCE CORDON LENGTH


032189	—	0.30 m
032339	—	0.30 m



ADAPTER FROM Ø 2.75 TO Ø 2.35

REFERENCE CORDON LENGTH

059238	—	0.15 m
--------	---	--------




P&L
230V

230V CONNECTORS STEADY AND GLITTERING P&L

CONNEXION CABLE GARLAND Ø 2.35 TO SOCKET

REFERENCE CORDON LENGTH CULOT


REFERENCE	CORDON LENGTH	CULOT
059549	0.20 m	B22
032337	0.20 m	B22
050487	0.40 m	E27



UNSHEATHED 2-WIRED MALE TO SUPPLY POWER TO A DECORATION

REFERENCE CORDON LENGTH


REFERENCE	CORDON LENGTH
058940	3 m
032188	0.30 m



UNSHEATHED 2-WIRED FEMALE

REFERENCE CORDON LENGTH


REFERENCE	CORDON LENGTH
058968	3 m



T CONNECTORS

REFERENCE CORDON LENGTH


032093	0.25 m
032278	0.50 m
032279	0.50 m



Y CONNECTOR

REFERENCE CORDON LENGTH


058814	1.50 m
--------	--------



CONNECTOR - 4 FALLS

REFERENCE CORDON LENGTH


058919	1 m
050479	1 m



CONNECTOR - 6 FALLS

REFERENCE CORDON LENGTH


059241	0.80 m
059240	0.80 m



CONNECTOR - 10 FALLS

REFERENCE CORDON LENGTH

032356	10 m
032357	10 m






TRANSFORMERS 230V AC / 24V DC

REFERENCE DESCRIPTION

550514 Transformer 0.5 A max.
(12W/24VDC) at output



REF. DESCRIPTION


061218 Transformer 1.25 A max. (30W/24VDC)
at output

061219 Transformer 2.5 A max.
(60W/24VDC) at output

061220 Transformer 4 A max.
(96W/24VDC) at output

550628 Transformer 6.25 A max. (150W/24VDC)
at output

550336 Transformer 2x 6.25 A max.
(2x150W/24VDC) at output



Ref.550514: works in AC or DC.

Input connector Ø 2.35 mm.

**This reference is ideal for powering
our 24V P&L suspensions.**

(1) Products with rubber cable.

ACCESSORIES AHEAD TRANSFORMER 230V

REFERENCE DESCRIPTION LENGTH CABLE P. MAX/ 230V

032371 Power cable bipolaire + terre 3 m 1840 W




REFERENCE DESCRIPTION LENGTH CABLE P. MAX/ 230V

032372 Extend power cable bipolaire + terre 2 m 1840 W



REFERENCE DESCRIPTION LENGTH CABLE P. MAX/ 230V

032373 T-connector bipolaire + terre 50 cm 1840 W




ACCESSORIES BEYOND TRANSFORMER

REFERENCE DESCRIPTION LENGTH CABLE

032367 T-connector 25 cm

550471 T-connector 25 cm

550931* T-connector Titan⁽¹⁾ 25 cm



REFERENCE DESCRIPTION LENGTH CABLE


032366 Extend power cable 1 m

550470 Extend power cable 1 m

550244 Extend power cable 2 m


550930* Extend power cable Titan⁽¹⁾ 2 m

550342 Extend power cable 10 m



REFERENCE DESCRIPTION LENGTH CABLE

032368 Connector 6 falls 1 m



REFERENCE DESCRIPTION LENGTH CABLE

032365 Connection rope light to garland 30 cm




REFERENCE DESCRIPTION LENGTH CABLE

032364 Connection garland to rope light 30 cm



Example of series and parallel wiring:



Day time decorations





PRINTED PRODUCTS



* NEW

**Made in France.
Our 3D printed products are fully recyclable.
The material will be transformed into new
granules for new decorations.**

Integrate decoration visible during the day into your illuminations.
Design by Leblanc illuminations. UV resistant.
Suitable for use in buildings not subject to regulations governing
buildings receiving the public.

More information
on our 3D printing process
e-deco by Leblanc illuminations
p.10

POP 3D SUSPENSIONS



REFERENCE	DESCRIPTION	DIMENSIONS
204988*	Boule de Christmas Pop or	H 0.50 x Ø 0.37 m
204992*	Boule Tradi Pop or	H 0.50 x Ø 0.39 m
204996*	Maxi Cadeau Pop or	H 0.50 x Ø 0.48 m
205001*	Petit Cadeau Pop or	H 0.50 x Ø 0.30 m
205005*	Flocon Étoile Pop or	H 0.50 x Ø 0.46 m
205009*	Flocon Givré Pop or	H 0.50 x Ø 0.50 m
205013*	Étoile Pop or	H 0.64 x Ø 0.64 m
205017*	Éclat Pop or	H 0.54 x Ø 0.52 m

**Snowfall effect droplight
Lighting decorations to hang.
Delivered flat.**
Sold individually. Attachment points included. Available individually. Four colours are available: gold, white, blue or red. Find our droplights p. 263



POP 3D FLOORSTANDING DECORATIONS



170282



170278



170286

REFERENCE	DESCRIPTION	DIMENSIONS
170282*	Maxi Cadeau Pop or	H 0.50 x Ø 0.48 m
170278*	Petit Cadeau Pop or	H 0.50 x Ø 0.30 m
170286*	Étoile Pop or	H 0.64 x Ø 0.64 m

3D floorstanding decorations.

Delivered flat.

Attachment points included.

Non-luminous decoration. Available individually. Four colours are available: gold, white, blue or red.

Carbon neutral by 2025

Reduction in all the plastics used in our manufacturing and distribution processes.

PRINTED PRODUCTS



* NEW

2D SUSPENSIONS



170304



170292



170340



170320



170300



170288



170328



170312



170308




170296



170332



170316



170336



170324



170344



170348

Made in France.

**Our 3D printed products are fully recyclable.
The material will be transformed into new
granules for new decorations.**

Integrate decoration visible during the day into your illuminations.
Design by Leblanc illuminations. UV resistant.

Suitable for use in buildings not subject to regulations governing buildings receiving the public.

REFERENCE	DESCRIPTION	DIMENSIONS
170304*	Cadeau Étoiles or	L 38.7 x H 65.8 cm
170300*	Cadeau Dream or	L 52.8 x H 42.8 cm
170308*	Cadeau Zig or	L 38.7 x H 40.7 cm
170292*	Boule de Christmas or	L 32.7 x H 45.4 cm
170288*	Boule Tradi or	L 31.2 x H 40.7 cm
170296*	Petite Boule or	L 21.3 x H 16 cm
170340*	Flocon Givré or	L 39.7 x H 39.7 cm
170328*	Flocon Étoile or	L 21.7 x H 31.7 cm
170332*	Petit Flocon or	L 18.5 x H 21.3 cm
170320*	Éclat or	L 40.7 x H 31.3 cm
170312*	Grande Étoile or	L 38.7 x H 40.7 cm
170316*	Petite Étoile or	L 19.7 x H 20.7 cm
170336*	Flocon Baroque or	L 95.2 x H 83 cm
170324*	Flocon Snow or	L 36.2 x H 40.7 cm
170344*	Pain d'Épices or	L 33.5 x H 40.6 cm
170348*	Sucre d'Orge or	L 21.8 x H 30 cm

2D suspension.

Attachment points included. Non-luminous decoration.
Four colours are available: gold, white, blue or red

INFLATABLE DECORATIONS

REFERENCE	DESCRIPTION	DIMENSIONS	REQUIRES
550231	Santa with his sack	H 5 x W 8.20 x D 6.30 m	1 pump ref.550248
550247	Reindeer	H 2 x W 1.50 x D 1.10 m	Pump included
550232	Santa with reindeers	H 5 x W 9.30 m x D 4.45 m	2 pumps ref.550248
550165	Father Christmas	H 4 x W 1.50 x D 1.50 m	1 pump ref.550189

ACCESSORIES

REFERENCE	DESCRIPTION	P. / 230V
550189	Pump for inflatable structures	320 W
550248	Pump for inflatable structures	220 W

Inflatable structures for daytime decoration.

Outdoors, use sandbags for ballasting.
 Delivered with guyng nylon sling.
 Suitable inside buildings not ruled by ERP.
 You can light up the structure at night
 with lighting spots.
 For more information, (contact us).



550232



550247



550165



550231



INFLATABLE SHINING BAUBLES

REFERENCE	DIAMETER	COLOUR
550101	40 cm	—
550100	40 cm	■
550102	40 cm	■
550103	40 cm	■

Inflatable structure covered with fabric.

Suitable for use in buildings not subject to regulations governing buildings receiving the public.
Compressor required.




550101

REFERENCE	DIAMETER	COLOUR
550093	80 cm	—
550092	80 cm	■
550094	80 cm	■
550095	80 cm	■
550097	150 cm	—
550096	150 cm	■
550098	150 cm	■
550099	150 cm	■

Foldable decoration.


Inflatable structure covered with fabric. Suitable for use in buildings not subject to regulations governing buildings receiving the public.



CHRISTMAS KNOTS

* NEW

REFERENCE	DESCRIPTION	DIMENSIONS AXBC
550938*	Red & gold Xmas knot	38 x 45 x 10 cm
550939*	Red & gold Xmas knot	60 x 76 x 17 cm
550940*	Red & gold Xmas knot	91 x 114 x 23 cm
550941*	Red Xmas knot	30 x 38 x 7.5 cm
550942*	Red Xmas knot	45 x 58 x 15 cm



Extremely resistant for outdoor use.

Attached by a hook on the back.

Ref. 550940 is suitable for use in buildings not subject to regulations governing buildings receiving the public.




ORIGAMI

Volume effect, flat storage.

Polypropylene suspension.
Folded delivered, with fastening
rope. Suitable for use in buildings
not subject to regulations governing
buildings receiving the public.

REFERENCE	DESCRIPTION	DIAMETER
051054	Origami star	45 cm
051056	Origami flake	48 cm





FOLDABLE LANTERNS

REFERENCE	DIAMETER	COLOUR
550488	25 cm	●
550489	25 cm	●
550490	25 cm	●
550491	25 cm	●
550492	25 cm	●
550493	25 cm	●
550494	25 cm	○
550572	25 cm	● ● ● ○ ○

Folding decoration. Volume effect, flat storage.

Sold in batches of 5.

Metal structure covered with fabric. Suitable for use inside buildings not ruled by ERP.

UV resistant. Designed to be assembled on the lamp holders ref.550180, or the B22/E27 garlands
Ref.550572: 1 red, 1 yellow, 1 blue, 1 green and 1 white lantern.



* NEW

REFERENCE	DIMENSIONS	COLOUR
550943*	17 x 17 x 30 cm	●
550948*	17 x 17 x 30 cm	●
550945*	17 x 17 x 30 cm	●
550946*	17 x 17 x 30 cm	●
550947*	17 x 17 x 30 cm	●
550944*	17 x 17 x 30 cm	○

Resistant fabric for outdoor use.

Sold in batches of 5.

Suitable for use in buildings not subject to regulations governing buildings receiving the public.

Resists UV rays. Designed to be assembled on lamp holders, ref. 550180, or garlands, B22/E27.








FIBERGLASS DECORATIONS

REFERENCE	DESCRIPTION	DIAMETER	HEIGHT	FIBER
050174	Half-sphere	50 cm	25 cm	■■■
050172	Half-sphere	50 cm	25 cm	■■■■■
050176	Half-sphere	100 cm	50 cm	■■■
050177	Half-sphere	100 cm	50 cm	■■■■■
050681	Water drop (top only)	50 cm	65 cm	■■■
050682	Water drop (top only)	100 cm	125 cm	■■■
050683	3D pot	100 cm	100 cm	■■■
050180	Cone	60 cm	120 cm	■■■
050182	Cone	115 cm	250 cm	■■■
050184	Ribbon	50 cm	150 cm	■■■

Can be decorated with garlands or illuminated with a projector.

Visible in daylight and easy to highlight at night. Light and strong structures. Available in different sizes. Water drops can be combined with half spheres.



RIFLETTI SUSPENSIONS

REFERENCE	DESCRIPTION	DIAMETER
051066	Golden Rifletti mini star	280 mm
051065	Golden Rifletti star	500 mm
051063	Silver Rifletti star	500 mm
051067	Golden Rifletti disc	500 mm
051069	Silver Rifletti disc	500 mm

**Delivered flat.
Swivelling in the wind.**

Gold or silver stainless steel suspensions.
Delivered flat. Swivel hook included.
Mini stars packed by 5.
Stars and discs available individually.



VOLUME JABOTS

REFERENCE	LENGTH	DIAMETER	WEIGHT
051016	2.70 m	14 à 35 cm	2 kg
051076	4 m	14 à 50 cm	6 kg

Natural effect.

Supplied with 2 alpine karabiners.
Flexible and luxuriant.



REFERENCE	DIAMETER	WEIGHT
051091	75 cm	1.5 kg



Traditional & natural effect.

2 attachment rings.
Flexible and luxuriant.

CHRISTMAS BALLS

DIAMETER	PEARL	SILVER	GOLD	BLUE	RED	PINK
100 mm	060742	060743	061052	001814	061024	061020
140 mm	060820	060759	060812	001813	060808	061030
200 mm	060821	060745	060813	060856	060809	061061
280 mm	060822	060817	061056	060857	000002	061107
400 mm	060823	060818	060814	001242	060810	060980




Outdoor drilled balls (from Ø 200 mm).
Attachment included. Glossy finish (except from pearly).
Choose your diameter.



ROUNDED SPANGLES

DIAMETER	DELIV. BY	WHITE	GOLD	BLUE	RED
100 mm	10	600439	600434	600449	600444
140 mm	10	600440	600435	600450	600445
200 mm	5	600441	600436	600451	600446
280 mm	5	600442	600437	600452	600447
400 mm	4	600443	600438	600453	600448



Our targets for 2025

A reduction in all the plastics used in our manufacturing and distribution processes. Our pellets are 100% recyclable.
Achievement of carbon neutrality.

DROPS

REFERENCE	DESCRIPTION	HGT.
051125	Golden drops	16 cm
051126	drops argent	16 cm



Nice glitter finish.


Gold or silver on both sides.
4 fastening holes.
Packed by 5.

SUSPENSIONS WITH MIRROR EFFECT

REFERENCE	DESCRIPTION	DIAMETER
050562	Mirror flakes	26 cm
050563	Mirror sparkles	25 cm

Reflects light.

Mirrored surfaces on both sides.
2 attachment points.
Suitable for use inside buildings not ruled by ERP.
Packed by 10.



050562



050563




FEATHERS AND LEAVES

REFERENCE	DESCRIPTION	DIMENSIONS
600428	Little silver feather	43 x 8 cm
600429	Little golden feather	43 x 8 cm
600430	Silver leaves	36 x 20 cm
600431	Golden leaves	36 x 20 cm
600432	Width silver feather	60 x 12 cm
600433	Width golden feather	60 x 12 cm

A touch of nature and delicacy ...

Integrate decoration visible during the day into your illuminations. Suitable for use inside buildings not ruled by ERP.
Packed by 12.



PAPILLOTE GARLANDS

* NEW

REFERENCE	LENGTH	DIAMETER	COLOUR
550958*	10 m	15 cm	<input type="radio"/>

Resistant for outdoor use.

Visible by day and by night. Suitable for use in buildings not subject to regulations governing buildings receiving the public.



GUARLANDS WITH SPANGLES

REFERENCE	DESCRIPTION	LENGTH
060790	Garland with silver spangles	20 m
060791	Garland with golden spangles	20 m
060793	Garland with red spangles	20 m
550386	Guarlands with spangles rose	20 m

Reflects light.

Reflective coloured spangles.
Visible day and night.



060791



060793



050729



050579



050578

DECORATIVE GARLANDS

REFERENCE	DESCRIPTION	LENGTH
050579	Brilliant glass beads	10 m
050578	Pearls and sequins	10 m
050729	silver sequined leaves	10 m

Reflections, sequins, splinters...

Integrate decoration visible during the day into your illuminations. Suitable for use inside buildings not ruled by ERP.




NATURAL CHRISTMAS TREES

* NEW

Choose a tailor-made giant natural Christmas tree and support European Christmas tree growers.

This innovative metal structure brings together lots of standard-sized natural fir trees, to form an impressive festive centrepiece. Validated by technical consultants, the resulting structure stands up to the most extreme weather conditions and can be safely installed in a public place. The spruce or Nordmann fir Christmas trees used to form this giant tree, have been grown in special forests in France. The giant tree can be created in your desired height and includes full installation kit: metal structure, Christmas trees, ballast and bracing kit, screws and assembly drawing.

For further information
Request our
natural Christmas tree brochure



Our targets for 2025

Elimination of single-use virgin plastics in our offices (2022) and a reduction in all the other plastics used in our manufacturing and distribution processes. Achievement of carbon neutrality.

Technological animations





INTERACTIVE DESK

Interact with the desk to activate a light show

With its technical teams, Leblanc illuminations has developed an interactive desk activated by foot.



Bring your decorations to life!

1. Slide a foot into one of the foot-spaces
2. One of the animations will be activated
3. Enjoy the show

For further information
Request our
interactive desk brochure

100%
Customisable

15
compatible
decorations

3 Types of
animation
available

AROMA

Aroma




Aroma is a fragrance dispenser box which gives your decor an aroma

You can easily configure its output, duration and time schedule. Four fragrances are available: chocolate, ice pack, frosted Christmas tree or cinnamon. Aroma is available for rental and can be adapted to most of our 3D decorations.

Combine light and fragrance for a complete atmosphere !

Configuration by SD card through a PC interface:
output of fragrance, time and interval of spread, days and hours.

Secure key locking. Wallfixing or floor standing box.
1 litre bottle: up to 2 000 hours of use.



REFERENCE	DESCRIPTION	DIMENSIONS	FRAGRANCE	WEIGHT	P. / 230V
051284	Aroma olfactory box	H 40 x W 30 x D 15 cm	-	8.4 Kg	65 W
051285	Aroma fragrance bottle	H 22 x Ø 85 cm	Cinnamon	1 Kg	-
051286	Aroma fragrance bottle	H 22 x Ø 85 cm	Chocolate	1 Kg	-
051287	Aroma fragrance bottle	H 22 x Ø 85 cm	Xmas tree	1 Kg	-
051288	Aroma fragrance bottle	H 22 x Ø 85 cm	Ice pack	1 Kg	-

LOOMIE



Try an immersive enhanced-reality experience in the town- or city-centre!

**Visitors can interact with the illuminations and their environment.
Create traffic and energize the city center!**

Loomie is a seasonal augmented reality app for smartphones (Android and IOS), downloadable from App Store and Play Store. It works within a specific area, defined for your event. Thanks to a QR code sign (provided by Leblanc illuminations), visitors are invited to download the app to access a variety of interactive 3D games to play within the heart of your city.



Discover Loomie

The aim of this app: create a buzz about your place, while inviting visitors to share pictures

featuring your logo to their friends and family!

Thanks to its simplicity and in-built shareability, the app encourages social sharing featuring your logo, via the internet and social networks (facebook, instagram, snapchat, etc...)

1
Activate geolocation

2
Start application

3
Play and share

Download Loomie

Google play

App Store

5 applications proposed by Loomie



This is primary function of the application. Also available at the end of each game, it allows you to create personalised digital greeting cards in a matter of seconds.



Even more visibility and traffic! This function sends the user directly to your website.



The wind scattered Pigloo's clothes while he was taking his bath.
In this game, the user must find them by scanning the environment with the screen.




In this race against the clock, you have to help Father Leon catch a maximum of gifts that have fallen from the sky by moving him around the screen.



Father Leon hires Detective Rudolph to go in search of the objects that make the Christmas Spirit. A real treasure hunt in your city!

A turnkey offer including:

- 1 freestanding totem pole ref. 300006
- 3 games for young and old: Pigloo, the chilly penguin, Father Leon, the gift catcher and Detective Rudolph - Let's save Christmas!
- Personalization of the digital greeting cards with your logo, as well as 8 fun photo filters.
- 1 redirection link to your website
- The different graphic elements in your city's promotional materials




REFERENCE DESCRIPTION

LOOMIE	Loomie app. + Freestanding totem pole
300006	Freestanding totem pole with Loomie plate with QR Code
300007	Loomie plate with QR Code

MAESTRIO

Technology designed
to save energy.



Nearly **50%**
energy saving
with Maestrio!

I can programme my illuminations and their turned on/off period and hours, zone by zone, with a few clics on my tablet or smartphone.

It's so easy. I don't need any extra power supply cable.

Indeed, with the Maestrio Saver installed on Leblanc illuminations products, I simply **download Maestrio App** and let myself be led.

Further information
on Maestrio



Simple and intuitive

- Intuitive app
- Communication **sans fil** (Bluetooth / 868 MHz)
- One power cut **period and 4 exceptions**
- **Memorising** of programmes guaranteed even switched off
- Super-easy installation thanks to the **Plug & Light connectors**

MAESTRIO

MAESTRIO PASS⁽¹⁾

REFERENCE	REACH	AUTONOMY
010020	50 m	7 hours



P&L
230V

MAESTRIO SAVER⁽¹⁾

REFERENCE	REACH	P. MAX/230V
010019	50 m	460W/AC + 460W/DC



Communication link between decoration and tablet/ smartphone.


Controls and programs the street decorations equipped with a Maestrio Saver, thanks to Maestrio App, the tablet/smartphone application.

- Size: H 117 x W 72 x D27 mm.
- Wireless radio / bluetooth communication.
- Bluetooth reach to the 1st Maestrio Saver is 50 m maxi.
- 7 hours battery life - supplied with battery, mains charger 230V, and mini USB cable.
- IP 20.

**Accessories to avoid cutting
the Maestrio housing connector.**


MALE CONNECTOR WITH CABLE GLAND

REFERENCE	CORDON	LENGTH
032355	Bm	0.18 m



FEMALE CONNECTOR WITH CABLE GLAND

REFERENCE	CORDON	LENGTH
032369	Bf	0.18 m



⁽¹⁾ Works in Europe only.

KUBIX3

Produce
amazing
light shows
with Kubix³!

Kubix3, an exclusive Leblanc illuminations technology.

These DMX transmission boxes let you control, dim and synchronise very precisely all our street decorations, lighting solutions, projectors, let you set up independant networks and make the most amazing light designs possible

Discover Kubix³



Laval




Two Alpes

Kubix³

230V



REFERENCE	DESCRIPTION	C. DMX
110004	Kubix ³ 230V	1/3




Front side adressable DMX controller.

Stand alone mode with preset programmes for non DMX use.

- Dimensions: W 170 x I 73.6 x D 38 mm

ADAPTER 3 WAYS / P&L

REFERENCE	LENGTH
300009	40 cm




DMX ACCESSORIES

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180034	E-Board 512	97 x 166 x 38 mm	0.18 kg	1 x 512

REFERENCE	DESCRIPTION	LENGTH
080805	Adapter DMX in/outdoor	20 cm
080190	ID 67 DMX cable light	10 m
080191	ID 67 DMX cable light	5 m
080192	ID 67 DMX cable light	2.50 m

Example of cabling plan en 230V



Lighting made to measure

**Reveal the true shape of your buildings
and landscapes and embellish them
with the right lighting.**

**With more than 15 years of experience, we can
meet all your lighting needs!**

To do so, we have rigorously selected different types of spotlights, adapted to all your projects.

Whether it is for use in urban or rural areas, static or dynamic lighting, we will turn your creative ideas into exceptional achievements!



Find the Kepler 350 p.336



ARCHITECTURAL LIGHTING

P&L

Connectable 230V Plug & Light

IP66

International Protection

Perennes installations

A sustainable installation uses proven and durable lighting processes.

To enhance your buildings, we offer you a range of durable products that match their architectural specificities.

This personalised lighting allows you to enhance the unique qualities of your buildings, while saving energy. It reduces light leaks and is consistent with the night environment.





HALTO



SPO 450



SQA 270



SPO 180



SPO 100



SPO 15

The SPO and SQA range is ideal for all types of lighting.

Thanks to its **RGBL LEDs**, you will be able to obtain high saturation levels and exceptional colour mixing. Ranging from 15 to 450 W, and from **560 to 16.900 lm**, you will find the projector to suit your needs. Equipped with an opening angle of 6°, you will be able to adapt the projection as well as possible with our **choice of optical filters** adapted to each projector.

SPO 15: connection on open cables

IP67

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180087	SPO 450	RGBL 30 LED	423 x 284 x 443 mm	18 kg	450 W	6°
180091	SQA 270	RGBL 18 LED	530 x 179 x 313 mm	13 kg	270 W	6°
180088	SPO 180	RGBL 8 LED	287 x 245 x 284 mm	8 kg	180 W	6°
180089	SPO 100	RGBL 4 LED	206 x 197 x 217 mm	5 kg	100 W	6°
180090	SPO 15	RGBL 1 LED	176 x 111 x 164 mm	1.7 kg	15 W	6°

ACCESSORIES

REFERENCE	DESCRIPTION	LENGTH
080095	E-coder for direction	-
080190	IP67 DMX cable light	10 m
080191	IP67 DMX cable light	5 m
080192	IP67 DMX cable light	2.50 m
080065	Extend power supply 230V	10 m
080064	Extend power supply 230V	5 m
080063	Extend power supply 230V	2.50 m
180092	Shutters for SQA 270	-



List of filters and filter supports



HALTO




UND 46



UND 12R



UND 43



IP67

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180103	UND 46	RGBW 12 LED	320 x 320 x 146 mm	8 kg	46 W	16° 8
180105	UND 12R	RGBW 3 LED	Ø 153 x 177.2 mm	2 kg	12 W	16° 5
180104	UND 43	RGBW 12 LED	660 x 96 x 128 mm	3.5 kg	43 W	16° 8

ACCESSORY

REFERENCE	DESCRIPTION
080095	E-coder for direction



Designed for wall or floor recessed installations, the UND range will meet your expectations in this field.

These floodlights are equipped with RGBW LEDs and a 16° optic. In bar or circle, its power ranging from 12 to 46 W and its luminous flux from 440 to 1700 lm will satisfy you by its excellent rendering. Their IP67 housing and IK10 protection index guarantee perfect adaptability indoors and outdoors. Connection on open cables.

BAR



See filters



IP66

* NEW

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180201*	BAR 9	RGBL 9 LED	305 x 66 x 80 mm	1.2 kg	20 W	15°
180202*	BAR 18	RGBL 18 LED	610 x 66 x 80 mm	2.1 kg	40 W	15°
180203*	BAR 27	RGBL 27 LED	915 x 66 x 80 mm	3.2 kg	60 W	15°

ACCESSORIES


REFERENCE	DESCRIPTION	LENGTH
080095	E-coder pour adressage	-
180098	DMX dispatcher /240V 10A	-
180100	Câble signal DMX/230V IP67	10 m
180101	Câble signal DMX/230V IP67	5 m
180102	Câble signal DMX/230V IP67	2.50 m

New generation of LED bars dedicated to architectural lighting.

The BAR range is available in 3 formats, 9, 18 and 27 LEDs.

These bars are equipped with RGBL LEDs, offering high precision and a multitude of colors. They have a luminous flux ranging from 733 to 1860 lm, and a power of 20 to 60 W. Natively equipped with a 15° optic, you will be able to adapt the opening angle of your BAR as well as possible thanks to the various filters.








Dijon

NEWTON 210 HD+

The perfect ally for your architectural lighting.

This cut-out spotlight is equipped with a 250 W RGBAL LED. Equipped with 4 manual knives, and a motorised zoom/focus from 15 to 30°, you will be able to illuminate with precision wherever you want. Its rotating gobo holder even allows it to project your logo! White macros ranging from 2700 to 8000°K and color macros are integrated to the projector. It also features Wireless Solution technology, allowing wireless DMX management.

Gobo: OD 66 mm / ID 60 mm



KEPLER 350

This gobo spotlight is indispensable for your architectural floodlighting, on buildings or in any other outdoor applications.

The Kepler 350 is fitted with a 350 W 7150°K white LED. The power of its light beam and its motorized zoom/focus from 8 to 40° ensure effective projection at both short and long distances. It has a wheel with 7 interchangeable rotating gobos, a 3 facet prism, a frost and an effects wheel. Its wheel of 7 colors and its CMY* trichromy will allow you to project a multitude of colours. The heat is evacuated by a heat pipe, which makes it possible to preserve a perfect sealing against water and dust. It also features Wireless Solution technology, allowing wireless DMX management.

Gobo: OD 22.9 mm / ID 19.5 mm

*CMY = Cyan Magenta Yellow

IP66

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180063	Newton 210 HD+	RGBAL LED	668 x 344 x 273 mm	16 kg	250 W	15° > 30° 8/10/13/19

IP66

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180064	Kepler 350	White 1 LED	350 W	23 kg	350 W	8° > 40° 17/20

ACCESSORIES

REFERENCE	DESCRIPTION	LENGTH
080190	IP67 DMX cable light	10 m
080191	IP67 DMX cable light	5 m
080192	IP67 DMX cable light	2.50 m



Watch the animations



CUSTOMISED GOBOS

On request, we can create your personalised visual

from your image (photo, logo, ...), either in colour or black and white and adaptable to all our projectors.

We have also designed a collection of gobos, adaptable in black and white or in colour, in adequacy with our decors, for a total unity in your project.

COLOUR	MATERIAL
Black and white	Glass
1 colour	Glass
2 colours	Glass
3 colours	Glass
4 colours and more	Glass



Examples of personalised visuals.



Festive projectors

**Do you have an upcoming event
to illuminate?**

Projection of colours, gobos, effects, ... Whether it is a facade, in a park or any other place, our IP projectors will meet your expectations perfectly to embellish all your events!

City of Colmar. Design: Vialis. Service provider : Concept light






MINIKOLOR

SUPERKOLOR

SUPRAKOLOR

ZOOMKOLOR

This range of projectors is perfect for your outdoor events.

These projectors are equipped with RGBW LEDs. With a power ranging from 30 to 235 W, up to 3 100 lm, a 25° optic and a motorised zoom from 4.5 to 45°.

IP66

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180143	MiniKolor	RGBW 7 LED 4 W	220 x 175 x 228 mm	4.1 kg	30 W	16° > 31° 4/4/5/6/7/9/10/15
080598	SuperKolor HD	RGBW 7 LED 15 W	191 x 240 x 290 mm	7 kg	128 W	8° > 40° 3/4/5/6/7/12/17/25
080594	Suprakolor HD	RGBW 14 LED 15 W	325 x 283 x 236 mm	8.6 kg	235 W	8° > 40° 3/4/5/6/7/12/17
080703	ZoomKolor HD	RGBW 1 LED 60 W	345x242x245 mm	4.5 kg	85 W	4.5° > 45° 9/12/17

ACCESSORIES

REFERENCE	DESCRIPTION	LENGTH
080190	IP67 DMX cable light	10 m
080191	IP67 DMX cable light	5 m
080192	IP67 DMX cable light	2.50 m
080065	Extend power supply 230V	10 m
080064	Extend power supply 230V	5 m
080063	Extend power supply 230V	2.50 m
MEL-CABLAGE	Adaptateurs DMX et alimentation	-

Auberge de l'Orangerie – Passy (74)




ARIANE 1430 FC MKII

This bar projector is equipped with 14 RGB LEDs, with a power of 400W. It is equipped with 33° optics. Its 14 LED blocks can be controlled point by point to vary the uses and adapt to multiple scenographic concepts.


IP65
*** NEW**

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180200*	Ariane 1430FC MKII	RGB 14 LED 30 W	230 x 180 x 1110 mm	6.5 kg 450 W	35°	2/3/5/8/42/44/56
180108	Floodlite HD	RGB 1 LED 200 W	235 x 110 x 190 mm	3 kg 200 W	60°	4/7/10/11/15



FLOODLITE

This projector contains in its small size an RGBW COB LED that will surprise you with its power of 200 W and its opening angle of 60 °.

Its weight and size make it easily concealable. It is also equipped with a halogen simulation.



ACCESSORIES

REFERENCE	DESCRIPTION	LENGTH
080190	IP67 DMX cable light	10 m
080191	IP67 DMX cable light	5 m
080192	IP67 DMX cable light	2.50 m
080065	Extend power supply 230V	10 m
080064	Extend power supply 230V	5 m
080063	Extend power supply 230V	2.50 m
MEL-CABLAGE	Adaptateurs DMX et alimentation	-



ARCHIKOLOR

The ArchiKolor range is ideal for lighting large areas, indoors or outdoors.

Thanks to their wide beam angle of 60° or 120°, and their power of 72 W or 120 W, you can obtain the colour you want with their RGB LED. Their «light shutters» allow you to avoid lighting unwanted areas.



IP65

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
080593	ArchiKolor 60FC	RGB 1 LED 60 W	202x123x222 mm	3.5 kg	72 W	120°
080667	ArchiKolor 150FC	RGB 1 LED 150 W	320x315x200 mm	9.2 kg	180 W	60°



Cluses (74)

ACCESSORIES ARCHIKOLOR

REFERENCE	DESCRIPTION	LENGTH
080190	IP67 DMX cable light	10 m
080191	IP67 DMX cable light	5 m
080192	IP67 DMX cable light	2.50 m
080065	Extend power supply 230V	10 m
080064	Extend power supply 230V	5 m
080063	Extend power supply 230V	2.50 m
180014	Volet pour ArchiKolor 60FC 60W	-



TONEKOLOR

IP65

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
080802	ToneKolor 4406 HD	RGBW 44 LED 6 W	490x285x 105 mm	9 kg	260 W	35°

1/3/4/5/10/14/15



STORMLITE

IP65

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180061	StormLite HD	RGBW 1200 LED	490 x 364 x 117 mm	10.5 kg	800 W	130°

1/3/4/8/9/14/17

These spotlights are particularly suitable for façade floodlighting or lighting for any outdoor event.

With a power of 260 W or 800 W, and beam angle of 35° or 130°, their RGBW LEDs will allow you to obtain the colour you want. Power supply connections via PowerCon True1 and signal XLR5 pins.

ACCESSORIES


REFERENCE	DESCRIPTION
180038	Shutters for ToneKolor 4406HD
MEL-CABLAGE	Adaptateurs DMX et alimentation





AQUA 480 BWS

Steady gobos



Rotating/Indexable gobos



Glass : Ø 22.5 mm
Image : Ø 9 mm

Delivered with the Aqua 480 BWS

IP65

REFERENCE	DESCRIPTION	LAMP TYPE	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180052	Aqua 480 BWS	▀ Lamp type 480 W, 6 900K	521 x 463 x 561 mm	42 kg	650 W	2.8° > 60° 21/28
180136	Aqua LED 1500 Spot	▀ Blanc LED 620W, 8 000K	846 x 533 x 630 mm	55 kg	930 W	8° > 56° 25/31/38

ACCESSORY

REFERENCE	DESCRIPTION
180067	Ushio light for Aqua 480 BWS
MEL-CABLAGE	Adaptateurs DMX et alimentation



AQUA LED 1500 SPOT

Rotating gobos



Glass : Ø 37.5 mm
Image : Ø 24 mm

Livrés avec l'Aqua 1500 SPOT



**Need to make your projection evolve?
The AQUA range will be your ideal partner.**

With their 650 and 930 W power and their zoom/focus ranging from 2.8 to 60°, these automatic projectors are ultra bright. They each have a color wheel, a CMY* trichromy, and 2 gobo wheels, including at least 1 rotating gobo wheel. They are equipped with prisms, as well as an effect wheel. They are also equipped with Wireless Solution technology, allowing wireless DMX management. Power connection via PowerCon True1 and XLR5 pin signal. These projectors are delivered in a flight case.

Gobo Aqua 480 BWS: OD 22.5 mm / ID 9 mm
Gobo Aqua 1500 SPOT: OD 37.5 mm / ID 24 mm

*CMY = Cyan Magenta Yellow





E-BOARD

IP20 | * NEW

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180163*	E-Board 1024 MKIII	127 x 110 x 40 mm	0.18 kg	1 x 512
180034	E-Board 512	97 x 166 x 38 mm	0.18 kg	1 x 512
080400	E-Board 1024	116 x 123 x 40 mm	0.18 kg	2 x 512

This box will allow you to animate all your events as well as your luminous decorations.

In version 512 or 1024 DMX channels, you will be able to recall your recorded scenographies thanks to the buttons on the front panel.

IP65

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
002063	WhiteBox FLEX-1 G5	45 x 160 x 245 mm	0.2 kg	1 x 512
002062	WhiteBox FLEX-2 G5	45 x 160 x 245 mm	0.2 kg	2 x 512

Facilitate your installations by removing cables, opt for wireless DMX!

These boxes can support 512 to 1024 DMX channels, and can be used as DMX transmitters, receivers or repeaters, all IP65.


National day


WHITEBOX

HALTO




SPLITTER

IP65 | * NEW

REFERENCE	DESCRIPTION	DIMENSIONS
180189*	Splitter DMX 1 In 2 Out	182 x 65 x 85 mm
180190*	Splitter DMX 1 In 4 Out	182 x 65 x 85 mm

VIDEOPROJECTION



Leblanc illuminations is developing and further diversifying its capacities to provide you with the best support for your projects.

We have developed a water-resistant video projection system for you, that works in perfect autonomy.


1. Our teams have created three scenarios to customize, from which you can select one to enjoy a projection every day for the whole season.
2. In the course of a demonstration evening, which will need to take place in advance and under the final project conditions, the number of video projectors will be agreed, which will depend on the projection surface, the lighting environment, etc.
3. Every aspect will be taken into account to ensure that the projection performance will be of the best possible quality.

* NEW

DESCRIPTION	DIMENSIONS	WEIGHT
Videoprojection	750 x 644 x 534 mm	41 kg



Please consult us
For further information



SERVICES

To accompany you in your projects, we offer different types of services. From the preparation of cables to the start-up of the installation, everything will be done to guide you in the best possible way in the realisation of your lighting.

MEL-CABLAGE :

- Action carried out on a projector to help the product's connectivity match the client's project
- Projector addressing / Static programme definition

MEL-PREPA :

- Project wiring plan
- Programming of a show defined with the client
- Telephone assistance with an architectural lighting specialist

MEL-ASSIST :

- Site visit
- Adjustment of the projectors and checking of the installation
- Validation of product functioning

MEL-FORMA :

- Site visit, maximum of 4 people per training session :
 - Training in the use of the projectors
 - Control software training
 - Miscellaneous training

MEL-SCAN :

- Site visit
- Building measurements
- Supply of data files

MEL-TWINKLY :

- Site visit
- Adjustment of the decorations/products and checking of the installation
- Validation of product functioning
- On-product training in the use and control of the Twinkly PRO technology

Our high-performance scanner allows precise 3D scanning of complex objects and buildings.

This automated coastal survey is a precious asset because it allows you to carry out all the necessary measurements in record time and to integrate these data into the simulation of your lighting project.

You will also be able to retrieve neutral files in a simple and intuitive interface, compatible with any operating system, for all your future uses.



REFERENCE
 MEL-CABLAGE
 MEL-PREPA
 MEL-ASSIST
 MEL-FORMA
 MEL-SCAN
 MEL-TWINKLY

FREEVOX,

Sound, Lighting and broadcasting Specialist
on the audiovisual industry.

Freevox distributes and manufactures reference products to manage audiovisual projects for live shows and long-term installations.

With a global offer covering audio, broadcast and lights, Freevox implements its products and its skills on all types of efficient and reliable solutions.



La bonne voie

+33(0)820 230 007

contact@freevox.fr | www.freevox.fr

— sound
lighting
broadcast





TECHNICAL APPENDIX

COMPLIANCE OF OUR PRODUCTS

All Leblanc illuminations' products comply with all European standards and directives.
The product compliance certificates are provided on request.

DIRECTIVE NAME AREA OF APPLICATION



2011/65/UE Directive

The ROHS European directive aims to restrict the use of 6 dangerous substances (lead, mercury, cadmium, hexavalent chrome, polybrominated biphenyls (PBBs), and polybrominated diphenyl ethers (PBDEs)).

RoHS signifies 'Restriction of the use of certain Hazardous Substances' in electrical and electronic equipment.



Directive
DEEE
2012/19/UE Directives

Waste Electronic and Electrical Equipment (WEEE) is a category of waste defined by European regulations as 'equipment functioning with electric currents or electromagnetic fields, as well as equipment which produces, transfers, and measures these currents and fields, designed to be used at a voltage which does not exceed 1000 volts AC and 1500 volts DC'.

In Europe, this directive aims to make the recycling of WEEE mandatory and establish the principle of producers' responsibility. Consumers will contribute to this process by paying an eco-contribution or eco-tax, included in the purchase price for new equipment.

PRODUCT STANDARDS

STANDARD NO. AREA OF APPLICATION

EN 60598-1	General luminaires standard.
EN 60598-2-20	Specific standard for lighting garlands.
EN 60598-2-21	Specific standard for rope lights.
EN 60598-2-7	Luminaire standard for portable luminaires for garden use.
EN 60598-2-4	Luminaire standard for portable general purpose luminaires.
EN 60598-2-13	Luminaire standard for ground recessed luminaires.
EN 60598-2-2	Luminaire standard for recessed luminaires (other than in ground).
EN 60598-2-17	Luminaire standard for stage lighting, television, film and photographic studios.

STANDARDS FOR COMPONENTS

STANDARD NO. AREA OF APPLICATION

EN 62471, EN 60825-1	Safety of laser products (hazard level for retina from class 1 to 3, with class 1 governing all of our product types).
EN 55014, EN 61547, EN 61000-3-2 and 3-3	Standards concerning the EMC (Electromagnetic Compatibility) of controllers and transformers (= shielding).
EN 61347-2-11	General safety requirements for miscellaneous electronic circuits used with luminaires.
EN 61558-2-6	Safety requirements (known as LVD) for lamp devices intended to be used with DC power supplies up to 250V and/or AC power supplies up to 1000V, 50Hz or 60Hz (for our controllers).

LUMINAIRES FALL INTO 3 CATEGORIES

CLASS I LUMINAIRE

Luminaire where protection against electric shocks does not rely only on the main insulation, but has an additional security measure in the form of connections of the accessible conductive parts to a protection conductor linked to the installation's attached wiring (grounded), so that the accessible conductive parts cannot become active if the main insulation is faulty.

= 230V products with double insulation wire (rubber) + grounding.

CLASS II LUMINAIRE

Luminaire where protection against electric shocks does not only rely on the main insulation, but has additional security measures such as double insulation or reinforced insulation. These luminaires have no protection which relies on grounding or the installation conditions.

= 230V products with double insulation wiring (rubber) but without grounding.

CLASS III LUMINAIRE

Luminaire where protection against electric shocks relies on its safety extra low voltage (SELV) power – lower than 50V – and in which voltages above the SELV are not generated.

= extra low voltage products via transformer with single insulation (PVC) and without grounding.

N.B.:

- With a Class I power supply, you can connect Class I or II products.
- With a Class II power supply, you can only connect Class II products.

**Our decorations
meet the insulation
requirements for class II
luminaires,**

which gives them maximum safety
for the public and installation
professionals.

INTERNATIONAL PROTECTION

IP is the protection index against solids and liquids. Outside, the minimum protection index is IP44.

I P 

1st protection figure = SOLIDS

2nd protection figure = LIQUIDS

IP	PROTECTION
0	No protection.
1	Protected against solids of more than 50 mm (unintentional contact with hands).
2	Protected against solids of more than 12.5 mm (fingers).
3	Protected against solids of more than 2.5 mm (tools, screws).
4	Protected against solids of more than 1 mm (small tools, small wires).
5	Protected against dust (no harmful deposits).
6	Fully protected against dust.

IP	PROTECTION
0	No protection.
1	Protected against drops of water falling vertically (condensation).
2	Protected against drops of water up to 15° from vertical.
3	Protected against rainwater up to 60° from vertical.
4	Protected against water spray from all directions.
5	Protected against hosed water from all directions.
6	Fully protected against water spray similar to waves.
7	Protected against the effects of immersion.
8	Protected against the effects of prolonged immersion in the specified conditions (followed by an indication of the maximum immersion depth in metres).

PUBLIC ACCESSIBILITY TO 230V DECORATIONS

Installations which are accessible to the public

They are located at a height lower than 3 m above the ground or at least 1 m horizontally outwards from a balcony, terrace or any place accessible to the public. Light installations positioned directly on the ground are also included.

What precautions need to be taken?



- Extract from the standard C 17-202, § 5.1.2

'The circuits must be protected at their source by high sensitivity residual current devices (30mA) for additional protection against direct contact.'



- Extract from the standard C 17-202, § 5.2.2

'Maintained inaccessibility provides protection against direct contact. In terms of indirect contact, the circuits must be protected by a medium sensitivity residual current device (300mA). The connection must be made with fixed connections. Non-fixed connections and even inaccessible sockets are protected by high sensitivity residual current devices (30mA). If part of the temporary installation does not comply with inaccessibility regulations, the requirements of 5.1.2 must be applied at least to the part in question.'

INSTALLATIONS ACCESSIBLE TO THE PUBLIC



INSTALLATIONS NOT ACCESSIBLE TO THE PUBLIC



ATTACHMENT KITS

LAMP COLUMNS

HEIGHT (MM)	ATTACHMENTS SUPPLIED
from 1 000 to 2 000	2 kits 032094
from 2 500 to 3 500	3 kits 032094
4 000	4 kits 032094

ACROSS STREET

WIDTH (MM)	ATTACHMENTS SUPPLIED
2 000	2 kits 032220
3 000	3 kits 032220
from 4 000 to 6 000	4 kits 032220

ESSENTIALS

WIDTH (MM)	ATTACHMENTS SUPPLIED
1 000 x 1 000	2 kits 032094 + 2 kits 032220
2 000 x 800	2 kits 032094 + 2 kits 032220
3 000 x 1 000	3 kits 032094 + 3 kits 032220

SUSPENSIONS

Attachment supplied for small suspended lights: kit 032233



All of our decorations are delivered with quick, non-assembled attachments.

Make sure you do not attach your decorations with plastic clamps!

POWER CABLES

All of our decorations are delivered with a power cable:

- If all the decoration's sides are less than or equal to 3 m, a 3 m power cable (ref.050476) is supplied.
- If one of the decoration's sides is more than 3 m, a 5 m power cable (ref.050477) is supplied.



FITTING A TREE WITH A LIGHT CURTAIN

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m / = 3,14 Diameter in m

CALCULATE THE HEIGHT OF THE CURTAIN DROP

$$H = P \times (3/8)$$

Height of the drop in m

N.B.: We multiply the perimeter of the tree by 3/8ths because it is the standard decorated height on a tree. It is not necessary to decorate right up to the top of the tree, as passers-by won't be able to see it anyway.

EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 5 = 15,7 \text{ m}$$

Perimeter in m / = 3,14 Diameter in m

CALCULATE THE HEIGHT OF THE CURTAIN DROP

$$H = 15,7 \times (3/8) = 5,88 \text{ m}$$

Height of the drop in m

A height of 5 m is sufficient.

CALCULATE THE NUMBER OF CURTAINS

First of all you need to calculate the number of drops (ND) to go round the tree (we calculate a 0.5 m space between each garland across the diameter):

$$ND = \frac{P}{0,5}$$

Number of drops

Then you need to divide the number of drops (ND) by the number of curtain drops (NCD) to get the number of curtains (NC) :

$$NC = \frac{ND}{NCD}$$

Number of curtains

N.B.: You can round the number of curtains above or below the result obtained, depending on the density of light points desired.

CALCULATE THE NUMBER OF CURTAINS

First of all you need to calculate the number of drops (ND) to go round the tree (we calculate a 0.5 m space between each garland across the diameter):

$$ND = \frac{15,7}{0,5} = 31,4$$

Number of drops





Then you need to divide the number of drops (ND) by the number of curtain drops (NCD) to get the number of curtains (NC):

$$NC = \frac{31,4}{18} = 1,74$$

Number of curtains

Two curtains are therefore required.

FITTING A TREE WITH A LIGHT CURTAIN



'French-style' set-up : garlands around tree.

N.B.: There is also an 'American-style' set-up, where the garlands are wrapped around the branches.

'French-style' set-up



FITTING A TREE WITH LIGHTING GARLANDS

EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m $\pi = 3,14$ Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0,3}$$

Number of coils H

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{NC \times P}{2}$$


Total length in m NC P

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{TL}{LG}$$

Number of garlands TL LG

Length of garland used in m



CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 4,5 = 14,13 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{6}{0,3} = 20$$


CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{20 \times 14,13}{2} = 141,3 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{141,3}{20} = 7,065$$

7 or 8 garlands are therefore required, depending on the density desired.



FITTING A FIR TREE WITH LIGHTING GARLANDS

EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m $\pi = 3,14$ Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0,3}$$

Number of coils H

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{NC \times P}{2}$$


Total length in m NC P

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{LT}{LG}$$

Number of garlands LT LG

Length of garland used in m



CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 3 = 9,42 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{8}{0,3} = 26,66$$


CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{26,66 \times 9,42}{2} = 125,6 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{125,6}{20} = 6,28$$

7 garlands are therefore required to decorate this tree.



- N.B.: Depending on requirements, you can reduce or increase the space between the garlands:
- dense tree : 0,15 m
 - normal tree : 0,30 m
 - light tree : 0,50 m

FITTING A TREE WITH B22 GARLANDS

EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m $\pi = 3,14$ Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)


$$NC = \left(\frac{H}{1} \right) / 2$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = NC \times P$$

Total length in m



CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 5 = 15,7 \text{ m}$$


CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)

$$NC = \frac{8}{2} = 4$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = 4 \times 15,7 = 62,8 \text{ m}$$

Depending on the density desired, take either a 50 m/140 socket garland or a 50 m/200 socket garland.



FITTING A FIR TREE WITH B22 GARLANDS

EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m | = 3,14 | Diameter in m

CALCULATE THE NUMBER OF GARLANDS (NG) (2 M BETWEEN EACH DROP)

$$NG = \frac{P}{2}$$

Number of garlands | —————— 2

CALCULATE THE LENGTH (LG) OF A GARLAND DROP

$$LG = \sqrt{H^2 + \left(\frac{D}{2}\right)^2}$$

Total length in m | —————— LG

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = LG \times NG$$

Total length in m | —————— TL

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 6 = 18,84 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG)

$$NG = \frac{18,84}{2} = 9,42$$



CALCULATE THE LENGTH (LG) OF A GARLAND DROP

$$LG = \sqrt{10^2 + \left(\frac{6}{2}\right)^2} = 10,44 \text{ m}$$

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = 10,44 \times 9,42 = 98,34 \text{ m}$$

A 100 m B22 garland is therefore required.




INSTALLING A CEILING LIGHT

EXAMPLE: to fit a 100 m long x 4 m wide street with an led ceiling light

CALCULATE THE MINIMUM NUMBER OF ATTACHMENT POINTS

$$\frac{100}{9,6} = 10,41$$

Length of street



**You need 12 attachment points (or ropes):
10 spaces of 9.6 m + 11th space of 4 m**

CALCULATE THE NUMBER OF CONNECTORS ACROSS (REF.058919)

$$\frac{4}{1} = 4$$

Width of street

Length of connector

You need 4 connectors width-wise.

CALCULATE THE TOTAL NUMBER OF 20 M GARLANDS



Given that you need 4 connector cables width-wise and that each connector has 4 connection points, there will be 16 garland outlets ($4 \times 4 = 16$).

We also have 10 spaces of 9.6 m (knowing that you need 10 m of garland to cover 9.6 m of ceiling) + 1 space of 4 m (that we could cover with 5 m of garland).

For each of the 16 lengths, you will need $5 \times 20 \text{ m garlands} + 1 \times 5 \text{ m garland}$:

- 16 outlets of $5 \times 20 \text{ m garlands} = 16 \times 5 = 80 \times 20 \text{ m garlands}$.
- 16 additions of 5 m = $\frac{16 \times 5}{20} = 4 \times 20 \text{ m garlands}$ (dividable every 5 m).

**To do this street's 'ceiling', you will therefore need
84 x 20 m garlands.**



N.B.: For 10 m of garland, you can only cover 9.6 m of ceiling. You therefore need to have attachment points every 9.6 m or less.

CALCULATE THE NUMBER OF SUPPLIES (REF.058917)





Given that a fixed LED garland uses 17W/230V, the total use for the ceiling will be: $84 \times 17 = 1428\text{W}$.

We are limited in terms of power here by the power cable, which can handle a maximum power of 920W/230V (because of the 4A rectifier). So: $\frac{1428}{920} = 1,55$

2 power cables are therefore required.

INSTALLING A CEILING LIGHT

Examples of cabling :



058919
2-wire connector cable for fixed LED garlands (see p.335)



550663 + 300002
Power cable + 4A rectifier (see p.334)



INSTALLING AN OCTAGONAL LIGHT MARQUEE

EXAMPLE: To fit a 30 m long square site with an octagonal LED light marquee

PREPARE THE ATTACHMENTS

Stretch 4 steel cables using the lamp column/lamp column kit (ref.113030) between the 4 poles at the edge of the future marquee.

CALCULATE THE SIZE OF THE OCTAGON

In order to get an octagon, stretch 4 steel cables inside the base square using the lamp column/lamp column kit (ref.113030). Do not forget to attach the suspension clips (ref.032198) on the peripheral cables to avoid the interior cables from moving.

$$\frac{30}{3,41} = 8,80 \text{ m}$$





Width of the square

You need to position the interior cables 8.8 m from the poles at the edge.

ATTACH THE GARLANDS

To install a garland, connect one end to a connector cable outlet attached to the central column. Then attach the other end of the garland to the steel cable at the edge, while making a curve (= grey dotted line).


The surplus garland may be used in 3 different ways :



WHAT IS A LED ?

CHARACTERISTICS

The LED is an electronic component capable of emitting light when an electric current flows through it and runs on a direct current. When an LED blows, the current continues to flow. It no longer lights up, but continues to power the others. Only one light point is missing. Sometimes a whole LED section turns off. In this case, it is a faulty connection rather than several faulty LEDs. On average, LED series are made up of 45 to 60 light points. The more LEDs there are, the less necessary it is to add resistors, so the product is more reliable (indeed resistors increase the number of connection points, and heat and use the current pointlessly).




Inverted cone LED :
wide beam angle (320°)



Traditional LED :
limited beam angle

All our LEDs are inverted cone LEDs.


Inverted cone LEDs offer a much wider light beam angle than traditional LEDs.



MANUFACTURE

A different silicon chip is cut for each colour. The luminosity will depend on the size of the chip. Elle est mesurée en 'mil' (0.0254mm). The chip is the most expensive part of the LED. Reducing the size of the chip quickly reduces the price of the LED. The chip is connected electrically, and encapsulated in the epoxy or silicon. It is the form of the encapsulation which determines the light beam. You get either an inverted cone LED (with a wide beam), or a traditional LED (with a more concentrated beam). The beam can be modified further by adding an optical diode.

There are 2 categories of LED : low power diodes, used for Christmas decorations (sized from 3 to 8 mm, 2 to 4 lumens, approx. 0.1W, 20 mA, 3.2V), et les diodes de puissance, utilisées pour la mise en lumière de bâtiments (taille 1 à 2 cm, 40 to 80 lumens/W, 1 to 3 W, 350 to 1000 mA).



LIFESPAN

At the end of life, the LED does not turn off but its luminosity progressively decreases over time. The lifespan of a LED corresponds to the time which has passed until it only emits 75% of the initial luminosity. The lifespan does not characterise the quality of the light, nor the way it changes over time.

WHAT IS A LED ?

THE ADVANTAGES OF LEDs

This technology has many advantages:

- Very low energy consumption (savings)
- Very long lifespan (reliability), and therefore low maintenance and replacement costs
- Miniaturisation
- A large range of colours
- Quality LEDs have a higher light output than incandescent bulbs (80 lm/W contre 14 lm/W)

THE DIFFERENT TYPES OF LEDs

Ø 3 MM, Ø 5 MM AND Ø 8 MM THROUGH-HOLE (OR REFLECTING) LEDs

These are what you will mainly find in our illumination products. They were also the first LEDs used in lighting, and offer more modest performance than powerful LEDs, but cost less.

You find through-hole LEDs in most of our garlands and light ropes.



Inverted cone LED



SMD LEDs

SMD LEDs

A more recent technology, they have the advantage of being more compact, with performance that is similar to Ø 5 mm through-hole LEDs. These LEDs make it possible to create thinner designs with improved integration.

You will find SMD LEDs in our Chromex'line range of products as well as in some of our garlands, light ropes and LED bulbs.



Powerful LEDs

POWERFUL LEDs

LEDs for lighting have the advantage of being able to take different independent optics. Without optics, these LEDs have a beam angle of approximately 110°.

Their luminous flux is approximately 100 lumen/Watt (with white) and it will continue to increase.

You will find Powerful LEDs in our spotlights.

DMX PROJECTION AND MANAGEMENT

DIAMETER PROJECTION TABLE

You can choose the projector suited to your project according to the minimum projection angle to illuminate a building from a given distance.

BEAM ANGLE (IN DEGREES)	PROJECTION DISTANCE (IN METRES)																									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	18	20	25	30	35	40	45	50	60	70	80
10°	0,17	0,35	0,52	0,70	0,87	1,05	1,22	1,40	1,57	1,75	1,92	2,10	2,27	2,45	2,62	3,15	3,50	4,37	5,25	6,12	7,00	7,87	8,75	10,50	12,25	14,00
11°	0,19	0,39	0,58	0,77	0,96	1,16	1,35	1,54	1,73	1,93	2,12	2,31	2,50	2,70	2,88	3,47	3,85	4,81	5,78	6,74	7,70	8,67	9,63	11,55	13,48	15,41
12°	0,21	0,42	0,63	0,84	1,05	1,26	1,47	1,68	1,89	2,10	2,31	2,52	2,73	2,94	3,15	3,78	4,20	5,26	6,31	7,36	8,41	9,46	10,51	12,61	14,71	16,82
13°	0,23	0,46	0,68	0,91	1,14	1,37	1,60	1,82	2,05	2,28	2,57	2,73	2,96	3,19	3,42	4,10	4,56	5,70	6,84	7,98	9,11	10,25	11,39	13,67	15,95	18,23
14°	0,25	0,49	0,74	0,98	1,23	1,47	1,72	1,96	2,21	2,46	2,70	2,95	3,19	3,44	3,68	4,42	4,91	6,14	7,37	8,59	9,82	11,05	12,28	14,73	17,19	19,65
15°	0,26	0,53	0,79	1,05	1,32	1,58	1,84	2,11	2,37	2,63	2,90	3,16	3,42	3,69	3,95	4,74	5,27	6,59	7,90	9,22	10,53	11,85	13,17	15,80	18,53	21,06
16°	0,28	0,56	0,84	1,12	1,41	1,69	1,97	2,25	2,53	2,81	3,09	3,37	3,65	3,94	4,22	5,06	5,62	7,03	8,43	9,84	11,24	12,65	14,05	16,86	19,68	22,49
17°	0,30	0,60	0,90	1,20	1,49	1,79	2,09	2,39	2,69	2,99	3,29	3,59	3,89	4,18	4,48	5,38	5,98	7,47	8,97	10,46	11,96	13,45	14,95	17,93	20,92	23,91
18°	0,32	0,63	0,95	1,27	1,58	1,90	2,22	2,53	2,85	3,17	3,48	3,80	4,12	4,43	4,75	5,70	6,34	7,92	9,50	11,09	12,67	14,25	15,84	19,01	22,17	25,34
19°	0,33	0,67	1,00	1,34	1,67	2,01	2,34	2,68	3,01	3,35	3,68	4,02	4,35	4,69	5,02	6,02	6,69	8,37	10,04	11,71	13,39	15,06	16,73	20,08	23,43	26,77
20°	0,35	0,71	1,06	1,41	1,76	2,12	2,47	2,82	3,17	3,53	3,88	4,23	4,58	4,94	5,29	6,35	7,05	8,82	10,58	12,34	14,11	15,87	17,63	21,16	24,69	28,21
21°	0,37	0,74	1,11	1,48	1,85	2,22	2,59	2,97	3,34	3,71	4,08	4,45	4,82	5,19	5,56	6,67	7,41	9,27	11,12	12,97	14,83	16,68	18,53	22,24	25,95	29,65
22°	0,39	0,78	1,17	1,56	1,94	2,33	2,72	3,11	3,50	3,89	4,28	4,67	5,05	5,44	5,83	7,00	7,78	9,72	11,66	13,61	15,55	17,49	19,44	23,33	27,21	31,10
23°	0,41	0,81	1,22	1,63	2,03	2,44	2,85	3,26	3,66	4,07	4,48	4,88	5,29	5,70	6,10	7,32	8,14	10,17	12,21	14,24	16,28	18,31	20,35	24,41	28,48	32,55
24°	0,43	0,85	1,28	1,70	2,13	2,55	2,98	3,40	3,83	4,25	4,68	5,10	5,53	5,95	6,38	7,65	8,50	10,63	12,75	14,88	17,00	19,13	21,26	25,51	29,76	34,01
25°	0,44	0,89	1,33	1,77	2,22	2,66	3,10	3,55	3,99	4,43	4,88	5,32	5,76	6,21	6,65	7,98	8,87	11,08	13,30	15,52	17,74	19,95	22,17	26,60	31,04	35,47
26°	0,46	0,92	1,39	1,85	2,31	2,77	3,23	3,69	4,16	4,62	5,08	5,54	6,00	6,46	6,93	8,31	9,23	11,54	13,85	16,16	18,47	20,78	23,09	27,70	32,32	36,94
27°	0,48	0,98	1,44	1,92	2,40	2,88	3,36	3,84	4,32	4,80	5,28	5,76	6,24	6,72	7,20	8,64	9,60	12,00	14,40	16,81	19,21	21,61	24,02	28,81	33,61	38,41
28°	0,50	1,00	1,50	1,99	2,49	2,99	3,49	3,99	4,49	4,99	5,49	5,98	6,48	6,98	7,48	8,98	9,97	12,47	14,96	17,45	19,95	22,44	24,93	29,92	34,91	39,89
29°	0,52	1,03	1,55	2,07	2,59	3,10	3,62	4,14	4,66	5,17	5,69	6,21	6,72	7,24	7,76	9,31	10,34	12,93	15,52	18,10	20,69	23,28	25,86	31,03	36,21	41,38
30°	0,54	1,07	1,61	2,14	2,68	3,22	3,75	4,29	4,82	5,36	5,89	6,43	6,97	7,50	8,04	9,65	10,72	13,40	16,08	18,76	21,44	24,12	26,79	32,15	37,51	42,87
31°	0,55	1,11	1,66	2,22	2,77	3,33	3,88	4,44	4,99	5,55	6,10	6,66	7,21	7,77	8,32	9,98	11,09	13,87	16,64	19,41	22,19	24,96	27,73	33,28	38,83	44,37
32°	0,57	1,15	1,72	2,29	2,87	3,44	4,01	4,59	5,16	5,73	6,31	6,88	7,46	8,03	8,60	10,32	11,47	14,34	17,20	20,07	22,94	25,81	28,67	34,41	40,14	45,88
33°	0,59	1,18	1,78	2,37	2,96	3,55	4,15	4,74	5,33	5,92	6,52	7,11	7,70	8,29	8,89	10,66	11,85	14,81	17,77	20,73	23,70	26,66	29,62	35,55	41,47	47,39
34°	0,61	1,22	1,83	2,45	3,06	3,67	4,28	4,89	5,50	6,11	6,73	7,34	7,95	8,56	9,17	11,01	12,23	15,29	18,34	21,40	24,46	27,52	30,57	36,69	42,80	48,92
35°	0,63	1,26	1,89	2,52	3,15	3,78	4,41	5,04	5,68	6,31	6,94	7,57	8,20	8,83	9,46	11,35	12,61	15,76	18,92	22,07	25,22	28,38	31,53	37,84	44,14	50,45
36°	0,65	1,30	1,95	2,60	3,25	3,90	4,55	5,20	5,85	6,50	7,15	7,80	8,45	9,10	9,75	11,70	13,00	16,25	19,50	22,74	25,99	29,24	32,49	38,99	45,49	51,99
37°	0,67	1,34	2,01	2,68	3,35	4,02	4,68	5,35	6,02	6,69	7,36	8,03	8,70	9,37	10,04	12,05	13,38	16,73	20,08	23,42	26,77	30,11	33,46	40,15	46,84	53,54
38°	0,69	1,38	2,07	2,75	3,44	4,13	4,82	5,51	6,20	6,89	7,58	8,26	8,95	9,64	10,33	12,40	13,77	17,22	20,66	24,10	27,55	30,99	34,43	41,32	48,21	55,09
39°	0,71	1,42	2,12	2,83	3,54	4,25	4,96	5,67	6,37	7,08	7,79	8,50	9,21	9,92	10,62	12,75	14,16	17,71	21,25	24,79	28,33	31,87	35,41	42,49	49,58	56,66
40°	0,73	1,46	2,18	2,91	3,64	4,37	5,10	5,82	6,55	7,28	8,01	8,74	9,46	10,19	10,92	13,10	14,56	18,20	21,48	25,48	29,12	32,76	36,40	43,68	50,96	58,24
60°	1,15	2,31	3,46	4,62	5,77	6,93	8,08	9,24	10,39	11,55	12,70	13,86	15,01	16,17	17,32	20,78	23,09	28,87	34,64	40,41	46,19	51,96	57,74	69,28	80,83	92,38

DMX: DIGITAL MULTIPLEX

The DMX is a protocol which came out of the USA and was introduced in 1986. It is a copyright-free system and it is cheap to implement. The DMX protocol is a switchboard for transmitting information between controls and remote receivers. Everything is based on digital pulse trains made up of square waves transmitted cylindrically on a frequency of 250 kHz. 24 to 512 channels can be transmitted on the same frame, with 512 possible Start codes.

Precautions :

- It has low voltage, so you need to avoid being close to high-emission high voltage.
- The voltage compared to the mass = - 7V to + 1

TECHNICAL VOCABULARY

AMPERE (A)

Unit which measures the intensity of current which corresponds to the number of electrons which pass through a point in a circuit per second.

VOLT (V)

Unit which measures the voltage. The voltage is the difference in electrostatic potential between two points and is associated with the energy that an electron needs to move between these two points.

WATT (W)

Unit which measures the power consumed by a product.
Calculation of the intensity of the current : $P = U \times I$ (P : power in W, U : voltage in V, I : intensity in A)

FREQUENCY (Hz)

Number of times the polarity of the signal changes per second.
It is given in Hertz.

SELV

Safety Extra Low Voltage, lower than 50V.



ALTERNATING CURRENT SUPPLY (AC)

Is electric current which periodically reverses direction and which carries alternatively equal amounts of electricity in one direction and then the other.



DIRECT CURRENT SUPPLY (DC)

Is electrical current whose voltage is independent of time. By extension, direct current is called periodic current whose DC component constitutes the main part of its power.



MINIMAL DISTANCE OF LIT OBJECTS

From an inflammable surface (in metres).



CE MARKINGS

It is mandatory for all products covered by one or several European directives which specifically provide for it. To put CE marking on a product, the manufacturer must carry out, or have carried out, checks and tests to ensure that a product complies with the essential requirements, particularly in terms of health and safety, defined in the directive(s) concerned. It is not a certification mark or an indication of the geographical origin of the product. It is mandatory and of a regulatory nature and is the visible commitment of the manufacturer that its product complies with European legislation. It gives the products concerned the right of free movement throughout the European Union.



PROCESSING OF ELECTRIC AND ELECTRONIC PRODUCTS' END-OF-LIFE

Applied to all products except incandescent bulbs, gas bulbs, spotlights, power cables and all non-electric products.

LEAKAGE CURRENT

The leakage current is current which, by definition, leaks between the active parts and the grounding connection in the absence of an electrical fault. It is part of the installation's normal functioning. The design of an electric installation must provide for residual current protection to ensure the safety of persons and goods by taking these leakages into account. These, along with the installation's upstream cables, can reach the threshold value for activating the protection. The solution is to limit the number of devices protected by the same residual current device.

For example, for 10 m of garlands, you measure leakage current equal to 0.09 mA. Knowing that a 30 mA circuit breaker is triggered at 16 mA, you need to heed to a maximum of 50 x 20 m garlands for an HPI type 30 mA differential circuit breaker.

TECHNICAL VOCABULARY

CIRCUIT BREAKER

Is a protection device whose function is to interrupt the electric current if there is an incident on the electric circuit. It can interrupt the overload current or short-circuit current in an installation.

RESIDUAL CURRENT SWITCH

Is a device which can be opened (cut off) either manually or with a residual current system if it detects an insulation fault. It has a breaking capacity equivalent to a simple switch i.e. normally it can cut off a current equivalent to its maximum nominal value. It can in no circumstances cut off when there is a short circuit, which risks destroying its contacts.

DIFFERENTIAL CIRCUIT BREAKER

Is a circuit breaker combined with a residual current device, which can be cut either manually or with a short circuit with its magnetic fields, or with the residual current in the insulation fault current. Its breaking capacity is higher than a switch's. The principle of a residual current device (RCD) is to compare the intensities of the different conductors which pass through it. It works very simply : each conductor passes through a magnetic core, thus forming electromagnetic fields with the same force and opposed which means they cancel each other out. If there is a difference (hence the name differential), the resulting electromagnetic field activates a system which immediately cuts off the power.

COLOUR TEMPERATURE

The colour temperature makes it possible to determine the colour of a light source. The apparent colour of a light source varies from the orange-red of a candle flame (1850 K) to the blueish colour of an electronic flash (between 5000 and 6500 K according to the manufacturer). It is measured in Kelvin (K).

- Warm white : 2600 K
- Neutral white : 3500 K
- Cool white : 4500 K

LUMINOUS FLUX

It is the luminous power emitted in all directions by a source. The luminous flux is given in Lumens (lm).

LUMINOUS INTENSITY

It is the luminous flux emitted in a given direction. A source does not necessarily emit light equally in all directions. It is therefore useful to know the flux emitted in each direction. The luminous intensity is given in Candelas (cd).

ILLUMINANCE (E)

Is the ratio of luminous flux incident on a surface area. The illuminance is given in Lux, 1 lux (lx) is equivalent to 1 lm/m². E = luminous flux/surface (lm/m²).

LUMINANCE (L)

The luminance characterises the luminous aspect of an illuminated surface or a source in a precise direction. The luminance of a source is the ratio between the luminous intensity emitted in a direction and the apparent surface of the light source in the direction in question. The luminance is given in Candelas per metre square (cd/m²).

INDEX

A

AGATHE BF	101	BOULE ARTY	135
AGATHE OR	95, 101	BOULE DÉCO	163
ALBERT LE B. DE NEIGE	167	BOULE DECO INFINITY	193
ALTI OR	103	BOULE ENCHANTÉE	147
ALYA	181	BOULE ÉTOILÉE	143
ALYA DROIT OR	95	BOULE GLOUTONNE	165
ALYA GAUCHE OR	95	BOULE INFINITY	193
ALYA INFINITY	197	BOULE LUDIQUE	75
ALYA OR	95	BOULE OR	85
AMAYA	181	BOULE PÉTILLANTE	149
ARA	87	BOULE STAR OR	135
ARBRE ENCHANTÉ	185	BOULE VINTAGE	77
ARBRE INFINITY	205	BOUQUETIN	173
ARBRE MAGIQUE	185	BRASSÉE D'ÉTOILES	89
ARCEAU ANTHÉA	185	BRIN	87
ARCEAU BOULES	137	BULLE DORÉE	147

C

CACHE OREILLE	169
CADEAU	147, 183
CADEAU 3D OR	85
CADEAU ENCHANTÉ	147
CADEAU FUNKY	75
CADEAU GLOUTON	165
CADEAU INFINITY	191
CADEAU L INFINITY	191
CADEAU LUDIQUE	75
CADEAU OR	85
CADEAU OR	85
CADEAU PHOTO	163
CADEAU ROUGE	163
CADEAU RUBAN	163
CADEAU SAPIN	143
CADRE DE NOËL	163
CADRE PHOTO	135
CANDY LUDIQUE	75
CANNE	169
CARILLON OR	95
CARROSSE INFINITY	201
CARROUSEL	159
CHALET PAIN D'ÉPICES	143
CHAMOIS	173
CHANDELIER	87
CHAPEAU	169
CHAPIN DE NOËL	153
CHARMILLE INFINITY	205
CHEVAL	173
CHIFFRES	208
CIMIER CÔNE GIVRÉ	179
CIMIER DENTELLE	183
CIMIER ÉTOILÉ	183
CIMIER INFINITY	197
CIMIER OR	181
CIMIER SAPIN PERLÉ	181, 183
CLARA	87
CŒUR DE NOËL	147
CŒUR NOËL INFINITY	205
CŒUR PÉTILLANT	149
COLLIER	103

B

BALLON INFINITY	201
BAPTISTIN LE PINGOUIN	173
BATEAU PIRATE	159
BAUBLE	163
BAUBLE CHAIR	163
BOÎTE AUX LETTRES	155
BOÎTE LUTIN	155
BOÎTE PÈRE NOËL	155
BOÎTE SANTA	155
BONHOMME DE NEIGE	167
BONHOMME DE NEIGE FUNKY	169
BONNET	169
BONNET LUDIQUE	75
BOUCLE	87
BOUGIE PÉTILLANTE	149
BOULE	163

D

DENTELLE	103
DIAMANT	81
DIAMANT INFINITY	193
DIAMANT OR XL	177
DOUBLE CÔNE OR	177

E

ECHARPE	169
ECLAT PÉTILLANT	149
ELFIE	77
ELLIPSE	181
ELLIPSE INFINITY	197
ENCHANTÉE	81
ETOILE INFINITY	191
ETOILE NOVA	135
ETOILE PAIN D'ÉPICES	165
ETOILE PÉTILLANTE	149
ETOILE VINTAGE	77

F

FAUTEUIL CADEAU	155
FAUTEUIL ELSA	173
FAUTEUIL NOËL	169
FAUTEUIL OURS	169
FAUTEUIL RENNE	169
FÉERIQUE OR	97
FLAKE	135
FLOC CON PÉTILLANT	149
FLOC VINTAGE	77
FONTAINE 2D INFINITY	201
FONTAINE DANSEUSES	185
FONTAINE INFINITY	201
FUNKYLAND INFINITY	199
FUSÉE	159

G

GINGER LUDIQUE	75
GINGER PÉTILLANT	149
GOUTTE ALYA OR	95

INDEX

H

GRELOT DO	155
GRELOT FA	155
GRELOT LA	155
GRELOT MI	155
GRELOT RE	155
GRELOT SI	155
GRELOT SOL	155

I

IGLOO	173
INAYA OR	95

J

JANYCE	103
J'M MA VILLE	137
JOYEUSES FÉTES !	97
JOYEUSES FÉTES EN FOLIE	87
JOYEUSES FÉTES RUBAN	97
JOYEUX CADEAU OR	85
JOYEUX NOËL FILANT	85
JOYEUX NOËL SANTA	79

K

KIOSQUE	143
KIOSQUE INFINITY	191

L

LA BOÎTE DES LUTINS	155
L'ANGE INFINITY	201
LANTERNE	77, 81
LETTRES MAJUSCULES	208
LOOMIE	323
LOUISE	81
LOUISE OR	97
LUGE DES LUTINS	159
LUNETTES	169
LUSTRE COLLIER	103
LUSTRE SNOW	95
LUTIN FUNKY	75
LUTIN OUPS	155
LUTIN PHOTO	169
LUTINS	163
LUTIN ZÉBULO	155

M

MAISON BISCUIT	165
MAISON PAIN D'ÉPICES	165
MAMIE NOËL	153

R

RENNE	135, 163, 173
RENNE COMÈTE	173
RENNE ET PÈRE NOËL	163
RENNE FANTASTIQUE	185
RENNE FANTASTIQUE INFINITY	199
RENNE FUNKY	75
RENNE FUNKY	169
RENNE PÉTILLANT	149
RIDEAU CADEAU OR	89
RIDEAU CADEAUX	89
RIDEAU ÉTOILE	89
RUDOLPHE	167

N

NEIGE FUNKY	75
NEIGE OUPS	155
NEW SANTA	79
NOËL OR	77
NŒUD 3D	87
NŒUD OR	85
NŒUD PAPILLON BOULE	169
NOUGAT	167
NOURS	167
NOVA OR	89

O

OPTION JOYEUX NOËL	135
OURS FUNKY	75
OURS FUNKY	169
OURS POLAIRE	173
OURS POSITION MARCHE	173

P


PAPY NOËL	153
PAQUET CADEAU PÉTILLANT	149
PARAPLUIE	169
PASSAGE DE NOËL	141
PÈRE NOËL FUNKY	75
PÈRE NOËL OUPS	155
PÈRE NOËL ZÉBULO	155
SAPIN RUBAN INFINITY	205
SAPINVERTIGINEUX	177
SAULE ENCHANTÉ	185
SAUTOIR SAPIN VERT	185
SHERLOCK LE PHOQUE	173
SNOWBALL INFINITY	199
SNOWMAN	135
SNOWMAN PÉTILLANT	149
SNOW OR	95
SOLDAT ZÉBULO	155
SPHÈRE	75
SPHÈRE INFINITY	193
SPIRALE INFINITY	191
PINGOO	167
PINGOON FUNKY	169
PÔLE NORD	169
POMPON	167
POT ALYA	185
PRÉCIEUSE COURONNE	79

T	
THÉÂTRE DES LUMIÈRES	185
TRINEAU	163
TRINEAU CRISTAL	173
TRAINOSSIMO	155
TRVERSÉE FUNKY	75

V	
VOITURE DE COURSE	159

W	
WAGON	159
WANDA	77

Z	
ZÉBULON	77
ZEF	75





INDEX

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
000002	313	032274	216		242,	050681	311	051011	278	051112	246	058913	283	059794	272		
001242	313	032275	216	032376	244, 280, 298	050682	311	051012	278	051125	314	058914	283	059805	264	061219	223, 301
001813	313	032277	215			050683	311	051013	278	051126	314	058915	283	059838	290	061220	223, 301
001814	313	032278	299	032377	298	050685	283	051014	278	051161	293		281, 285	059839	239		
001867	285	032279	299	032392	215	050686	283	051016	312	051179	260	058916	283, 285	059854	235	070008BL	290
001948	215	032283	298	050097	235	050687	283	051026	288	051180	263	058919	299	059914	261	080063	332, 340
001949	215	032284	298	050098	235	050688	283	051029	262	051181	263	058940	299	059927	240		
002062	345	032289	213	050101	235	050689	283	051032	278	051187	260	058965	290	059937	246	080064	332, 340
002063	345	032327	215	050102	235	050729	316	051033	278	051260	241	058968	299	059986	216	080065	332, 340
010001	217	032335	212	050172	311	050730	295	051034	278	051261	241	058989BL	278, 298	060255NR	290		
010011	217	032337	299	050174	311	050744	293	051035	278	051264	279			060637	213		
010014	217	032338	298	050176	311	050745	293	051036	278	051265	279	059072	298	060726	212	080095	333, 334
010019	325	032339	298	050177	311	050746	293	051037	278	051266	295	059080	292	060742	313		
010020	325	032341	214	050180	311	050754	262	051039	212, 257	051267	295	059098	239	060743	313		
031852	212	032342	298	050182	311	050757	262	051054	309	051269	295	059219	246	060745	313	080190	322, 327, 336, 340
031855	212	032353	278	050184	311	050758	262	051055	309	051279	283	059220	246	060759	313		
031858	217	032355	325	050475	216	050761	295	051056	309	051281	283	059237	240	060790	316		
031873	290	032356	299	050476	298	050762	295	051063	312	051283	283	059238	298	060791	316	080191	322, 327, 336, 340
031894	213	032357	299	050477	298	050763	260	051065	312	051284	321	059240	299	060793	316		
031895	212	032358	216	050479	299	050764	260	051066	312	051285	321	059241	299	060808	313		
031903	298	032361	213	050487	299	050765	246	051067	312	051286	321	059243	272	060809	313	080192	322, 327, 336, 340
031908	298	032362	213	050503	246	050766	246	051069	312	051287	321	059244	272	060810	313		
031912	298			050504	261	050768	212, 257	051072	288	051288	321	059518	246	060812	313	080400	345
031937	215	032364	244, 301	050505	261	050769	212, 257	051079	284	051289	295	059519	246	060813	313	080593	342
031938	215			050506	239	050770	284	051080	284	051328	240	059537	272	060814	313	080594	340
031939	215			050507	272	050772	314	051081	284	051329	240	059544	283	060817	313	080598	340
031940	215	032365	244, 301	050508	272	050775	240	051082	284	055193	285	059546	290	060818	313	080667	342
031941	215			050518	240	050779	288	051083	284	055476	285	059549	299	060820	313	080703	340
031942	215			050519	235	050791	268	051084	284	057032NRB	290	059550	298	060821	313	080802	343
031990	212	032366	244, 301	050526	239	050792	268	051091	312	058242	290	059553	240	060822	313	080805	327
032093	299			050535	240	050793	268	051095	248	058260	290	059556	214	060823	313	100117	216
032094	214	032367	244, 301	050536	240	050795	268	051097	246	058772	290	059557	214	060856	313	100118	216
032180	213			050537	240	050857	295	051098	246	058776	290	059708	217	060857	313	100119	216
032187	298			050538	240	050864	262	051099	246	058785	290	059710	285	060959	285	100120	216
032188	299	032368	244, 301	050539	240	050892	232	051100	246	058810	290	059711	285	060980	313	100503	212
032189	298			050540	240	050988	264	051101	246	058811	290	059712	285	061020	313	100504	212
032190	298	032369	325	050541	272	050989	294	051102	246	058814	299	059713	285	061024	313	101500	212
032197	212	032370	213	050562	314	050993	294	051103	246	058815	298	059714	285	061030	313	101640	213
032198	212			050563	314	050992	294	051105	246	058828	290	059715	285	061052	313	105000	217
032212	215	032371	244, 301	050567	283	050993	294	051106	246	058897	246	059736	290	061061	313	110004	327
032220	213			050578	316	050994	294	051107	246	058901	246	059763	290	061107	313	113010	212
032233	213	032372	301	050579	316	050995	294	051108	246	058902	246	059783	288	061218	223, 301	113020	212
032235	214	032373	301	050602	260	051004	288	051109	246	058911	283	059785	261	061218	223, 301	113030	212
032241	215	032374	298	050603	260	051010	278	051111	246	058912	283						
032242	214	032375	298														

INDEX

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	
122900	212	180014	342	202378-24V	155	202631-24V	173	203074-24V	169	203191-24V	177	203400-24V	137	203858-24V	201	
150201	334	180034	327,	202396	123	202653-24V	185	203075-24V	169	203193-24V	183	203403	103	203859-24V	201	
150202	334	180034	345	202430	209	202664	79	203076	169	203194-24V	181	203405	89	203860-24V	201	
150203	334	180038	343	202431	209	202668	79	203077	169	203229-24V	167	203418	97	203861-24V	199	
170085	75	180052	344	202432	209	202669	79	203078-24V	169	203258-24V	185	203419	97	203862-24V	199	
170149	75	180061	343	202433	209	202672-24V	155	203079-24V	169	203270-24V	165	203420	85	203863-24V	201	
170278	305	180063	336	202434	209	202673-24V	155	203080	169	203271-24V	165	203424	103	203867-24V	201	
170282	305	180064	336	202435	209	202675-24V	155	203081	169	203287-24V	173	203425-24V	153	203868-24V	193	
170286	305	180067	341,	202436	209	202676-24V	163	203082	169	203291-24V	143	203426-24V	153	203869-24V	193	
170288	306			202437	209	202679-24V	169	203083-24V	169	203294	81	203427-24V	159	203870-24V	193	
170292	306	180087	332	202438	209	202681-24V	183	203084-24V	169	203295	81	203428-24V	159	203873-24V	193	
170296	306	180088	332	202439	209	202705	79	203085-24V	173	203296	81	203429-24V	153	203876-24V	163	
170300	306	180089	332	202440	209	202708-24V	167	203103-24V	155	203297	81	203430-24V	155	203879-24V	193	
170304	306	180090	332	202441	209	202709-24V	167	203104-24V	155	203298	77	203431-24V	155	203880-24V	163	
170308	306	180091	332	202442	209	202718-24V	163	203105-24V	155	203304	85	203432-24V	155	203884-24V	193	
170312	306	180092	332	202443	209	202721-24V	163	203106-24V	155	203308-24V	163	203433-24V	155	203887-24V	163	
170316	306	180098	334	202444	209	202724-24V	163	203107-24V	155	203309-24V	137	203436-24V	185	203890-24V	193	
170320	306	180100	334	202445	209	202810-24V	163	203108-24V	155	203312	85	203669	77	203891-24V	163	
170324	306	180101	334	202446	209	202876-24V	167	203109-24V	155	203317	85	203713-24V	197	203896-24V	205	
170328	306	180102	334	202447	209	202932	77	203117-24V	173	203318	85	203722-24V	199	203897-24V	205	
170332	306	180103	333	202448	209	202935	77	203118-24V	173	203319	85	203727-24V	163	203898-24V	205	
170336	306	180104	333	202449	209	202936	77	203121-24V	173	203320	85	203731	87	203899-24V	205	
170340	306	180105	333	202450	209	202942	77	203122-24V	173	203321-24V	137	203750	97	203900-24V	205	
170344	306	180108	341	202451	209	202945	77	203131-24V	173	203323-24V	137	203751	97	203901-24V	205	
170348	306	180136	344	202452	209	202946	77	203134-24V	185	203324-24V	137	203753	97	203902-24V	205	
171004	103	180143	340	202453	209	202954	77	203135-24V	185	203337	85	203755	97	203903-24V	205	
171005	103	180189	345	202454	209	202957	77	203138-24V	177	203344	97	203756-24V	179	203912-24V	137	
171106	87	180190	345	202455	209	202958	77	203141-24V	143	203346	97	203778	101	204062	89	
171108	87	201300	285	202456	209	202987-24V	149	203142-24V	143	203347	97	203780	101	204063	89	
171109	87	201662-24V	177	202457	209	202988-24V	149	203143-24V	143	203348	97	203782	101	204065	89	
171154	87	201744-24V	155	202458	209	202989-24V	149	203144-24V	149	203351	97	203783	95	204078	89	
171155	87	201805-24V	147	202459	209	202991-24V	149	203145-24V	149	203352-24V	137	203788	101	204079	89	
171156	87	201966-24V	167	202460	209	203024	97	203146-24V	149	203363-24V	181	203802	97	204080	89	
171157	87	201972	75	202461	209	203026	97	203147-24V	149	203364-24V	181	203834-24V	191	204183	89	
171171	87	201975	77	202462	209	203027	97	203153	169	203366	95	203835-24V	191	204185	89	
171221	87	201976	77	202463	209	203034	103	203158-24V	183	203368	95	203836-24V	191	204186	89	
171222	87	201977	77	202464	209	203035	103	203164-24V	183	203369	95	203837-24V	147	204187	89	
171232	87	201978	77	202465	209	203039	103	203167-24V	183	203370	95	203839-24V	197	204188	89	
171246	87	202051-24V	167	202466	209	203040	103	203174-24V	181	203371	95	203843-24V	197	204260	95	
171247	87	202165-24V	185	202467	209	203041-24V	185	203176-24V	173	203372	95	203844-24V	181	204262	95	
171258	87	202217	103	202475	87	203067	79	203178-24V	179	203373-24V	181	203847-24V	197	204263	95	
171259	87	202224-24V	141	202499-24V	179	203068	79	203183-24V	185	203374-24V	181	203848-24V	181	204264	95	
171300	103	202226-24V	141	202518-24V	173	203069	79	203185-24V	147	203375-24V	185	203851-24V	197	204308	95	
171309	103	202237-24V	185	202519-24V	173	203071-24V	169	203187-24V	179	203394-24V	137	203852-24V	181	204310	95	
171315	89	202375-24V	179	202529-24V	167	203073-24V	169	203189-24V	179	203398-24V	137	203857-24V	197	204311	95	
															204532	85

INDEX

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
204534	85	204684-24V	135	204803-24V	208	204892	79	205005	304	550042	236	550113	274	550244	242,
204577	81	204685-24V	135	204804-24V	208	204893-24V	147	205009	304	550043	236	550118	279	550244	244,
204578	81	204686-24V	141	204805-24V	208	204894-24V	147	205013	304	550044	236	550119	279	550244	301
204581	81	204690-24V	141	204806-24V	208	204895-24V	147	205017	304	550045	236	550120	279	550247	307
204582	81	204694-24V	141	204807-24V	208	204932-24V	208	300001	298	550046	236	550121	279	550248	307
204583	81	204698-24V	141	204808-24V	208	204933-24V	208	300002	298	550047	236	550122	291	550250	263
204584	81	204702-24V	143	204809-24V	208	204934-24V	208	300004	215	550048	236	550126	282	550251	263
204587	81	204706-24V	191	204810-24V	208	204935-24V	208	300006	323	550049	236	550127	235	550263	254
204598	85	204707-24V	143	204811-24V	208	204936-24V	208	300007	323	550050	236	550165	307	550264	254
204599	85	204711-24V	135	204812-24V	208	204937-24V	208	300009	327	550053	240	550166	294	550265	254
204601	85	204712	95	204813-24V	208	204938-24V	208	331300	285	550054	281	550167	294	550266	254
204603	85	204721	95	204814-24V	208	204939-24V	208	351000	285	550055	281	550169	294	550267	254
204631-24V	159	204725	87	204815-24V	208	204940-24V	208	354000	285	550056	281	550170	269	550268	254
204632-24V	159	204730-24V	149	204816-24V	208	204941-24V	208	401667	216	550057	281	550171	269	550299	289
204633-24V	159	204732-24V	149	204817-24V	208	204942-24V	208	413000	285	550058	281	550172	263	550300	289
204634-24V	159	204733-24V	149	204818-24V	208	204943-24V	208	513000	285	550063	237	550173	263	550307	283
204635-24V	165	204735-24V	149	204819-24V	208	204944-24V	208	550007	241	550064	237	550180	291	550309	283
204636-24V	159	204737-24V	149	204820-24V	208	204945-24V	208	550008	241	550065	237	550189	307	550311	283
204637-24V	159	204740-24V	149	204821-24V	208	204946-24V	208	550009	241	550066	237	550201	294	550313	279
204638-24V	169	204744-24V	179	204822-24V	208	204947-24V	208	550011	241	550067	237	550203	294	550314	281,
204639-24V	169	204747-24V	181	204823-24V	208	204948-24V	208	550013	241	550068	237	550205	294	550314	282,
204640-24V	169	204748-24V	181	204824-24V	208	204949-24V	208	550014	241	550070	273	550207	294	550315	241
204641-24V	169	204749-24V	181	204825-24V	208	204950-24V	208	550015	241	550071	273	550209	294	550316	241
204645-24V	169	204753-24V	183	204826-24V	208	204951-24V	208	550016	241	550072	267	550210	294	550317	241
204647-24V	155	204754-24V	183	204827-24V	208	204952-24V	208	550018	265	550073	267	550211	247	550334	247
204648-24V	155	204755-24V	183	204828-24V	208	204953-24V	208	550019	265	550075	267	550212	247	550336	223
204649-24V	159	204758-24V	191	204829-24V	208	204954-24V	208	550020	265	550076	267	550213	247	550342	301
204650-24V	159	204764-24V	177	204830-24V	208	204955-24V	208	550021	235	550077	267	550214	247	550386	316
204651-24V	165	204766-24V	177	204831-24V	208	204956-24V	208	550022	235	550078	261	550217	254	550467	294
204652-24V	165	204767-24V	177	204832-24V	208	204957-24V	208	550023	235	550079	261	550218	254	550468	246
204653-24V	165	204769-24V	177	204833-24V	208	204958-24V	208	550024	235	550081	261	550219	253	550469	246
204654-24V	155	204772-24V	193	204834-24V	208	204959-24V	208	550025	235	550087	291	550220	244	550470	301
204656-24V	155	204783-24V	183	204835-24V	208	204960-24V	208	550027	235	550092	308	550221	244	550471	301
204657-24V	153	204784-24V	183	204877	85	204961-24V	208	550028	235	550093	308	550222	244	550472	289
204658-24V	153	204785-24V	183	204881	79	204962-24V	208	550029	235	550094	308	550229	263	550473	293
204659-24V	163	204786-24V	183	204882	79	204963-24V	208	550030	235	550095	308	550230	263	550474	293
204660-24V	163	204788-24V	193	204883	79	204964-24V	208	550031	235	550096	308	550231	307	550475	293
204661-24V	135	204790-24V	201	204884	79	204965-24V	208	550032	235	550097	308	550232	307	550476	293
204665-24V	135	204792-24V	173	204885	79	204966-24V	208	550033	235	550098	308	550233	268	550477	293
204669-24V	135	204793-24V	183	204886	79	204967-24V	208	550034	235	550099	308	550236	290	550478	293
204672-24V	135	204797-24V	183	204887	79	204988	304	550035	236	550100	308	550239	244	550479	293
204676-24V	135	204799-24V	208	204888	79	204992	304	550036	236	550101	308	550240	244	550483	263
204678-24V	135	204800-24V	208	204889	79	204996	304	550037	236	550102	308	550241	244	550484	263
204680-24V	135	204801-24V	208	204890	79	205000	217	550038	236	550103	308	550242	242,	550485	263
204682-24V	135	204802-24V	208	204891	79	205001	304	550041	236	550112	274	550242	244	550486	260

INDEX


REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
550563	260	550668	230	550699	232	550732	279, 282	550819	261	550868	230	550921	238	600429	315
550565	249	550669	230	550700	232	550733	279, 285	550821	272	550869	230	550922	238	600430	315
550566	242	550670	230	550701	280	550734	298	550822	283	550870	230	550923	238	600431	315
550567	242	550671	230	550702	280	550735	298	550823	283	550871	230	550924	238	600432	315
550568	248	550672	230	550703	280	550737	222, 223	550824	240	550872	233	550925	261	600433	315
550569	248	550673	230	550704	280	550738	223	550825	240	550873	233	550926	261	600434	313
550570	248	550674	230	550705	280	550739	223	550826	240	550874	233	550930	301	600435	313
550572	310	550675	230	550706	280	550740	223	550828	246	550875	233	550931	301	600436	313
550575	244	550676	230	550707	280	550741	225	550829	246	550876	233	550932	292	600437	313
550576	242	550677	230	550708	280	550742	225	550831	235	550877	233	550933	292	600438	313
550577	284	550678	230	550709	280	550743	225	550832	235	550878	233	550934	292	600439	313
550606	223	550679	230	550710	280	550744	226	550833	235	550879	233	550935	292	600440	313
550627	273	550680	230	550711	280	550745	226	550834	235	550881	233	550936	292	600441	313
550628	223	550681	230	550712	280	550746	226	550835	235	550882	233	550937	292	600442	313
550634	288	550682	230	550713	280	550747	226	550836	239	550883	233	550938	309	600443	313
550635	288	550683	230	550714	280	550748	226	550837	230	550884	233	550939	309	600444	313
550643	249	550684	230	550715	280	550749	226	550838	230	550885	232	550940	309	600445	313
550644	249	550685	230	550716	280	550750	226	550839	230	550886	232	550941	309	600446	313
550645	223	550686	233	550717	280	550751	223	550840	230	550887	232	550942	309	600447	313
550646	275	550687	233	550718	280	550752	223	550841	230	550888	232	550943	310	600448	313
550647	275	550688	233	550719	280	550753	223	550842	230	550889	232	550944	310	600449	313
550648	275	550689	232	550720	280	550754	223	550843	230	550890	232	550945	310	600450	313
550651	261	550690	232	550721	280	550755	281	550844	230	550891	232	550946	310	600451	313
550652	261	550691	232	550722	280	550756	281	550845	230	550892	232	550947	310	600452	313
550653	261	550692	232	550723	280	550757	264	550846	230	550893	240	550948	310	600453	313
550654	261	550693	232	550724	280	550758	264	550847	230	550894	240	550958	316	720102	285
550656	248	550694	232	550725	264	550759	264	550848	230	550895	163	550966	225	722101	213
550662	298	550695	232	550726	264	550760	264	550849	230	550896	163	550967	225	792001	213
550663	298	550696	232	550727	264	550810	252	550850	230	550897	163	550968	225	792002	213
550664	298	550697	232	550728	281	550811	252	550866	230	550898	163	600171	215	792101	213
550665	298	550698	232	550730	281	550818	261	550867	230	550920	163	600428	315	792201	213

INDEX

SUSPENSIONS




ACROSS STREETS








INDEX

ACROSS STREETS




INDEX

LAMP COLUMNS




INDEX

LAMP COLUMNS




203751 p.97 203802 p.97 203778 p.101 203780 p.101 204412 p.101 204413 p.101 204414 p.101




204382 p.103 204386 p.103 171004 p.103 171300 p.103 171309 p.103 203035 p.103 203039 p.103


ROUND GLASS LAMPSHADE DECORATIONS



171232 p.87 203304 p.85 203320 p.85




203337 p.85 204187 p.89 204335 p.89




204387 p.103 204416 p.101 204500 p.77

CRESTS



203844-24V p.181 203852-24V p.181 203851-24V p.197



203194-24V p.181 203193-24V p.183 203167-24V p.183



204793-24V p.183 203189-24V p.179


2D FLOORSTANDING DECORATIONS



204799-24V p.208 204835-24V p.208




204932-24V p.208 204966-24V p.208




202467 p.209 202430 p.209

INDEX


CONES




202375-24V p.179 203363-24V p.181 203364-24V p.181



203373-24V p.181 203374-24V p.181 203187-24V p.179




202681-24V p.183 204783-24V p.183 204784-24V p.183



204785-24V p.183 204786-24V p.183 204797-24V p.183




201662-24V p.177 203174-24V p.181 203713-24V p.197




203839-24V p.197 203843-24V p.197 203857-24V p.197


CHRISTMAS TREES




204764-24V p.177 204766-24V p.177 204767-24V p.177 204769-24V p.177 204772-24V p.193 204788-24V p.193




202499-24V p.179 203178-24V p.179 203902-24V p.205 204744-24V p.179 203848-24V p.181 203847-24V p.197




203756-24V p.179 204747-24V p.181 204748-24V p.181 204749-24V p.181 203158-24V p.183 203164-24V p.183



204753-24V p.183 204754-24V p.183 204755-24V p.183 204758-24V p.191 203191-24V p.177 203897-24V p.205





203138-24V p.177 203141-24V p.143 203147-24V p.149 204740-24V p.149 204895-24V p.147



203183-24V p.185 203258-24V p.185 203903-24V p.205 203135-24V p.185 203134-24V p.185



INDEX

ARCHES







INDEX

3D FLOORSTANDING DECORATIONS




INDEX

3D FLOORSTANDING DECORATIONS





INDEX


PHOTOBOOTHS



FOUNTAINS



ANIMALS



SLEIGHS



Price valid until 30 April 2023. Prices are indicative and in Euro excluding tax and may be subject to change without notice.
Leblanc illuminations reserves the right to modify its prices in the event of technical modifications to products or unforeseen changes to the cost of raw materials.

Decorations delivered with power cable and attachment kits, without bulb or satelight. All the catalogue products are made using LEDs.

Eco-tax:

In light of the development of European directives and interpretations, some of our products, which are not subject to this tax, may be added to this during the year. The scale can also evolve during the year. The eco-tax cannot be discounted or reduced.

Tax on all light bulbs:

The tax is applicable to both professionals and individual customers. For light bulbs, Leblanc illuminations is affiliated with Recylum.
Tax on other electrical products :

The tax is applicable to people who resell to individual customers as well as professionals. The tax is not applicable to professionals on the condition that they deal with the end-of-life recycling of products. In this case, the professionals involved must send a confirmation letter to Leblanc illuminations. Leblanc illuminations is affiliated with Ecologic for electrical products.

Design & Execution:

Marketing & Design | Leblanc illuminations 01.2022 | www.leblanc-illuminations.com

6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France

Export Dpt. | Ph. +33 (0)2 43 61 43 54 - Fax. +33 (0)2 43 61 43 75

SAS with a 7 938 000 € capital - SIRET 482 323 649 000 20 - APE 4669C - RCS 482 323 649 - FR 37 482 323 649

Photos credits:

A. Beauvais, Abies Decors, Adrien Basse-Cathalinat, Agence Zoom, AHD, Alexandre Zveiger, alloova, AP-HP Sorbonne Université, Bruno Warion, Clément Billerot, Concept Light, Cynthia Perez, cyrilgarrabos, David Meyer, F. Vachon, G. Ellis, Jérôme Kelagopian, Johann Bourdin, K. Rouschause, Laurent Pascal, Les Blouses Roses, M. Petit, Marcio Jose Bastos Silva, Marie Zanolin, Marina Zezelina, Mélanie Calcei, Mikhail Markovskiy, P. Bréchet, P. Valneau, Pact Solutions, parallel_dream, Pascal Lecoeur, Pavel Losevsky, R. Wailliez, S. But, saiko3p, santosha57, Simon Garnier, Twinkly, VINCENT-pl.cent, Volary Louzensky, wise73france, worradirek, Yamas Prod, Yvan Brien, Leblanc illuminations.

Adobe stock : Sergione, neirfy, wise73france, Bogdan Lazar, Netfalls, sergejson, fotolupa, olezzo, Andrii Shnaider, alzamu79, bbsferrari, IndustryAndTravel, Gaschwald, Tomasz Warszewski, Leyre, moofushi, lorenza62, SeanPavonePhoto, pololia, oneup, saiko3p. Pixabay : Hieu Nguyen. Shutterstock : Marcio Jose Bastos Silva, Mikhail Markovskiy, Antti Pulkkinen.

Non contractual pictures & documents. All our decorations are protected by patents at INPI & OMPI. All specifications relative to the decorations are provided for information only and may be revised. Any reproduction, whole or partial, of the catalogue is prohibited.



Printed in France by ITF, Imprim'vert® certified, a mark of its commitment to reducing the impact of its business activity on the natural environment. This catalogue is printed on paper sourced from sustainably managed forests.



Leblanc illuminations, first french company of its sector
labelized by independant organisation for its global CSR Process.

PICTOGRAMS CAPTION

P&L 230V	Connectable 230V Plug & Light
P&L 24V	Connectable 24V Plug & Light
	DMX changing colour
	Steady
	Glittering
	Flash / Crackling
	Chasing
	Flame effect
	Confetti effect
SMD LED	Latest generation SMD LED
	Indoor only
IP66	International Protection
	LED colour
	Cable colour

Réf.220106



Leblanc
illuminations

www.leblanc-illuminations.com
international@leblanc-illuminations.com

