



Leblanc illuminations

Creator of sustainable emotions through light



CANADA

OFFICE • +1 450 755 6902 • contact@leblanc-illuminations.ca
FREE CALL • +1 866 814 3617
SALES • +1 514 891 6902 • a.beauvais@leblanc-illuminations.ca

FRANCE

OFFICE • +33 (0)2 43 61 43 61 • contact@leblanc-illuminations.com
6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France
LOGISTICS DEPARTMENT • +33 (0)2 43 61 43 80 • leblanc.logistique@leblanc-illuminations.com
35 Boulevard Pierre Lefauchaux 72027 Le Mans Cedex 2 France
AFTER SALES SERVICE • +33 (0)2 43 61 43 61 • sav@leblanc-illuminations.com
Open monday to friday from 8.30 am to 12.30 am and from 1.30 pm to 5.30 pm.

MEXICO

OFFICE • contacto@leblanc-iluminacion.com.mx

UNITED KINGDOM

OFFICE • 01622 882424 • hello@galalights.com
TWITTER @GalaLights • **FACEBOOK** @GalaLightsUK



ONLINE CATALOGUE

Find all our **decoration ranges** and **all our know-how**
in Le Livre Blanc des illuminations 2024.

LEBLANC ILLUMINATIONS

French company, international know-how

Leblanc illuminations establishes its influence internationally thanks to 4 subsidiaries and its actual presence in more than 40 countries, through a wide network of authorised distributors.

INTERNATIONAL TEAM



Alexandra Petit

Chief Executive Officer
Ph. +33 (0)2 43 61 40 86
contact@leblanc-illuminations.com



Rachel Net

Sales Director
rnet@leblanc-illuminations.com



Canada Jean-François Hénault

Chief Executive Officer
Ph. +450 755-6902
contact@leblanc-illuminations.ca



Mexico

Clément Briendo

Chief Executive Officer
contacto@lbi.com.mx



Romania

Elena Heuripeau

Chief Executive Officer
Ph. +33 (0)2 43 61 43 61
contact@leblanc-illuminations.com



United Kingdom

Christopher Stille

Chief Executive Officer
Ph. +44 1622 882424
hello@galalights.com



"Leblanc illuminations, one of our companies serving your creativity"



The Creative Show Industry Group of companies create, produce and feature at events and installations. The branded products and equipment we manufacture and supply, together with our bespoke services, allow you to carry out your project in its entirety with a guarantee of technical and artistic success.

Arnaud Leschemelle • President



Leblanc illuminations

The creator of the festive illuminations market in 1958, Leblanc illuminations has been working with cities, towns and shopping centres for over 65 years to bring to life bespoke projects, both in France and internationally. www.leblanc-illuminations.com

Arbiter France

The catalogue specialised in studio equipment and hightech products dedicated to music production : monitoring speakers, microphones, headphones, sound processing, sound and light products for DJs. www.arbiterfrance.com

Freevox

A dedicated catalogue of HARMAN Group brands (JBL, SOUNDCRAFT, AKG, etc.) to help audiovisual professionals get on 'the right track'. www.freevox.fr

Audiopole

The catalogue of professional audio equipment for broadcast (televisions and radios), touring (concerts, touring) and fixed sound systems such as conference rooms. www.audiopole.net

Starway

Discover the catalogue of our French brand STARWAY, manufacturer of LED spotlights for the events market. www.starway.eu

MEGA-HERTZ


Mega-Hertz

Mega-Hertz has been providing technical services for events for over 40 years, offering a complete range of services to deliver lighting, video, sound and the installation of scenic structures. www.mega-hertz.fr



Discover the Starway catalogue.

OUR 2 OTHER BRANDS



CHROMEX

French brand of cables and garlands since 1943, Chromex is the specialist in lighting equipment for cities and professionals. The brand combines professional and technological quality with ease of use. Its product ranges combine aesthetic design with low energy consumption.

Order via your pro space on

CHROMEX.FR 

HALTO

by Leblanc

French product brand for dynamic architectural lighting : bars, spotlights, recessed lights, gobo projectors, etc. With more than 30 years of experience, HALTO carries out long-lasting, colorful projects for the enhancement of buildings.

halto.fr



LEBLANC ILLUMINATIONS,

SUSTAINABLE EMOTION CREATOR THROUGH LIGHT



The most beautiful emotions, are the ones which we share.

Meeting around a decorated Christmas tree, strolling through decorated shopping streets, enjoying the illuminated streets of a historic city centre, taking selfies among festive decorations, posting your Christmas list into Santa's letterbox.

We all remember those moments when we talk about Christmas, memories enhanced by the magic of the lights.


Our illuminations spark human emotions and demonstrate values shared with our customers, employees and the wider audience.

“ *We share more than light,
we share emotions.* ”

LEBLANC ILLUMINATIONS WORLDWIDE



90
MILLION LEDS
light up per year



25,000
PLACES DECORATED
across the world



more than **40**
COUNTRIES
across the world

They entrusted their projects to us

Miami Beach • Kourou • Marseille • Toulouse • Nouméa • Orlando • Mexico City • Bamako • Nantes • La Plagne • Richmond • Nice • Les Deux Alpes • Laval • NASA • La Clusaz • Annecy • Bruxelles • Montréal • Tahiti • Puebla • Las Vegas • Canterbury • Cannes • La Réunion ...

... And many others.



Come and visit our showroom.

1958

Founder of the lighting decorations market

Michel Leblanc created the Leblanc illuminations company in the Meuse region in France. He was the first to produce wooden decorations fitted with porcelain sockets

1960

FIRST ALUMINUM DECOR MANUFACTURER

Leblanc illuminations is the first player in its market to produce light decorations on an aluminum frame.

1982

FIRST TO ILLUMINATE THE CHAMPS-ÉLYSÉES

Leblanc illuminations is the first company to have illuminated the most beautiful avenue in the world.

1988

ROPE & ROLL

Rope light gradually replaces sockets in our light decorations.

1994

A ROYAL PLACE

Leblanc illuminations goes international with Gala Lights, our UK subsidiary.

1996

PIONEER OF LED

Leblanc illuminations anticipated the need for energy savings by being the first in Europe to include LED garlands in its illuminations.

2007

THE FAR NORTH IS OURS!

Leblanc illuminations Canada opens up and lets the Canadian snow shine.

2015

3D PRINTING

Leblanc Illuminations innovates by using 3D prototyping.

2014

CONTROL YOUR ELECTRICITY CONSUMPTION

Thanks to our set control solution, programming the times and operating period for you illuminations, zone by zone, is simple and quick, with just a few clicks on your smartphone.

2014

ISO 9001 CERTIFICATION

Leblanc illuminations is the first company in its sector to be ISO 9001 certified.

2013

¡ VIVA ILUMINACIÓN !

Creation of the Leblanc Mexico subsidiary starting by the illumination of the town of Puebla and the Mazatlán shopping centre.

2010

LEBLANC TOUCHE HOSPITALS HEART

Leblanc illuminations and "Les Blouses Roses" have teamed up to offer hospitalised children and elderly patients a Christmas full of light every year.

2008

FIRST TO USE VIDEO FOR CHRISTMAS LIGHTS

Leblanc illuminations reinvents Christmas illuminations with the first animated and personalized 3D décor using video technology.

2008

LET'S GO EAST

The base of our main production facility is founded. Leblanc illuminations România is created.

3D



2015 megève

AUTHENTIC PARTNERSHIP

Leblanc illuminations highlights Megève, this small internationally renowned village of the Savoy Region in the French Alps, and becomes its official partner in 2017.

2016

FRENCH SKI FEDERATION PARTNERSHIP

Signed an official 4 year partnership with the French Ski Federation and the French Ski Freestyle team, renewed until 2024.

2016

VIRTUAL REALITY

Virtual Reality, Augmented Reality, 3D Scanning – Leblanc uses new technologies which serve your imagination.

2017

A SCENT OF SUCCESS

Leblanc illuminations combines light and fragrance for a unique experience.

2019

LET'S SAVE CHRISTMAS

Between reality and the virtual world, Leblanc illuminations puts the user at the heart of illuminations.





2023

A LEGENDARY CIRCUIT

Leblanc illuminations enjoyed breathtaking scenery and a grand celebration, as a partner at the 24 Hours of Le Mans race centenary.

2022

COQ VERT



To underline its commitment to ecological transition, Leblanc illuminations joined the Coq Vert Eco Community.

2021

GREEN REVOLUTION



This 3D printing process produces a new and more sustainable daytime effect for your decorations.

2021

CSR 26000 CERTIFICATION



Leblanc illuminations becomes the most labelled company in its sector, with its CSR 26000 and 9001 ISO certifications.

2021

EXPERIENTIAL SHOW

Leblanc illuminations create a unique experiential light show: a new combination of architectural lighting, luminous decorations and lighting solutions.

2020

CONNECTED LIGHTS



Leblanc illuminations becomes a distributor of Twinkly Pro, the range of smartphone controlled light strings.



2023

HAPPY BIRTHDAY!

Leblanc illuminations celebrates 65 years of business.



THE MOST CERTIFIED MANUFACTURER IN ITS SECTOR



ISO 9001 & CSR 26000

Our actions are independently reviewed and certified against social and environmental best practice. We are more committed than ever to improving our products, reducing our environmental impact and delivering high standards of customer satisfaction.

This is an ongoing commitment, independently recognised by **ISO 9001 certification since 2014**, and confirmed by the **CSR 26000 label achieved in 2021 and renewed in 2023**.

In 2022, Leblanc illuminations joined the Coq Vert community, initiated by BPI France, ADEME and the Ministry of Ecological Transition, which brings together companies that place environmental issues as a priority in their strategy. This is the result of the long-term involvement of all our teams, and investments in our production facilities.

We are the only European manufacturer that is

- ➔ **ISO 9001 certified**
- ➔ **CSR 26000 certified**
- ➔ **member of the Coq Vert community**
- ➔ **which manufactures in Europe without subcontracting**



We are proud to be the most certified company in our sector!

MAKING THE HEART OF CITIES BEAT

Illuminations bring happiness to people and boost economic activity. In today's environment we understand that a collective effort is required to reduce energy consumption. At Leblanc illuminations, we have solutions to make the holidays magical and responsible.

As a long-standing partner to local authorities, businesses and professionals, we know how to support our customers in their efforts to be responsible. We offer advice and solutions to make energy and budget savings.

LEDs: the solution to reduce power consumption by more than 90%

We were **the first manufacturer to use LEDs** on our decorations from 1996. Using LEDs on our lights was **a technical revolution** that enabled us to **reduce the power consumption of our illuminations by more than 90%**.

LEDs are used on **100% of Leblanc illuminations decorations**.

Remote-controlling the times your lights are illuminated, rather than simply turning them on for the full season, is an innovation that considerably reduces the electricity consumption of the decorations and therefore display overall.

In 2014, we invented a control unit, designed and manufactured in France. Easily installed on each decoration, this box is connected to an app that controls the illumination of the lights remotely. You can therefore choose to switch on your illuminations only when the streets are busy, and reduce electricity use and energy consumption.

Better informing our customers about the power consumption of our equipment decorations is part of our service, to help inform your choice.



A LUMINOUS ECO-DESIGN

Reduce the impact of our products on the environment

100% of Leblanc decorations are manufactured by our experts in-house. Therefore, we have control over the sustainability and environmental impact of our products.

We centre our recycling on three pillars:


- **Reduction** in carbon emissions, including those associated with transport, and plastic use throughout our product life-cycles.
- **Re-use** of the raw materials at the end of our product life-cycles.
- **Recycling** of all the waste from our offices and production workshops.



Our ambition: to continue our commitment to a continuous and voluntary process of reducing our environmental footprint

Quality and tranquillity

Our teams are constantly seeking eco-responsible solutions that will allow a reduction in plastic use and carbon footprint of our products, while improving their performance and sustainability.



e-deco by Leblanc

Innovative materials, optimised energy consumption, new production methods: we are transforming our business to offer you products suited to the demands of sustainable urban life.

50% electricity saving

thanks to the patented technology, developed by our teams, simply by controlling the illuminations' light-up time.

Aluminium Hydro REDUXA

This is an aluminium with a low environmental impact. **It is produced using renewable energy. 100% of the aluminium frames returned to us at the end of their life-cycle** are converted into new decorations or products.

3D PRINTING, A GREEN REVOLUTION

*The promise of decorations tailor-made to strict and committed specifications:
materials that are resistant without being brittle, respect the environment
and have efficient recycling programmes to give them new life*



Today's decorations are the raw material for tomorrow's decorations.

Leblanc illuminations has invested in a fleet of 3D printing robots and launched **e-deco**, a range of **durable daytime details and decorations** that can be used **with or without lights**.

With its **4 materials and 13 dynamic and festive colours**, e-deco offers unlimited creativity in the design.

Our printed products are **manufactured in our own workshop**. The raw materials are **biosourced, recycled and recyclable**. At the end of their life, they are crushed to form new granules which will be **used to manufacture new decorations**.

COLLECTIONS THROUGH THE SEASONS

Each season has its own decor.

With **e-deco**, Leblanc illuminations offers you a range of products that can be adapted throughout the year to suit different events: the festive season, summer decorations, Pink October, Valentine's Day and sporting events etc.

Dress your place throughout the year to accompany every meeting with the public.



SEASIDE

PINK
OCTOBER



SEASONAL FESTIVITIES



SUMMER DECORATIONS




PRIVATE OR SPORTING EVENTS



For more information
ask for our
Seasons brochure

LEBLANC ILLUMINATIONS, FRENCH KNOW-HOW

From order to delivery



As a French Tech company, we are always proud to support jobs with manufacture in France, participate in the economic development of the country and export French know-how.

A well conceived project

Our creative and technical teams imagine the style and feasibility of your project while ensuring the scheme conforms with the necessary safety regulations, under the watchful eye of our in-house test centre.

Logistics at your service

Despatch in very quick time.

Deliveries every day nationwide and internationally. 20 000 m² of storage space.

100% made in-house

Leblanc illuminations has the largest lighting decoration manufacturing workshop. It brings together all the expertise required for **quality production.**

Responsive quality and after-sales service

Systematic checks at every step of the process ensure quality service. Leblanc illuminations guarantee your **new products for 2 years.**

... INTERNATIONAL COMPANY

LEBLANC ILLUMINATIONS INTERNATIONAL DEPARTMENT

+33 (0)2 43 61 43 54

international@leblanc-illuminations.com



Find all our partners
on our website



Our authorised distributors

BLANDIN • French Guiana, Guadeloupe, Martinique

ECLAIRAGE SGLE CORVO • French Guiana

AEM LIGHTING • Luxembourg

ARTISTIC HOLIDAY DESIGNS • U.S.A

PACT SOLUTIONS • Belgium

POSCH • Austria

RAKO GROUP • Netherlands

ELECTROPAC • New Caledonia

JAKSCH IDEE & KONCEPT • Germany

CITY ILLUMINATIONS • Czech republic

SCHRÉDER SWISS - Swiss

EVERLED EUROPE • Sweden

GENERAL ELECTRICA ANDORRANA • Andorra

MAFTEX • Israel

AUTENTICA LATITUDE LDA • Portugal

VINO DOMUS • Hungary

YUNE TUNG • French Polynesia

DANA GROUPE • Mali

UAB "ŠVENČIŲ STUDIJA" • Lithuania

STUDIO DES FÊTES • Latvia

ELEKTROVAKUUM AS • Norway

CGL • Morocco

COMMUNITY & BEST PRACTICE

*We are passionate about our work and aim to develop solid and responsible relationships with our partners.
Our good customer service and after sales care set us apart.*

Taking care of our teams, our clients and future generations

Leblanc illuminations is committed to operating in a socially responsible way. In 2020, we formalised our commitments and expectations in a Responsible Purchasing Charter, and global supply chain.



Commitment charters

We have developed a CSR Commitment Charter intended for our employees and stakeholders and a Responsible Purchasing Charter for our complete supply chain.



Encouraging recycling and local purchasing



Annual client satisfaction surveys



Employees

Identifying development opportunities for our employees.



Defending the diversity of our teams

100% of our employees have signed our charter for the promotion of equal opportunities

CORPORATE SUPPORT & SPONSORSHIP



THE BLOUSES ROSES ASSOCIATION

The mission of The Blouses Roses, created in 1944, is to bring comfort, listen to and entertain people who are sick, elderly or disabled, by means of entertainment.

www.lesblousesroses.asso.fr



Illuminated hospitals for everyone!

Since 2017, Leblanc illuminations has been providing the GHU AP-HP Sorbonne University* hospitals group with valuable support through their donations of garlands and low-consumption luminous motifs, to warm the hearts of the medical staff and the hospitalised patients.

**AP-HP Sorbonne University is a university-hospital grouping under the AP-HP (public assistance – Paris hospitals) umbrella, comprising seven hospitals: Charles-Foix, Pitié-Salpêtrière, Rothschild, Saint-Antoine, Tenon, Armand-Trousseau and La Roche-Guyon.*

Bringing the magic of Christmas to hospitals

The holiday celebrations reflect sharing and generosity. For more than 10 years, to put a smile on the faces of young and old, Leblanc illuminations and Les Blouses Roses have been working together. Together, we offer hospitalised patients a Christmas full of lights by decorating their care areas.

Already 46 hospitals are lit up in the colours of the Blouses Roses every year.



Leblanc illuminations supports its employees.

In 2022, Leblanc illuminations created the «Leblanc Sponsoring» commission to support the company's employees who are who are involved in sports and association projects.

Nine projects have already benefited from financial or material aid.



Encouraging young people of US Ecommoy Handball

Peggy Balavoine, a Leblanc illuminations sales representative, has secured funding for four children's wheelchairs, to be donated to the US Ecommoy Handball sports association.

This initiative illustrates our commitment to our employees and the local community, helping to make a sporting and inclusive project a reality, reflecting our desire to build a more caring world.



Thomas's perfect race at the Valence marathon

Thomas Drouault, an industrial designer at Leblanc illuminations, received financial support from the «Leblanc Sponsoring» commission, to enable him to compete in the in the International Valence Marathon.

France 3 Maine report



Forging links between businesses and the armed forces

In October 2023, Leblanc illuminations signed the ProMilès manifesto with the 2nd Infantry Regiment of Marine.

This document, drawn up in 2022 by the Armed Forces General Staff and MEDEF (French employers' association), aims to broaden collaboration between companies and the armed forces, thereby promoting local partnerships to strengthen national cohesion in defence and security zones.

PARTNERSHIPS

Eight years of ski cross!

Already partners of **French ski resorts, the Fédération Française de Ski Cross** (French ski cross federation) and the French ski cross team since 2016, we renewed our partnership during the last ski cross world cup in Megève – **until 2024.**



megève

Leblanc in the Alps

We wanted our partnership to be rich in terms of its history, its traditional architectural heritage, and as a symbol of French-style living. We wanted it nestled in the sumptuous setting of the Alps. We hoped it would offer 445 km of pistes, hotels, traditional chalets and lots of shops. **And we found it!** Megève is a small, internationally renowned village in the Savoy possessing these values, as well as the authenticity which won us over.

It is therefore with some pride that Leblanc is the **official partner of the Megève Illuminations since 2017.** A pleasure shared in front of more than 5.000 people each year at the beginning of December for the unveiling of the legendary Christmas tree in Place de l'église.

CELEBRATE THE OLYMPIC SPIRIT IN 2024

with e-deco by Leblanc illuminations

There's going to be some sport!


The **2024 Olympic Games** are the perfect time to showcase your support for this exciting global event, and enhance the appeal of your place.

Would you like to support your sports associations? Are you wondering how to decorate your streets for the 2024 Olympics? Whether you're a Games host city or not, we've got everything you need to decorate your place and create a memorable atmosphere.



For further information

Contact your local representative.



TWINKLY PRO



What is Twinkly Pro?

Twinkly Pro is **the technological evolution of the traditional Christmas light decoration** and **a real innovation** for the lighting industry overall.

Twinkly's new generation of LED string lights are **controllable via a smartphone**. With its **integrated Wi-Fi**, users can display an **infinite number of effects that are completely customisable**.



Leblanc
illuminations

EXCLUSIVE DISTRIBUTOR



Discover breathtaking animations



**Download
Twinkly Pro**



TWINKLY PRO



The Twinkly Pro experience

- **Instant setup**

Hang your Twinkly Pro garland and download the app. Quickly setup your device to join the Wi-Fi.

- **Scan our decoration**

The app is able to detect the exact position of every single LED through your smartphone camera

- **Play with different effects**

Choose from a huge gallery of effects that can be fully customised by changing the speed, colours and other key parameters of each animation.

- **Customize your animation**

You can easily create your own effects: draw what you want with your finger or download additional effects.



Infinity

Control your decorations from your smartphone.

Infinity is our new range of 3D decorations, dressed in Twinkly Pro garland, controllable by smartphone. Choose the colours of your decoration & select your animation from a large gallery of breathtaking customisable effects and colours!

SOUND & LIGHT SHOWS

Awaken the senses with immersive experiences!

Leblanc illuminations presents an immersive light show in its showroom at Le Mans Head Office & Production Center, France. Just like the performances offered by cities or companies, the sound and light show allows the spectator to be immersed in a magical universe that makes you dream!

See the **Lighting solutions section**
for more details
p.301



Watch the show



PRESTIGIOUS BRANDS

Leblanc revisits your shopping centre and gives it a festive look.

Leblanc illuminations designs striking and immersive environments, proposing show-stopping centrepieces and interactive displays, indoors or outdoors, to capture your visitors' attention. Lighting scenography will create a magical and warm atmosphere.



Ottawa • Canada

The power and appeal of a strong brand come from the personality that we breathe into it.

To attract and retain interest, the festive decorations need to respect and compliment their surroundings. Major French luxury brands entrust the realisation of their finest projects to us.



Cannes • France



Watch the show

Content

Photo gallery

Our most beautiful achievements p.25

Luminous decorations

My Traditional Christmas	p.48
My Crystalline Christmas	p.58
My Sumptuous Christmas	p.70
My Authentic Christmas	p.82
Decorations to install	p.94
Infinity Decorations	p.154
Lettering	p.166
Facilities	p.170

Lighting solutions

Twinkly Pro Range	p.180
Garlands, curtain & icicle lights	p.190
MicroLED range	p.210
Suspensions	p.218
Branches, trees & floorstanding deco.	p.230
Rope lights	p.236
B22 - E27 range	p.246
Plug & Light	p.258
Daytime decorations	p.264
Technological animations	p.280

Architectural lighting

HALTO by Leblanc products	p.288
Chromex & Starway products	p.297
Lumenradio products	p.298
Projects & services	p.299

Technical appendix

Standards and advices	p.304
Index	p.314



Gallery



Megève • France

MEGEVE SKI RESORT
LEBLANC IN THE ALPS





So proud!

It is with pride that Leblanc illuminations is the official partner delivering illuminations in Megeve, since 2017.

The lights are unveiled in front of more than 5,000 people each year, at the legendary tree centrepiece, close to the church.



Megève • France





CENTENARY OF LE MANS 24^{HR}
A LEGENDARY RACE CIRCUIT!

A luminous partnership!

Leblanc illuminations, a specialist in the creation of luminous decors and 3D-printed daytime decorations, created bespoke illuminations to be displayed around the circuit, which delivered captivating visual moments for spectators. Sparkling CHROMEX garlands decorated the different areas, bringing a magical atmosphere to the circuit.

A special year, a grand celebration and breathtaking light displays. Leblanc illuminations is proud to be a partner of the centenary of the Le Mans 24^{hr} race.








Day and night.

With their translucent, colourful material, e-deco's waves grace the Laval bridge, creating an enchanting luminous ambience day and night.

A journey along the water

For this new creation, the designers have integrated the environmental dimension more than ever, combining elements made of recycled materials with LED lighting.




Le Roméo

Nestled in the heart of Paris's 16th district, this restaurant embodies the magic of the festive season through its terrace adorned with luminous decorations.

Every evening, the twinkling lights capture the attention of passers-by, inviting them to stop and savor the enchanting atmosphere.

A veritable Christmas fairytale that warms the hearts Parisian streets.

GASTRONOMY MEETS THE ENCHANTMENT
OF THE HOLIDAYS



Le Roméo • France



Le Roméo - Paris 16^e • France



Saint Cyr sur Loire • France



The Promenade of Gourmandises

offers a delightful experience: colorful candy canes, shiny love apples and exquisitely flavored macarons adorn this enchanting trail.

The mischievous antics of children and the smiles of amazement on the faces of adults add a touch of mischief and happiness to the atmosphere.

Everyone takes away with them the warm memories of this gourmet and joyful stroll, which will remain engraved in their hearts for the holidays to come.



Dreux • France



Angers • France



Bordeaux • France

NIGHT AWAKENING
A SYMPHONY OF LIGHT AND COLOUR



Callian • France

Aix en Provence




Cabourg • France



Bialik Street • Israël

The city awoke to a magical glow: twinkling garlands and sparkling lights adorned streets and buildings.

S' Rémy de Provence • France



S' Rémy de Provence • France



Dazzled, passers-by wandered among these bewitching scenes, seeking to prolong this magic, capturing each sparkle in their memory.







Chateau Star Académie • France



A soft nostalgia filled the air, testifying to the collective desire to prolong this stroll in the heart of a city illuminated by the magic of the festive season.



Infinity,

Leblanc illuminations revisits its iconic decorations through the Infinity Collection.

Play with an Infinite and connected colour palette ! Discover your favorite decorations in their point-by-point controllable version without further delay.





Animated decoration



Chasing effect



Colorful declination



Confetti version also available



White/warm white Control



RGB Control



Dynamic animation
Cold White/Warm White/Amber



Dynamic animation
RGB/Warm white

For the majority of our range, luminous decorations can be placed horizontally and vertically. They offer a wide range of sizes, colours and animations. It is possible to combine our different collections with each other.

All our decorations are made with 100% LED, delivered with power cables & fastening kits, without bulbs and satilights. All our floorstanding 3D decorations are cabled in SELV, except for non-suitable products.



Luminous Decorations



GOLD



ENTER A WORLD OF DREAMS
AND DISCOVER
SANTA'S WORKSHOP





TOYS



My Traditional Christmas

Welcome
to an enchanted world
where wishes come true



XMAS TREE



*My Traditional
Christmas*







1 205222* HOLLY
Globe.
W 1,2 x H 2 m.
☼ Ⓞ ● ●

2 205217* HOLLY
Column & Across str.
W 0,75 x H 1,5 m.
☼ Ⓞ ● ●

3 204493
TRAVERSÉE FUNKY
Across street.
W 4 x H 0,75 m.
☼

4 204489
CADEAU FUNKY
Lamp column.
W 1 x H 2,5 m.

5 205220* HOLLY
Column & Across str.
W 1,5 x H 3 m.
☼ Ⓞ ● ●

6 204485 LUTIN FUNKY
Lamp column.
W 0,75 x H 1,6 m.


7 204486
PÈRE NOËL FUNKY
Lamp column.
W 0,7 x H 1,6 m.

8 205221* HOLLY
Across street.
W 5 x H 1 m.
☼ Ⓞ ● ●

9 205223* HOLLY
Suspension.
W 0,8 x H 0,8 m.
☼ Ⓞ ● ●

10 204491
TRAVERSÉE FUNKY
Across street.
W 6 x H 1,2 m.
☼

11 204490
CADEAU FUNKY
Lamp column.
W 0,6 x H 0,75 m.




12



13


14




15




16




17




19



20



21



22



12 204496 LANTERNE
Lamp column.
W 1 x H 2 m.



13 204577
SOUPLE DIAMANT
Across street.
W 5,2 x H 0,8 m.



14 204578
SOUPLE DIAMANT
Across street.
W 5,2 x H 0,24 m.



15 204502 LANTERNE
Across street.
W 3 x H 1,3 m.



16 204499 LANTERNE
Suspension.
W 0,5 x H 1 m.



17 204887-24V
COURONNE MERRY S
Suspension.
W 0,9 x H 0,9 m.



18 204888-24V
COURONNE MERRY L
Suspension.
W 1,5 x H 1,5 m.



19 204500 LANTERNE
Globe.
H 1,2 x Ø 1,2 m.



20 204587 LANTERNE
Across street.
W 5,2 x H 1,24 m.






21 204498 LANTERNE
Lamp column.
W 1 x H 3 m.



22 204501 LANTERNE
Across street.
W 2 x H 1,3 m.





1 204480
SAPIN LUDIQUE VE
Lamp column.
W 0,71 x H 1 m.
☀️ ○ ○ ●

2 204483
SAPIN LUDIQUE VE
Suspension.
W 0,68 x H 1 m.
☀️ ○ ○ ●

3 204882-24V
COURONNE DE NOËL L
Suspension.
W 1,5 x H 1,5 m.
☀️

4 204881-24V
COURONNE DE NOËL S
Suspension.
W 1,17 x H 0,9 m.
☀️

5 205289* JOY
Suspension.
W 1 x H 1 m.
☀️ Ⓞ

6 205252* BOA CHIC
Across street.
W 6 x H 0,8 m.
☀️

7 205253* BOA CHIC
Across street.
W 6 x H 0,5 m.
☀️ Ⓞ




8 204488 RENNE FUNKY
Lamp column.
W 1,15 x H 2,1 m.

9 204487 OURS FUNKY
Lamp column.
W 0,8 x H 1,65 m.

10 204484 NEIGE FUNKY
Lamp column.
W 0,85 x H 1,6 m.

11 205137* JOY
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ

12 205134* JOY
Column & Across str.
W 1 x H 1,5 m.
☀️ Ⓞ



13 204476
CANDY LUDIQUÉ
Suspension.
W 0,68 x H 1 m.
●●●●●

14 204466
GINGER LUDIQUÉ
Suspension.
W 0,8 x H 1 m.
☀️●●●●●

15 204460
BONNET LUDIQUÉ
Suspension.
W 0,7 x H 1 m.
☀️●●●●●

16 170149
SPHÈRE PLIABLE
3D Suspension.
Ø 0,55 m.
☀️●●●●●

17 205256* BOA TRADI
Across street.
W 6 x H 0,8 m.
☀️

18 205257* BOA TRADI
Across street.
W 6 x H 0,5 m.
☀️⊙

19 204350 MIRA TRADI
Across street.
W 6 x H 1,2 m.
☀️⊙



20 204345 MIRA TRADI
Lamp column.
W 1 x H 1,5 m.
☀️⊙

21 204455
BONNET LUDIQUÉ
Lamp column.
W 0,72 x H 1 m.
☀️●●●●●

22 204462
GINGER LUDIQUÉ
Lamp column.
W 0,82 x H 1 m.
☀️●●●●●

23 204472
CANDY LUDIQUÉ
Lamp column.
W 0,73 x H 1 m.
●●●●●

* NEW



1 204532 ARCHE CADEAU
Across street.
W 6 x H 2 m.
☀️ Ⓞ ○ ○ ● ●

2 204437 CADEAU LUDIQUÉ
Suspension.
W 0,8 x H 1 m.
☀️ ○ ○ ● ● ● ●

3 204530 CADEAU
Suspension.
W 1,15 x H 1,15 m.
☀️ Ⓞ ○ ○ ● ●

4 170085 SPHÈRE
3D Suspension.
Ø 0,35 m.
☀️ ○ ○ ● ●

5 204534 JOYEUX CADEAU
Across street.
W 5 x H 1,4 m.
☀️ ○ ○ ● ●



6 203312 CADEAU
3D Lamp column.
W 2,95 x H 3,5 x D 2,1 m.
☀️ Ⓞ ○ ○ ● ●

7 204529 CADEAU
Lamp column.
W 1,1 x H 3,2 m.
☀️ Ⓞ ○ ○ ● ●

8 204432 CADEAU LUDIQUÉ
Lamp column.
W 0,85 x H 1 m.
☀️ ○ ○ ● ● ● ●

9 203304 CADEAU
Globe.
W 1 x H 2,2 m.
☀️ Ⓞ ○ ○ ● ●

10 204531 CADEAU
Across street.
W 5 x H 1,4 m.
☀️ Ⓞ ○ ○ ● ●



11 204442
BOULE LUDIQUE
Lamp column.
W 0,9 x H 1 m.
* ○ ● ● ● ●

12 203317 BOULE
Column & Across str.
W 1 x H 3 m.
* ○ ● ● ●

13 203320 BOULE
Globe.
W 1 x H 2,2 m.
* ○ ● ● ●

14 204877 NOËL FILANT
Across street.
W 5 x H 1,5 m.
* Ⓞ ○ ● ● ●

15 203420
MEILLEURS VOEUX
Across street.
W 4,5 x H 1,2 m.
* ○ ● ● ●

16 203319 BOULE
Across street.
W 6 x H 1 m.
* ○ ● ● ●

17 203318 BOULE
Suspension.
W 0,95 x H 1,15 m.
* ○ ● ● ●

18 205291* JOY
Suspension.
W 0,5 x H 0,2 m.
Ⓞ ○ ○

19 170721* POP LANTERNE
3D Suspension.
W 0,27 x H 0,5 x D 0,27 m.
○ ○ *Non-luminous*


20 205290* JOY
Suspension.
W 1 x H 0,2 m.
Ⓞ ○ ○

21 204445
BOULE LUDIQUE
Suspension.
W 0,85 x H 1 m.
* ○ ● ● ● ●

* NEW



FROST



IMMERSE YOURSELF IN A FROSTY
XMAS, WHERE MAGIC FREEZES
TIME AND WARMS HEARTS.



SOFTNESS



My Crystalline Christmas

*Wrap yourself
in the softness of the snow
for a memorable experience*










SNOW

*My Crystalline
Christmas*







1 205092 ARTIKA
Across street.
W 5 x H 1 m.
❄️ Ⓞ

2 205091 ARTIKA
Across street.
W 5 x H 2 m.
❄️ Ⓞ

3 205094 ARTIKA
Suspension.
Ø 1 m.
❄️ Ⓞ

4 201211 FLOCON
STRASS LED
Suspension.
W 0,45 x H 0,45
D 0,1 m.

5 204339
MIRA FLOCON
Lamp column.
W 1 x H 2 m.
❄️ Ⓞ

6 204343
MIRA FLOCON
Across street.
W 6 x H 1,2 m.
❄️ Ⓞ

7 204585
SOUPLE FLOCON
Across street.
W 5,2 x H 0,8 m.
❄️ Ⓞ





8 204586
SOUPLE FLOCON
Across street.
W 5,2 x H 0,8 x Ø 0,24 m.
❄️ Ⓞ

9 205090 ARTIKA
Across street.
W 6 x H 1 m.
❄️ Ⓞ

10 205093 ARTIKA
Across street.
W 5 x H 1,35 m.
❄️ Ⓞ

11 205096 ARTIKA
Lamp column.
W 1,3 x H 4 m.
❄️ Ⓞ

12 205095 ARTIKA
Lamp column.
W 1 x H 1,5 m.
❄️ Ⓞ



13 205254* BOA GIVRÉ
Across street.
W 6 x H 0,8 m.
☼

14 205255* BOA GIVRÉ
Across street.
W 6 x H 0,5 m.
☼ Ⓞ

15 205240* GIVRE
Column & Across str.
W 1,5 x H 3 m.
☼ Ⓞ Ⓞ

16 205242* GIVRE
Globe.
W 1,2 x H 2 m.
☼ Ⓞ Ⓞ

17 204579
SOUPLE GIVRÉE
Across street.
W 5,2 x H 0,8 m.
☼ Ⓞ

18 204580
SOUPLE GIVRÉE
Across street.
W 5,2 x H 0,24 m.
☼ Ⓞ

19 205243* GIVRE
Suspension.
W 0,8 x H 0,8 m.
☼ Ⓞ Ⓞ

20 205116* NORDIC
Suspension.
W 1 x H 1 m.
☼ Ⓞ

21 205115* NORDIC
Suspension.
W 0,2 x H 0,7 m.
Ⓞ

22 205112* NORDIC
Column & Across str.
W 1 x H 3 m.
☼ Ⓞ










23 205109* NORDIC
Column & Across str.
W 1 x H 1,5 m.
☼ Ⓞ

24 205114* NORDIC
Across street.
W 5 x H 1 m.
☼ Ⓞ

25 205241* GIVRE
Across street.
W 5 x H 1 m.
☼ Ⓞ Ⓞ

*** NEW**

All decorations in the Givre collection are wired in SELV. All our decorations can be interconnected using Plug & Light C.



1 204381 FROZEN
Across street.
W 5 x H 1,15 m.
❄️ Ⓜ️ ⓪ ⓪ ●

5 204522 WINTER
Lamp column.
W 1 x H 3 m.
❄️ Ⓜ️ ⓪ ⓪

3 204520 WINTER
Lamp column.
W 1 x H 2 m.
❄️ Ⓜ️ ⓪ ⓪

4 204524 WINTER
Globe.
W 0,75 x H 1,5 m.
❄️ ⓪ ⓪

5 204380 FROZEN
Globe.
H 2 x Ø 1 m.
❄️ Ⓜ️ ⓪ ⓪ ●

6 204376 FROZEN
Lamp column.
W 1 x H 2 m.
❄️ Ⓜ️ ⓪ ⓪ ●

7 204525 WINTER
Across street.
W 5 x H 1 m.
❄️ Ⓜ️ ⓪ ⓪

8 204379 FROZEN
Suspension.
W 0,5 x H 1,13 m.
❄️ Ⓜ️ ⓪ ⓪ ●


9 204523 WINTER
Suspension.
W 0,28 x H 1,13 m.
Ⓜ️ ⓪ ●

10 203274 CRISTAL
Suspension.
W 1 x H 1 m.
❄️

11 203381
NEIGE GLACÉE
Suspension.
Ø 1,2 m.
❄️ ⓪ ⓪




11 203378 NEIGE GLACÉE
Lamp column.
W 1,2 x H 1,8 m.
❄️ Ⓞ ○ ○



12



14



17

18

19


20

17 203280
COURONNE GLACÉE
Suspension.
W 0,8 x H 0,8 m.
❄️ Ⓞ ○ ●

18 203279
COURONNE GLACÉE
Suspension.
W 1 x H 1 m.
❄️ Ⓞ ○ ●

19 204885
COURONNE GLACÉE S
Suspension.
W 0,9 x H 0,9 m.
❄️ Ⓞ

20 204886
COURONNE GLACÉE L
Suspension.
W 1,5 x H 1,5 m.
❄️ Ⓞ



13



15



16

21





15 203382 NEIGE GLACÉE
Globe.
W 1,1 x H 2 m.
❄️ ○ ○

16 203293 SOUPLE GLACÉE
Across street.
W 5,2 x H 0,8 x D 0,24 m.
❄️

21 203292 SOUPLE GLACÉE
Across street.
W 5,2 x H 0,24 x D 0,24 m.
❄️ Ⓞ







1 205247* ORIFLAMME FLOCON
Column & Across str.
W 1 x H 3 m.
❄️ ⬤ ⬤

2 204214 FLOCON
Column & Across str.
W 1,45 x H 3 m.
❄️ ⬤ ⬤

3 204215 FLOCON
Suspension.
W 1 x H 1 m.
❄️ ⬤ ⬤

4 204212 FLOCON
Column & Across str.
W 1 x H 2 m.
❄️ ⬤ ⬤

5 204213 FLOCON
Column & Across str.
W 1,2 x H 2,5 m.
❄️ ⬤ ⬤

6 203383
RUBAN FLOCON
Lamp column.
W 1,5 x H 4,95 m.
❄️

7 204216 FLOCON
Globe.
W 1 x H 2 m.
❄️ ⬤ ⬤

8 204211 FLOCON
Column & Across str.
W 0,75 x H 1,5 m.
❄️ ⬤ ⬤

9 205300* JOY
Suspension.
W 0,5 x H 0,2 m.
Ⓞ

10 205298* JOY
Suspension.
W 1 x H 1 m.
Ⓞ

11 205299* JOY
Suspension.
W 1 x H 0,2 m.
Ⓞ

12 205152* JOY
Column & Across str.
W 1 x H 3 m.
Ⓞ


13 205150* JOY
Column & Across str.
W 1 x H 2 m.
Ⓞ



14



15



16



17



18



21





22



23



24



19

20

14 **205122*** ALPI
Across street.
W 4 x H 1,05 m.
☼ Ⓞ

15 **205117*** ALPI
Lamp column.
W 1 x H 1 m.
☼ Ⓞ

16 **205131*** ALPI
Lamp column.
W 1 x H 2,5 m.
☼ Ⓞ

17 **205130*** ALPI
Lamp column.
W 1 x H 2 m.
☼ Ⓞ

18 **205119*** ALPI
Lamp column.
W 1 x H 2 m.
☼ Ⓞ

19 **205132*** ALPI
Lamp column.
W 1 x H 3 m.
☼ Ⓞ

20 **205120*** ALPI
Lamp column.
W 1 x H 2,5 m.
☼ Ⓞ

21 **205129*** ALPI
Suspension.
W 1 x H 1 m.
☼ Ⓞ

22 **205124*** ALPI
Suspension.
W 1 x H 1 m.
☼ Ⓞ



23 **202010** SNOW FLAKE
Suspension.
W 1 x H 1 m.

24 **202002** CRYSTAL FLAKE
Suspension.
W 1 x H 1 m.

* NEW



NIGHT



IMMERSE YOURSELF IN THE
SPLENDOUR OF A DAZZLING &
SUMPTUOUS XMAS.






ELEGANCE



*My Sumptuous
Christmas*



*A sparkling celebration,
where magic and refinement come together
in an incomparable fairytale.*







LIGHT

*My Sumptuous
Christmas*







1 203040 COLLIER

Across street.
W 5 x H 1 m.



2 203034 ARCHE COLLIER

Across street.
W 5 x H 2 m.



3 203035 COLLIER

Lamp column.
W 1 x H 1 m.



4 203039 COLLIER

Lamp column.
W 1 x H 3 m.



5 205138* JOY

Column & Across str.
W 1 x H 1 m.



6 205292* JOY

Suspension.
W 1 x H 1 m.



7 205142* JOY

Column & Across str.
W 1 x H 3 m.



8 205100 ARMONY

3D Suspension.
H 1,5 x Ø 1 m.



9 205101 ARMONY

3D Suspension.
H 2,4 x Ø 1,5 m.



10 204581 SOUPLE LOUISE

Across street.
W 5,2 x H 0,8 m.



11 204582 SOUPLE LOUISE





Across street.
W 5,2 x H 0,24 m.



12 203042 LUSTRE COLLIER

3D Suspension.
W 3 x H 1,8 x P 3 m.





13 205331* MAGIE
Column & Across str.
W 1 x H 1 m.
❄️ ○ ○ ● ●

14 205335* MAGIE
Column & Across str.
W 1 x H 3 m.
❄️ Ⓞ ○ ○ ● ●

15 205333* MAGIE
Column & Across str.
W 1 x H 2 m.
❄️ Ⓞ ○ ○ ● ●

16 205309* MAGIE
Across street.
W 5 x H 1 m.
❄️ Ⓞ ○ ○ ● ●

17 205311* MAGIE
Suspension.
W 0,1 x H 1 m.
Ⓞ

18 205310* MAGIE
Suspension.
W 1 x H 0,9 m.
❄️ ○ ○ ● ●


19 205204* NAÉ STELLIZ
Column & Across str.
W 1 x H 3 m.
❄️ Ⓞ ○ ○ ● ●

20 205201* NAÉ STELLIZ
Column & Across str.
W 1 x H 1,5 m.
❄️ Ⓞ ○ ○ ● ●


21 205205* NAÉ STELLIZ
Across street.
W 5 x H 1 m.
❄️ Ⓞ ○ ○ ● ●

*** NEW**


All decorations in the Magie collection are wired in SELV. All our decorations can be interconnected using Plug & Light C.



1




2



3

4


3



5



8




9

10



11



7

7

1 203027 FÉÉRIQUE
Across street.
W 5 x H 1 m.
☀️ Ⓞ ● ●

2 203348 ARCHE MILLÉSIME
Across street.
W 4 x H 1,55 m.
☀️ Ⓞ ● ●
Ⓜ Ⓜ Ⓜ

3 203917 LOUISE
Across street.
W 5 x H 1 m.
☀️ Ⓞ ● ●

4 203755 PETITE LOUISE
Suspension.
W 0,14 x H 0,63 m.
Ⓞ ● ● ●

5 203351 MILLÉSIME
Across street.
W 6 x H 1,3 m.
☀️ Ⓞ ● ● ●
Ⓜ Ⓜ Ⓜ

6 203369 GOUTTE ALYA
Suspension.
W 0,6 x H 1,1 m.
☀️ Ⓞ ● ●






7 203753 LOUISE
Suspension.
W 0,45 x H 1,2 m.
☀️ Ⓞ ● ● ●

8 203754 GRANDE LOUISE
Suspension.
W 0,2 x H 1,13 m.
Ⓞ ● ● ●

9 203366 ALYA
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ ● ● ●

10 203751 LOUISE
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ ● ● ●

11 203368 ALYA
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ ● ● ●



12 205097 ARMONY
Across street.
W 6 x H 1,3 m.
☼ ☉

13 204890
COURONNE S
Suspension.
W 1,5 x H 1,5 m.
☼

14 204891 PRÉCIEUSE
COURONNE S
Suspension.
W 0,9 x H 0,9 m.
☼

15 204599 NOEUD
Suspension.
W 0,9 x H 1,3 m.
☼ ○ ● ● ●

16 204598 NOEUD
Lamp column.
W 1 x H 3 m.
☼ ☉ ○ ● ● ●

17 204603
ARCHE NOEUD
Across street.
W 6 x H 2 m.
☼ ○ ● ● ●





18 204601 NOEUD
Across street.
W 6 x H 1,4 m.
☼ ☉ ○ ● ● ●

19 203419
JOYEUSES FÊTES
Across street.
W 4,35 x H 1,3 m.
☼ ○ ● ● ● ●

20 205103 ARMONY
Lamp column.
W 1,1 x H 3 m.
☼ ☉

21 204712 CARILLON
3D Suspension.
H 1,4 x Ø 2 m.
☼ ○ ● ● ● ●

22 204892 PRÉCIEUSE
COURONNE L
Suspension.
W 1,5 x H 1,5 m.
☼ ☉



1 202475
JOYEUSES FÊTES
Across street.
W 5 x H 1 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ

2 171232 MILA
Globe.
W 1,3 x H 2 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ

3 203337 NOEUD
Globe.
W 1 x H 2,2 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ Ⓡ Ⓢ

4 171108 MILA
Column & Across str.
W 1 x H 3 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ

5 171106 MILA
Column & Across str.
W 1 x H 2 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ

6 203026 FÉÉRIQUE
Column & Across str.
W 1 x H 3 m.
☀️ Ⓜ️ Ⓞ Ⓟ

7 205099 ARMONY
Lamp column.
W 1,5 x H 3 m.
☀️ Ⓜ️

8 203418 JOYEUSES
FÊTES RUBAN
Across street.
W 6 x H 2 m.
☀️ Ⓜ️









9 171109 MILA
Across street.
W 5 x H 1 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ

10 205102 ARMONY
Across street.
W 6 x H 2,2 m.
☀️ Ⓜ️

11 203371
ALYA GAUCHE
Across street.
W 2 x H 0,65 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ

12 203347 MILLÉSIME
Suspension.
W 1,35 x H 1,35 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ Ⓡ Ⓢ

13 203372 ALYA DROIT
Across street.
W 2 x H 0,65 m.
☀️ Ⓜ️ Ⓞ Ⓟ Ⓠ



14 203765 LOUISE
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ ○ ● ●

15 204274 SNOW
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ ○ ● ● ●

16 204262 SNOW
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ ○ ● ● ●

17 203750 LOUISE
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ ○ ● ●

18 203403
ARCHE RUBAN
Across street.
W 6 x H 2,2 m.
☀️ Ⓞ

19 203767 LOUISE
Suspension.
W 0,45 x H 1,2 m.
☀️ Ⓞ ○ ● ●

20 204263 SNOW
Suspension.
W 0,8 x H 2 m.
Ⓞ ○ ● ● ●

21 203768
GRANDE LOUISE
Suspension.
W 0,2 x H 1,13 m.
Ⓞ ○ ● ● ●



22 203769
PETITE LOUISE
Suspension.
W 0,14 x H 0,63 m.
Ⓞ ○ ● ● ●

23 203405 ARCHE
FILANTE
Across street.
W 6 x H 2,5 m.
☀️ Ⓞ ○ ● ● ●

24 204721
LUSTRE SNOW
3D Suspension.
H 2 x Ø 2 m.
☀️ Ⓞ ○ ● ● ●

25 203917 LOUISE
Across street.
W 5 x H 1 m.
☀️ Ⓞ ○ ● ● ●

26 204889
COURONNE S
Suspension.
W 0,95 x H 0,9 m.
☀️



1 204388 COLLIER
Across street.
W 5 x H 1,15 m.
☼ Ⓞ Ⓞ Ⓞ ● ●

2 204725 CHANDELIER
3D Suspension.
H 2,2 x Ø 1,3 m.
☼ Ⓞ Ⓞ ● ●

3 205098 ARMONY
Lamp column.
W 2 x H 3 x D 2 m.
☼ Ⓞ

4 203424 ALTI
Lamp column.
H 4 x Ø 2 m.
☼ Ⓞ Ⓞ ● ●





5 204187 NOVA
Globe.
W 0,8 x H 2,2 m.
☼ Ⓞ Ⓞ ● ●

6 204186 NOVA
Suspension.
W 0,77 x H 0,75 m.
☼ Ⓞ Ⓞ ● ●

7 204185 NOVA
Column & Across str.
W 1 x H 3 m.
☼ Ⓞ Ⓞ ● ●

8 204183 NOVA
Column & Across str.
W 1 x H 2 m.
☼ Ⓞ Ⓞ ● ●

9 204188 NOVA
Across street.
W 5 x H 1 m.
☼ Ⓞ Ⓞ ● ●



20

10 204335 MIRA ÉTOILE
Globe.
H 1,2 x Ø 1,25 m.
☼

11 204334 MIRA ÉTOILE
Lamp column.
W 1 x H 3 m.
☼ Ⓞ

12 204310 INAYA
Column & Across str.
W 1 x H 3 m.
☼ Ⓞ ○ ○ ● ● ●

13 204386 COLLIER
Lamp column.
W 1 x H 3 m.
☼ Ⓞ ○ ● ●

14 204308 INAYA
Column & Across str.
W 0,8 x H 2 m.
☼ Ⓞ ○ ○ ● ● ●

15 204387 COLLIER
Globe.
W 0,75 x H 1,7 m.
☼ Ⓞ ○ ○ ● ●

16 204382 COLLIER
Lamp column.
W 1 x H 1 m.
☼ Ⓞ ○ ○ ● ●

17 204336 MIRA ÉTOILE
Across street.
W 6 x H 1,2 m.
☼ Ⓞ

18 204332 MIRA ÉTOILE
Lamp column.
W 1 x H 2 m.
☼ Ⓞ

19 205293* JOY
Suspension.
W 1 x H 0,1 m.
Ⓞ ○ ○


20 205294* JOY
Suspension.
W 0,5 x H 0,1 m.
Ⓞ ○ ○

21 204264 SNOW
Across street.
W 5 x H 1 m.
☼ Ⓞ ○ ○ ● ● ●

* NEW



HEAT



EXPERIENCE AN AUTHENTIC XMAS,
WHERE THE WARMTH
OF HEARTS MINGLES WITH
THE SOUND OF WOOD CRACKLING



WOOD

My Authentic Christmas





*Celebrate the beauty
of the season
that shines brightly*

CINNAMON

My Authentic Christmas







1 205231* GIVRE
Across street.
W 5 x H 1 m.
☼ Ⓞ ● ●

2 205228* GIVRE
Column & Across str.
W 1 x H 2 m.
☼ Ⓞ ● ●

3 205230* GIVRE
Column & Across str.
W 1,5 x H 3 m.
☼ Ⓞ ● ●

4 204355 MIRA BOULE
Lamp column.
W 1 x H 3 m.
☼ Ⓞ









5 204353 MIRA BOULE
Lamp column.
W 1 x H 2 m.
☼ Ⓞ

6 201848
JARDIN FÉÉRIQUE
3D Suspension.
H 1,5 x Ø 0,45 m.
☼

7 205232* GIVRE
Globe.
W 1,2 x H 2 m.
☼ Ⓞ ● ●

8 204357 MIRA BOULE
Across street.
W 6 x H 1,2 m.
☼ Ⓞ

9 205233* GIVRE
Suspension.
W 0,8 x H 0,8 m.
☼ Ⓞ ● ●



10 202958 WANDA
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ Ⓞ

11 202959 WANDA
Across street.
W 5 x H 1 m.
☀️ Ⓞ Ⓞ

12 204884 COURONNE
ENCHANTÉE L
Suspension.
W 1,5 x H 1,5 m.
☀️

13 204883 COURONNE
ENCHANTÉE S
Suspension.
W 0,95 x H 1 m.
☀️

14 203298 ZÉBULON
Suspension.
H 1 x Ø 1 m.
Ⓞ

15 202936 ELFIE
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ Ⓞ ●

16 202954 WANDA
Column & Across str.
W 1 x H 1 m.
☀️ Ⓞ Ⓞ







17 203295 SOUPLE MERRY
Across street.
W 5,2 x H 0,8 x D 0,24 m.
☀️

18 203294 SOUPLE MERRY
Across street.
W 5,2 x H 0,24 x D 0,24 m.
☀️ Ⓞ

19 202942 MERRY
Column & Across str.
W 1 x H 1 m.
☀️ Ⓞ Ⓞ

20 202946 MERRY
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ Ⓞ

21 202932 ELFIE
Column & Across str.
W 1 x H 1 m.
☀️ Ⓞ Ⓞ ●



1 204416 ATMOS
Globe.
W 1,1 x H 2,3 m.
☼ Ⓞ ● ● ●

2 204413 ATMOS
Column & Across str.
W 1 x H 2,5 m.
☼ Ⓞ ● ● ●

3 203778 AGATHE
Column & Across str.
W 1 x H 3 m.
☼ Ⓞ ● ● ●

4 203925 AGATHE
Across street.
W 5 x H 1 m.
☼ Ⓞ ● ● ●

5 203783 AGATHE
BONNES FÊTES
Across street.
W 5 x H 1,15 m.
☼ Ⓞ ● ● ●

6 203234 JOYEUSES
FÊTES SONGE
Across street.
W 3 x H 0,83 m.
☼ Ⓞ

7 204415 ATMOS
Suspension.
W 0,85 x H 0,85 m.





8 203782 AGATHE
Suspension.
W 0,2 x H 0,5 m.
● ● ● ●

9 203780 AGATHE
Column & Across str.
W 1 x H 2 m.
☼ Ⓞ ● ● ●

10 201844 BULLE D'OR
Suspension.
H 1,2 x Ø 0,55 m.
☼

11 204717 LUSTRE
DENTELLE
3D Suspension.
W 1,8 x H 2,2 x D 1,55 m.
☼ ● ● ● ●

12 204417 ATMOS
Across street.
W 8 x H 1,5 m.
☼ Ⓞ ● ● ●



13 204133 DREAM
Across street.
W 5 x H 1,2 m.
☀️ Ⓞ ○ ● ● ● ● 📺

14 204130 DREAM
Lamp column.
W 1 x H 3 m.
☀️ Ⓞ ○ ● ● ● ● 📺

15 203237 DREAM RENNE
Suspension.
W 0,6 x H 1,32 m.
☀️ Ⓞ

16 203238 DREAM RENARD
Suspension.
W 0,64 x H 1,28 m.
☀️ Ⓞ

17 204132 DREAM
Globe.
W 1 x H 2 m.
☀️ Ⓞ ○ ● ● ●

18 204139
DREAM BONNES FÊTES
Lamp column.
W 1 x H 2 m.
☀️ Ⓞ ○ ● ● ●

19 204137 DREAM XMAS
Lamp column.
W 1 x H 2 m.
☀️ Ⓞ ○ ● ● ●


20 204131 DREAM
Suspension.
W 0,6 x H 1,2 m.
☀️ Ⓞ ○ ● ● ●




21 203235 DREAM HIBOU
Suspension.
W 0,6 x H 1,43 m.
☀️ Ⓞ

22 203236 DREAM CERF
Suspension.
W 0,97 x H 1,46 m.
☀️ Ⓞ

23 203657
LUSTRE PLUMES
3D Suspension.
H 2 x Ø 2 m.
☀️ Ⓞ ○ ●







1 201976 BOULE VINTAGE
Suspension.
W 1 x H 1,28 m.
☼

2 201978 COURONNE VINTAGE
Suspension.
W 1 x H 1,2 m.
☼

3 203253 ONDE ENCHANTÉE
3D Suspension.
W 3,5 x H 3,3 x D 3,5 m.
☼○○

4 202986 ZEF
3D Suspension.
H 0,6 x Ø 0,24 m.
⊙○○

5 203669 NOËL OR
Suspension.
W 2,7 x H 2 m.
☼⊙

6 201975 FLOCON VINTAGE
Suspension.
W 1 x H 1 m.
☼

7 201977 ETOILE VINTAGE
Suspension.
W 1 x H 1 m.
☼


8 203297 SOUPLE ENCHANTÉE
Across street.
W 5,2 x H 0,8 x D 0,24 m.
☼

9 203296 SOUPLE ENCHANTÉE
Across street.
W 5,2 x H 0,24 x D 0,24 m.
☼⊙


10 203249 PETITE COURONNE DREAM
Suspension.
W 1,2 x H 1,2 x D 0,2 m.
☼

11 203233 COURONNE SONGE
3D Suspension.
W 2 x H 1,8 x D 2 m.
☼

12 202643 PETITE LANTERNE
3D Suspension.
W 0,3 x H 0,6 x D 0,3 m.
☼




13




14




15



16



17




18



19


20



21



22



23



24



25

13 **205145* JOY**
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ

14 **205163* NAÉ FLOKO**
Across street.
W 5 x H 1 m.
☀️ Ⓞ Ⓞ Ⓞ Ⓞ

15 **205295* JOY**
Suspension.
W 1 x H 1 m.
☀️ Ⓞ

16 **205155* JOY**
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ

17 **205147* JOY**
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ

18 **205301* JOY**
Suspension.
W 1 x H 1 m.
☀️ Ⓞ

19 **205302* JOY**
Suspension.
W 1 x H 0,1 m.
Ⓞ

20 **205303* JOY**
Suspension.
W 0,5 x H 0,1 m.
Ⓞ

21 **205157* JOY**
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ

22 **205160* NAÉ FLOKO**
Column & Across str.
W 1 x H 2 m.
☀️ Ⓞ Ⓞ Ⓞ Ⓞ

23 **205162* NAÉ FLOKO**
Column & Across str.
W 1 x H 3 m.
☀️ Ⓞ Ⓞ Ⓞ Ⓞ

24 **205297* JOY**
Suspension.
W 0,5 x H 0,2 m.
Ⓞ

25 **205296* JOY**
Suspension.
W 1 x H 0,2 m.
Ⓞ

* NEW

Decorations to install





Merignac • France



The children have written their letters to Santa and now they're looking forward to Christmas. Their expectations are fulfilled by the shimmering decorations and brilliant illuminations that transform the streets into a veritable fairyland. Each twinkling light promises the magic of the night to come, when their wishes come true.



Nogent sur Seine • France



Nogent sur Seine • France





Aulnay-sous-bois • France




Miramas • France






3D arches



**Discover our 3D arches creations
by scanning this QR-Code.**







1 205287* ARCHE LUMINEUSE
3D floorstanding decoration
W 4.05 x H 2.8 x D 2 m.
☀️ ○ ○

2 205279* ARCHE 3D
3D floorstanding decoration
W 4 x H 1 x D 2.75 m.
☀️ Ⓞ ○ ○ ● 📺


3 204686 ARCHE CHAMPAGNE
3D floorstanding decoration
W 5.5 x H 4 x D 1.5 m.
☀️ Ⓞ ○ ○ ● ●

4 204694 ARCHE NOVA
3D floorstanding decoration
W 4.5 x H 4 x D 1.5 m.
☀️ Ⓞ ○ ○ ● ●

5 204698 ARCHE ÉTOILE
3D floorstanding decoration
W 5.25 x H 4 x D 1 m.
☀️ Ⓞ ○ ○ ● ●

6 204690 ARCHE BOULE
3D floorstanding decoration
W 4.5 x H 4 x D 1 m.
☀️ ○ ○ ● ●

7 202226 PASSAGE DE NOËL
3D floorstanding decoration
W 4.85 x H 4 x D 2 m.
☀️




8



9



10



11

12

13

8 202224 ARCHE FÉÉRIQUE
3D floorstanding decoration
W 7 x H 2.5 x D 1.65 m.
✱

9 205045
ARCHE CASSE-NOISETTE
3D floorstanding decoration
W 6.5 x H 4 x D 1.1 m.
✱

10 203291 CHALET PAIN D'ÉPICE
3D floorstanding decoration
W 4.1 x H 3.5 x D 0.8 m.
✱

11 203142 ARCHE CADEAU
3D floorstanding decoration
W 5.25 x H 4.7 x D 1 m.
✱ ○ ●

12 203143 ARCHE ÉTOILE
3D floorstanding decoration
W 7.7 x H 5.5 x D 1 m.
✱

13 203141 ARCHE SAPIN
3D floorstanding decoration
W 5.2 x H 4.85 x D 1 m.
✱ ○ ●

Sparkling decors



Scan this QR-Code to discover our sparkling decors creations.








1



2




3



4

5

6



7

1 203144
ÉTOILE PÉTILLANTE
3D floorstanding decoration
W 2.4 x H 1.8 x D 0.3 m.
❄️

2 204733 HOUX PÉTILLANT
3D floorstanding decoration
W 2.6 x H 2 x D 0.3 m.
❄️⊙


3 202989
FLOCON PÉTILLANT
3D floorstanding decoration
W 2.2 x H 2 x D 0.3 m.
❄️

4 204737 BOUGIE PÉTILLANTE
3D floorstanding decoration
W 1 x H 2 x D 0.3 m.
❄️⊙

5 202987
SUCRES D'ORGE PÉTILLANTS
3D floorstanding decoration
W 2.2 x H 1.95 x D 0.3 m.
❄️

6 202991
CŒUR PETILLANT
3D floorstanding decoration
W 2.2 x H 1.7 x D 0.3 m.
❄️

7 204740
SAPIN PÉTILLANT
3D floorstanding decoration
W 2 x H 2 x D 0.3 m.
❄️⊙



8 204730 SNOWMAN PÉTILLANT
3D floorstanding decoration
W 2 x H 2 x D 0.3 m.



9 203145 BOULE PÉTILLANTE
3D floorstanding decoration
W 2.3 x H 2 x D 0.3 m.



10 203146 CADEAU PÉTILLANT
3D floorstanding decoration
W 2 x H 1.8 x D 0.3 m.



11 203147 SAPIN PÉTILLANT
3D floorstanding decoration
W 2.5 x H 5 x D 0.9 m.



12 204732 ÉCLAT PÉTILLANT
3D floorstanding decoration
W 2.9 x H 2 x D 0.3 m.



13 204735 GINGER PÉTILLANT
3D floorstanding decoration
W 2.2 x H 2 x D 0.3 m.



14 202988 RENNE PÉTILLANT
3D floorstanding decoration
W 1.4 x H 1.95 x D 0.3 m.





2D arches



Discover our 2D arches creations
by scanning this QR-Code.





1 204672 ÉTOILE NOVA
2D floorstanding decoration
W 2.15 x H 1.5 m.
* ○ ○ ○ ● ●

2 204669 FLAKE
2D floorstanding decoration
W 1.4 x H 0.8 m.
* Ⓞ ○ ○ ● ●




3 203309 ARCEAU CADEAU
2D floorstanding decoration
W 3.5 x H 2.5 m.
* Ⓞ ○ ○ ● ●

4 203912 J'AMOUR MA VILLE M
2D floorstanding decoration
W 4.3 x H 2.5 x D 1 m.
* ○ ○ ● ●

5 203323 ARCEAU BOULE
2D floorstanding decoration
W 3.5 x H 1.75 m.
* ○ ● ● ●

6 203322 ARCEAU BOULE
2D floorstanding decoration
W 2.15 x H 1.5 m.
* ○ ● ● ●

7 203324 ARCEAU BOULE
2D floorstanding decoration
W 2 x H 1.3 m.
* ○ ● ● ●



8 204661 BOULE STAR
2D floorstanding decoration
W 0.8 x H 0.8 m.
❄️ ○ ○ ● ●

9 204665 BOULE ARTY
2D floorstanding decoration
W 0.8 x H 0.8 m.
❄️ ○ ○ ● ●

10 204676 RENNE
2D floorstanding decoration
W 1.6 x H 2 m.
❄️ ○ ○

11 204684 SNOWMAN
2D floorstanding decoration
W 1.25 x H 1.5 m.
❄️

12 203352
ARCEAU MILLÉSIME
2D floorstanding decoration
W 3.5 x H 2.5 m.
❄️ Ⓞ ○ ○ ● ● 🎵 🎵 🎵

13 204678 SAPIN S
2D floorstanding decoration
W 0.65 x H 1 m.
❄️ ○ ●

14 204680 SAPIN M
2D floorstanding decoration
W 0.95 x H 1.5 x D 1.27 m.
❄️ ○ ●

15 204682 SAPIN L
2D floorstanding decoration
W 1.2 x H 2 m.
❄️ ○ ●

16 205349* ARCEAU ALPI
2D floorstanding decoration
W 3.5 x H 2 m.
❄️

17 205350* ARCEAU ALPI
2D floorstanding decoration
W 2 x H 1 m.
❄️


* NEW

Please note: optional accessories required for installation

Photoboaths & Frames




**Scan this QR-Code to find out more
about our photoboaths and frames.**










1 204645 LUTIN PHOTO
3D floorstanding decoration
W 1.3 x H 1.7 x D 0.7 m.
❄️



3 203730 CADEAU PHOTO
Décor 3D floorstanding
decoration
W 2.55 x H 2.25 x D 1 m.
❄️ Ⓞ ● ● ● ●



4 204659 CADRE DE NOËL
2D floorstanding decoration
W 4 x H 2.6 m.
❄️



5 205286* CADRE LUMINEUX
3D floorstanding decoration
W 2 x H 2.6 x D 0.9 m.
☀️ ○ ○

6 204685 CADRE PHOTO
3D floorstanding decoration
W 1.95 x H 2.55 x D 1 m.
☀️

7 + 204711 JOYEUX NOËL
2D floorstanding decoration
W 1.6 x H 0.83 m.

8 203308 CADEAU RUBAN
3D floorstanding decoration
W 6.3 x H 3 x D 1 m.
☀️ Ⓞ ○ ● ● ●

9 204702 KIOSQUE
3D floorstanding decoration
H 3 x Ø 2.4 m.
☀️ Ⓞ ○ ● ● ● ●


Armchairs & Seats



Scan this QR-Code to discover our
armchairs & seats creations.







1 202631 FAUTEUIL ELSA
3D floorstanding decoration
W 1.65 x H 2.6 x D 1.2 m.
❄️⊙

2 204638 FAUTEUIL OURS
3D floorstanding decoration
W 2 x H 1.8 x D 2 m.
❄️

3 204640 FAUTEUIL NOËL
3D floorstanding decoration
W 2 x H 2 x D 2 m.
❄️

4 204639 FAUTEUIL RENNE
3D floorstanding decoration
W 2 x H 2.2 x D 2 m.
❄️

5 203131 TRINEAU CRISTAL
3D floorstanding decoration
W 4.14 x H 1.87 x D 1.45 m.
❄️⊙●

6 202673 FAUTEUIL CADEAU
3D floorstanding decoration
W 1.2 x H 1 x D 1 m.
❄️



7 205283* MODULE PLAFOND

2D floorstanding decoration
W 1.45 x H 2.9 m.



8 + 205282* MODULE ASSISE

3D floorstanding decoration
W 1.3 x H 2.2 x D 0.85 m.



Modular decor



9 202798 BAUBLE CHAIR

3D floorstanding decoration
W 1.2 x H 1.7 x D 1.2 m.



10 205372* RENNES E-DECO

3D floorstanding decoration
W 1.12 x H 1.5 x D 1 m.



11 205373* TRINEAU E-DECO

3D floorstanding decoration
W 2.60 x H 1.2 x D 1.10 m.



*** NEW**

Please note: optional accessories required for installation




Playful Decors



Scan this QR-Code to discover our playful decor creations.







1 204650
LUGE DES LUTINS
3D floorstanding decoration
W 2 x H 1 x D 0.95 m.
✻

2 204649 PETIT RENNE
3D floorstanding decoration
W 1.35 x H 1.4 x D 0.6 m.
✻

3 204634 AVION
3D floorstanding decoration
W 2.65 x H 1.4 x D 2.6 m.
✻

4 205446* GRANDE ROUE
3D floorstanding decoration
W 5.45 x H 6 x D 3.5 m.
✻ Ⓞ

5 204632 VOITURE DE COURSE
3D floorstanding decoration
W 2.05 x H 0.95 x D 0.85 m.
✻

6 204631 BATEAU PIRATE
3D floorstanding decoration
W 2.5 x H 2.7 x D 1.3 m.
✻

7 204633 FUSÉE
3D floorstanding decoration
W 1.4 x H 2.2 x D 0.9 m.
✻

8 204636 PETIT TRAIN
3D floorstanding decoration
W 2.15 x H 1.6 x D 1.2 m.
✻ Ⓞ

9 204637 WAGON
3D floorstanding decoration
W 1.5 x H 0.6 x D 1 m.
✻ Ⓞ




10




11

12

13



14



15



16

17

18

10 204635 MAISON BISCUIT
3D floorstanding decoration
W 1.8 x H 2 x D 1.6 m.
❄️

11 205085 CADEAU UP
3D floorstanding decoration
W 0.82 x H 1.5 x D 0.34 m.
❄️ ○ ○ ● ●

12 205077 SAPIN UP
3D floorstanding decoration
W 0.63 x H 1.5 x D 0.34 m.
❄️ ○ ○ ● ●

13 205081 BONHOMME
DE NEIGE UP
3D floorstanding decoration
W 0.73 x H 1.5 x D 0.34 m.
❄️ ○ ○ ● ●

14 205268* AUTOMOBILE
3D floorstanding decoration
W 2 x H 1.4 x D 0.7 m.
❄️

15 205265*
CHEVAL À BASCULE
3D floorstanding decoration
W 1 x H 0.9 x D 0.25 m.
❄️ ○ ●

16 204653 CADEAU GLOUTON
3D floorstanding decoration
W 2 x H 2.4 x D 2 m.
❄️

17 204651 BOULE GLOUTONNE
3D floorstanding decoration
W 2.1 x H 2.4 x D 2.05 m.
❄️

18 204652 SAPIN GLOUTON
3D floorstanding decoration
W 2.1 x H 2.5 x D 2.1 m.
❄️

* NEW

Please note: optional accessories required for installation

Gourmet Decors




Scan this QR-Code to discover our gourmet decor creations.







1 205063 CÔNE GOURMAND
3D floorstanding decoration
H 11 x Ø 6.5 m.
✱



2 205050 ARCEAU CANDY M
2D floorstanding decoration
W 1.5 x H 1.4 m.
✱

3 205051 ARCEAU CANDY L
2D floorstanding decoration
W 2 x H 1.5 m.
✱

4 205048 ARCEAU CANDY XL
2D floorstanding decoration
W 2 x H 1.75 m.
✱

5 205052 ARCEAU SPIRALE
2D floorstanding decoration
W 2 x H 1.4 m.
✱



6 205061 CUPCAKE
3D floorstanding decoration
H 6 x Ø 5.73 m.
✱ ☉





7 205064 PETIT CÔNE
GOURMAND
3D floorstanding decoration
H 4 x Ø 2.5 m.
✱

8 203271 ÉTOILE PAIN D'ÉPICE
3D floorstanding decoration
W 2.5 x H 2.1 x D 0.8 m.
✱

9 203270 MAISON PAIN D'ÉPICE
3D floorstanding decoration
W 3.68 x H 4.22 x D 4.2 m.
✱





10 205049 ARCEAU MUFFIN
2D floorstanding decoration
W 1.3 x H 1.5 m.
✱

11 205056 TROIS SUCETTES
3D floorstanding decoration
W 2 x H 3 x D 1.5 m.
✱ ⑥

12 205057 SUCETTE
3D floorstanding decoration
W 1.5 x H 2.3 x D 1.1 m.
✱ ⑥

13 205059 CADEAUX FESTIFS
3D floorstanding decoration
W 2.23 x H 3 x D 2.16 m.
✱

14 205054 MACARONS
3D floorstanding decoration
W 2.35 x H 2.25 x D 1.5 m.
✱

15 205062
CARROUSEL MACARONS
3D floorstanding decoration
H 4.4 x Ø 4 m.
✱

16 205055 POMME D'AMOUR
3D floorstanding decoration
H 3 x Ø 1.5 m.
✱

17 205058 SUCRES D'ORGE
3D floorstanding decoration
W 3.75 x H 3.7 x D 1.1 m.
✱

18 205053 BOULE S
3D floorstanding decoration
H 2.10 x Ø 3 m.
✱

19 205060 BIG CAKE
3D floorstanding decoration
W 4 x H 4.5 x D 4 m.
✱

Letterboxes & Characters



Scan this QR-Code to find out more
about our letterboxes & characters.







1



2

3



4

5



6

7

1 202675 TRAINOSSIMO
3D floorstanding decoration
W 2.1 x H 1.8 x D 1.1 m.
✱

2 202672 LA BOÎTE DES LUTINS
3D floorstanding decoration
W 0.8 x H 1.8 x D 0.8 m.
✱

3 205261* BOÎTE DU PÈRE NOËL
3D floorstanding decoration
W 1 x H 1.5 x D 1 m.
✱



4 204647 BOÎTE LUTIN
3D floorstanding decoration
W 1.15 x H 1.45 x D 0.75 m.
✱

5 204648 BOÎTE NOËL
3D floorstanding decoration
W 0.7 x H 1.45 x D 0.75 m.
✱

6 201744 BOÎTE AUX LETTRES
3D floorstanding decoration
W 1 x H 1.5 x D 0.6 m.
✱

7 203430 BOÎTE SANTA
3D floorstanding decoration
W 0.7 x H 1.5 x D 0.5 m.
✱

* NEW



8 204658
CHAPIN DE NOËL
3D floorstanding decoration
W 4.3 x H 4.4 x D 3.3 m.
❄️

9 204654 NEIGE OUPS
3D floorstanding decoration
W 0.8 x H 1.3 x D 0.8 m.
❄️

10 204656
PÈRE NOËL OUPS
3D floorstanding decoration
W 0.8 x H 1.4 x D 0.8 m.
❄️

11 202378 LUTIN OUPS
3D floorstanding decoration
W 1.45 x H 1.8 x D 0.8 m.
❄️

12 203107 GRELOT SOL
3D floorstanding decoration
W 1.7 x H 2.25 x D 1.7 m.
❄️○○

13 203104 GRELOT RÉ
3D floorstanding decoration
W 1.27 x H 1.61
D 1.27 m.
❄️○○


14 203103 GRELOT DO
3D floorstanding decoration
W 1.27 x H 1.76
D 1.27 m.
❄️○○

15 203105 GRELOT MI
3D floorstanding decoration
W 1.7 x H 2.47 x D 1.7 m.
❄️○○

16 203106 GRELOT FA
3D floorstanding decoration
W 1.27 x H 1.93
D 1.27 m.
❄️○○

17 203108 GRELOT LA
3D floorstanding decoration
W 1.27 x H 1.61
D 1.27 m.
❄️○○

18 203109 GRELOT SI
3D floorstanding decoration
W 1.7 x H 2.48 x D 1.7 m.
❄️○○



1 204657 AUGUSTIN LE LUTIN
3D floorstanding decoration
W 2.35 x H 3.7 x D 2.45 m.
❄️

2 205044 CASSE-NOISETTE
3D floorstanding decoration
W 0.8 x H 2.6 x D 0.8 m.
❄️

3 203431 LUTIN ZÉBULO
3D floorstanding decoration
W 0.8 x H 1.85 x D 0.8 m.
❄️ Ⓞ

4 203432 PÈRE NOËL ZÉBULO
3D floorstanding decoration
W 0.8 x H 1.85 x D 0.8 m.
❄️ Ⓞ

5 203433 SOLDAT ZÉBULO
3D floorstanding decoration
W 0.8 x H 1.85 x D 0.8 m.
❄️ Ⓞ

6 205263* BOULLIZ' OR
3D floorstanding decoration
H 1.2 x Ø 1.2 m.
❄️ Ⓞ ● ●

8 205264* BOULLIZ' ARGENT
3D floorstanding decoration
H 1.2 x Ø 1.2 m.
❄️ Ⓞ ● ●

7 + 170754* KIT RUDY

9 + 170755* KIT FROSTY



10 205267* SANTA
3D floorstanding decoration
W 1.7 x H 2.8 x D 1.7 m.
❄️



11 203429 M. NOËL
3D floorstanding decoration
W 2.55 x H 3.4 x D 2.6 m.
❄️

12 204641
PÈRE NOËL FUNKY
3D floorstanding decoration
W 1.3 x H 1.7 x D 1 m.
❄️



13 205262*
PÈRE NOËL CADEAU
3D floorstanding decoration
W 1.2 x H 2.65 x D 1.2 m.
❄️



15 202529 BONHOMME
DE NEIGE
3D floorstanding decoration
W 4.9 x H 6.9 x D 3.5 m.
❄️

16 203075 BONHOMME
DE NEIGE FUNKY
3D floorstanding decoration
W 1.21 x H 1.5 x D 0.97 m.
❄️

17 202709 POMPON
3D floorstanding decoration
W 2.4 x H 3.2 x D 1.9 m.
❄️

14 201966 ALBERT LE
BONHOMME DE NEIGE
3D floorstanding decoration
W 1.55 x H 3 x D 1.55 x Ø 1.55 m.
❄️

* NEW

Please note: optional accessories required for installation


Animals



**Discover our animal creations
by scanning this QR-Code.**







1 205274 GRAND PINGOO
3D floorstanding decoration
W 3.75 x H 5 x D 2.83 m.
❄️○○

2 205275 GRAND RUDOLPHE
3D floorstanding decoration
W 3.66 x H 5.91 x D 3.13 m.
❄️○○●

3 203079 COURONNE
3D floorstanding decoration
W 0.55 x H 0.3 x D 0.55 m.
❄️

4 203083 BONNET
3D floorstanding decoration
W 0.6 x H 0.4 x D 0.6 m.
❄️


5 203084 CHAPEAU
3D floorstanding decoration
W 0.8 x H 0.44 x D 0.8 m.
❄️

6 203078 CACHE OREILLE
3D floorstanding decoration
W 0.73 x H 0.4 x D 0.3 m.
❄️

7 205276 PINGOUIN FUNKY
3D floorstanding decoration
W 1.32 x H 1.5 x D 1 m.
❄️○○●

8 205277 OURS FUNKY
3D floorstanding decoration
W 1.3 x H 1.5 x D 1.2 m.
❄️○○●

9 205278 RENNE FUNKY
3D floorstanding decoration
W 1.3 x H 2.1 x D 1.1 m.
❄️○○●



10 203153 LUNETTES
3D floorstanding decoration
W 0.53 x H 0.18 x D 0.2 m.
○○

11 203080 NOEUD
PAPILLON BOULE
3D floorstanding decoration
W 0.58 x H 0.21 D 0.18 m.

12 203082 CRAVATE
3D floorstanding decoration
W 0.16 x H 0.56 D 0.08 m.

13 203076 ÉCHARPE
3D floorstanding decoration
W 0.72 x H 0.57 x D 0.8 m.

14 203077 PARAPLUIE
3D floorstanding decoration
W 0.34 x H 0.69 D 0.27 m.

16 203081 CANNE
3D floorstanding decoration
W 0.08 x H 0.7 x D 0.2 m.


16 202884 PINGOO
3D floorstanding decoration
W 2.25 x H 3 x D 1.7 m.
❄️○○

17 203230 RUDOLPHE
3D floorstanding decoration
W 2.2 x H 3.55 x D 1.88 m.
❄️○○●

18 203074
PINGOUIN FUNKY
3D floorstanding decoration
W 1.32 x H 1.5 x D 1 m.
❄️○○

19 203073 OURS FUNKY
3D floorstanding decoration
W 1.3 x H 1.5 x D 1.2 m.
❄️○○●

20 203071 RENNE FUNKY
3D floorstanding decoration
W 1.3 x H 2.1 x D 1.1 m.
❄️○○●



1 203121
BOUQUETIN GLACÉ
3D floorstanding decoration
W 4.47 x H 5 x D 1.93 m.
❄️

2 203118 CHAMOIS
3D floorstanding decoration
W 2.2 x H 2.6 x D 0.7 m.
❄️

3 203176 RENNE COMÈTE
3D floorstanding decoration
W 1.49 x H 2 x D 0.63 m.
❄️🟡🟠


4 203122 RENNE
3D floorstanding decoration
W 2.2 x H 3 x D 0.95 m.
❄️

5 204792 CHEVAL
3D floorstanding decoration
W 2.6 x H 2.1 x D 0.6 m.
❄️🟡

6 203117 IGLOO
3D floorstanding decoration
W 3 x H 1.3 x D 3 m.
❄️

7 205271* RENNES E-DECO
3D floorstanding decoration
W 1.12 x H 1.5 x D 1 m.
❄️🟡🟠

8 205269* TRAINEAU E-DECO
3D floorstanding decoration
W 2.6 x H 1.2 x D 1.1 m.
❄️🟡🟠



9 202051 NOURS
3D floorstanding decoration
W 2.3 x H 3 x D 2.3 m.
❄️

10 202708 NOUGAT
3D floorstanding decoration
W 2.35 x H 3.3 x D 2.5 m.
❄️

11 203428 CARROUSEL DE NOËL
3D floorstanding decoration
H 3 x Ø 2.5 m.
❄️🌀

12 205046 DAIM
3D floorstanding decoration
W 1.9 x H 3 x D 0.8 m.
❄️🌞

13 203436 RENNE FANTASTIQUE
3D floorstanding decoration
W 5.2 x H 6 x D 4.3 m.
❄️🌀🌞🌙🎵




Gifts & Baubles



Scan this QR-Code to find out more about our gifts and baubles.







1 204894 BOULE ENCHANTÉE
3D floorstanding decoration
W 2.3 x H 3 x D 0.8 m.
❄️

2 204707 BOULE ETOILÉE
3D floorstanding decoration
H 3.45 x Ø 4 m.
❄️ Ⓞ ○ ○ ● ●

3 203185 BULLE DORÉE
3D floorstanding decoration
W 4.5 x H 4.5 x D 4.05 m.
❄️ Ⓞ ○ ○ ● ●


4 203885 BOULE L
3D floorstanding decoration
H 3 x Ø 3 m.
❄️ ○ ○ ● ● ● ● 📺

5 203874 BOULE S
3D floorstanding decoration
H 2.1 x Ø 1.8 m.
❄️ ○ ○ ● ● ● ● 📺

6 203880 BOULE M
3D floorstanding decoration
H 2.1 x Ø 2 m.
❄️ ○ ○ ● ● ● ● 📺

7 202810 CHRISTMAS
BAUBLE XL
3D floorstanding decoration
W 2.95 x H 3.4 x D 2.95 m.
❄️ ○ ○ ● ● ● ●

8 203891 BOULE DÉCO
3D floorstanding decoration
W 1.5 x H 3 x D 1.4 m.
❄️ ○ ○ ● ● ● ● 📺




9 204755 CADEAU L
3D floorstanding decoration
H 11.8 x Ø 5 m.
☼ ○ ○ ○ ○

10 204754 CADEAU M
3D floorstanding decoration
H 7.8 x Ø 3.55 m.
☼ ○ ○ ○ ○

11 204753 CADEAU S
3D floorstanding decoration
H 3.8 x Ø 3.2 m.
☼ ○ ○ ○ ○



12



13

12 202724 CADEAU
3D floorstanding decoration
W 1.35 x H 1 x D 1 m.
☼ ○ ○ ○ ○



14

13 203837 CADEAU
3D floorstanding decoration
W 3.75 x H 3.8 x D 3.75 m.
☼ ○ ○ ○ ○

14 204893 CADEAU ENCHANTÉ
3D floorstanding decoration
W 2.2 x H 3 x D 0.8 m.
☼




Trees



Scan this QR-Code to find out more about our tree projects.







1 204793 CÎMIER ÉTOILÉ
3D floorstanding decoration
H 1 x Ø 1 m.
✱

2 204797 SAPIN CADEAUX XXL
3D floorstanding decoration
H 12 x Ø 6 m.
✱



3 204777 SAPIN ÉTOILÉ L
3D floorstanding decoration
H 10 x Ø 4.1 m.
✱

4 204780 SAPIN FLOCONS M
3D floorstanding decoration
H 6 x D 3.1 m.
✱

5 204895 SAPIN ENCHANTÉ
3D floorstanding decoration
W 2 x H 3 x D 0.8 m.
✱

6 204764 SAPIN DIAMANT M
3D floorstanding decoration
H 5 x Ø 4.15 m.
✱ ○ ● ● ●

7 204769 SAPIN DIAMANT L
3D floorstanding decoration
H 8 x Ø 6.15 m.
✱ ○ ● ● ●



8 205444* SAPIN 8P GIVRE
3D floorstanding decoration
W 5.45 x H 10 x D 5.45 m.
☀️ Ⓞ Ⓞ

9 205433* SAPIN 8P GIVRE
3D floorstanding decoration
W 3.6 x H 6 x D 3.6 m.
☀️ Ⓞ Ⓞ

10 205417* SAPIN 8P HOLLY
3D floorstanding decoration
W 5.45 x H 10 x D 5.45 m.
☀️ Ⓞ Ⓞ

11 205382* SAPIN 8P MAGIE
3D floorstanding decoration
W 6.15 x H 12 x D 6.15 m.
☀️ Ⓞ Ⓞ ● ●

12 205284* CIMIER MAGIE
2D floorstanding decoration
W 0.63 x H 1.4 m.
☀️ Ⓞ Ⓞ ● ●

13 205225* CIMIER HOLLY
2D floorstanding decoration
W 0.4 x H 1.4 m.
☀️ ● ●

14 205235* CIMIER GIVRE
2D floorstanding decoration
W 0.4 x H 1.4 m.
☀️ Ⓞ Ⓞ

*** NEW**

Please note: optional accessories required for installation



1 203189
CÎMIER CÔNE GIVRÉ
2D decor
W 0.87 x H 0.85 m.

2 203187 CÔNE GIVRÉ
3D floorstanding decoration
W 3 x H 6 x D 3 m.
❄️⊙⊙


3 203374 PETIT AMAYA
3D floorstanding decoration
H 1.5 x Ø 1 m.
❄️⊙⊙⊙●

4 203364 PETIT ALYA
3D floorstanding decoration
H 3 x Ø 2 m.
❄️⊙⊙⊙●●

5 202499 SAPIN RUBAN
3D floorstanding decoration
H 8 x Ø 6.4 m.
❄️⊙⊙



6 204747 SAPIN BOULES
3D floorstanding decoration
W 4.8 x H 8 x D 4.2 m.



7 203848 SAPIN OR
3D floorstanding decoration
H 6.7 x Ø 3.2 m.







8 203756 SAPIN LOUISE SOCLE
3D floorstanding decoration
H 6.1 x Ø 4 m.



9 203138 SAPIN PAILLETÉ
3D floorstanding decoration
W 3 x H 6 x D 3 m.





1 203183 SAULE ENCHANTÉ
3D floorstanding decoration
W 6.16 x H 5 x D 6.16 m.



2 203041 SAUTOIR
3D floorstanding decoration
W 3 x H 1.75 x D 3 m.




3 203258 ARBRE MAGIQUE
3D floorstanding decoration
W 4 x H 5 x D 4 m.



4 203375 POT ALYA
3D floorstanding decoration
H 1.6 x Ø 1.8 m.





5 204748 SYLVESTRE CADEAUX
3D floorstanding decoration
W 7.45 x H 11.25 x D 9.1 m.



6 203174 SAPIN COURONNES
3D floorstanding decoration
W 3 x H 6 x D 3 m.




7 203435 GRAND SYLVESTRE
3D floorstanding decoration
H 7.35 x Ø 5.8 m.



8 204744 SAPIN NATURE L
3D floorstanding decoration
H 5.2 x Ø 3.2 m.




Infinity Decorations








Drancy • France



Nîmes • France

the luminous backdrops are inspired by the northern lights, with both brilliance and subtlety. A palette of emerald green, purple and pink gracefully illuminates an artificial sky. The sparkling lights create a vivid scene evoking the splendour of these natural phenomena, immersing spectators in a magical world.



Béziers • France



Brive la Gaillarde • France

Château de la Gaude • France




Pau • France



Infinity







Discover
Ellipse Infinity

1 203857 CÔNE INFINITY
3D floorstanding decoration
H 4.8 x Ø 3.2 m.
☀️ 🟡 🟢 🟠 🟤

2 203903 ARBRE INFINITY
3D floorstanding decoration
W 4.2 x H 5 x D 3.6 m.
☀️ 🟡 🟢 🟠 🟤

3 204772 DIAMANT M INFINITY
3D floorstanding decoration
W 4.15 x H 5 x D 4.15 m.
☀️ 🟡 🟢 🟠 🟤




4 204788 CRYSTAL M INFINITY
3D floorstanding decoration
W 5 x H 7.8 x D 3.7 m.
☀️ 🟡 🟢 🟠 🟤

5 203847 SAPIN INFINITY
3D floorstanding decoration
H 6.7 x Ø 3.2 m.
☀️ 🟡 🟢 🟠 🟤

6 203902 RUBAN INFINITY
3D floorstanding decoration
H 5.25 x Ø 4.5 m.
☀️ 🟡 🟢 🟠 🟤

7 204758 CADEAU L INFINITY
3D floorstanding decoration
W 5 x H 11.8 x D 5 m.
☀️ 🟡 🟢 🟠 🟤

8 203713 ALYA INFINITY
3D floorstanding decoration
H 5 x Ø 3 m.
☀️ 🟡 🟢 🟠 🟤



Discover Charmille Infinity



9 205281* ARCHE 3D INFINITY
3D floorstanding decoration
W 4 x H 1 x D 2.75 m.



10 203867 L'ANGE INFINITY
2D floorstanding decoration
W 3.3 x H 3.05 x D 1.4 m.



11 203896 SYLMA INFINITY
3D floorstanding decoration
W 9.55 x H 3.9 x D 5.7 m.



12 203899 CHARMILLE
INFINITY A
3D floorstanding decoration
W 1.2 x H 2.5 x D 1 m.



13 203900 CHARMILLE INFINITY B
3D floorstanding decoration
W 1.2 x H 2.5 x D 0.85 m.



14 203901 CHARMILLE INFINITY C
3D floorstanding decoration
W 1.2 x H 2.5 x D 1 m.



15 203836 CADEAU INFINITY
3D floorstanding decoration
W 3.75 x H 3.8 x D 3.75 m.




16 204706 KIOSQUE INFINITY
3D floorstanding decoration
H 3 x Ø 2.4 m.






* NEW

Please note: optional accessories required for installation



Discover
Funkyland Infinity



Discover
Snowball Infinity

- 1 203890 BOULE DÉCO INFINITY
3D floorstanding decoration
W 1.5 x H 3 x D 1.4 m.



- 2 203868
SPHÈRE S INFINITY
3D suspension.
H 0.5 x Ø 0.5 m.



- 3 203869
SPHÈRE M INFINITY
3D suspension.
H 0.7 x Ø 0.7 m.



- 4 203870 SPHÈRE L
INFINITY
3D suspension.
H 1 x Ø 1 m.



- 5 203873 BOULE S INFINITY
3D floorstanding decoration
H 2.1 x Ø 1.8 m.



- 6 203879 BOULE M
INFINITY
3D floorstanding decoration
H 2.1 x Ø 2 m.



- 7 203884 BOULE L
INFINITY
3D floorstanding decoration
H 3 x Ø 3 m.



- 8 203860
FONTAINE INFINITY
Lamp column 2D decor.
W 1.2 x H 3 m.



- 9 203862 FUNKYLAND INFINITY
3D floorstanding decoration
H 4.5 x Ø 4 m.








- 10 203861 SNOWBALL
INFINITY
3D floorstanding decoration
H 4.5 x Ø 4.5 m.



Discover
Renne Fantastique Infinity



Discover
Spirale Infinity



Discover
Etoile Infinity



11 203722 RENNE FANTASTIQUE INFINITY
3D floorstanding decoration
W 5.2 x H 6 x D 4.3 m.
☀️ ○ ● ● 📺

12 203858 FONTAINE S INFINITY
3D floorstanding decoration
H 3.5 x Ø 3 m.
☀️ ● ● 📺

13 203859 FONTAINE XL INFINITY
3D floorstanding decoration
H 6 x Ø 5 m.
☀️ ● ● 📺

14 203834 SPIRALE INFINITY
3D floorstanding decoration
W 8.4 x H 5.2 x D 5.2 m.
☀️ ● ● 📺

15 205312* FONTAINE E-DECO
3D floorstanding decoration
W 3.73 x H 2.5 x D 3.35 m.
☀️ Ⓞ ● ● 📺

16 204790 CARROSSE INFINITY
3D floorstanding decoration
W 5.1 x H 3.85 x D 3.1 m.
☀️ ○ ● ● 📺

17 203835 ÉTOILE INFINITY
3D floorstanding decoration
W 7.85 x H 5.2 x D 4 m.
☀️ ● ● 📺


* NEW

Attention : accessoires nécessaires à l'installation en option

Lettering








GOLDEN NUMBERS AND LETTERS

2D floorstanding decorations - H 1.70 m

Requires 2 concrete pads ref.032327 per reference, or stakes ref.600171.



REFERENCE	DESCRIPTION	WIDTH	REFERENCE	DESCRIPTION	WIDTH
204799-24V	Golden Letter A	1.86 m	204826-24V	Golden Number 0	1.52 m
204800-24V	Golden Letter B	1.30 m	204827-24V	Golden Number 1	1 m
204801-24V	Golden Letter C	1.46 m	204828-24V	Golden Number 2	1.34 m
204802-24V	Golden Letter D	1.48 m	204829-24V	Golden Number 3	1.31 m
204803-24V	Golden Letter E	1.31 m	204830-24V	Golden Number 4	1.50 m
204804-24V	Golden Letter F	1.31 m	204831-24V	Golden Number 5	1.42 m
204805-24V	Golden Letter G	1.38 m	204832-24V	Golden Number 6	1.44 m
204806-24V	Golden Letter H	1.44 m	204833-24V	Golden Number 7	1.54 m
204807-24V	Golden Letter I	0.64 m	204834-24V	Golden Number 8	1.05 m
204808-24V	Golden Letter J	1.42 m	204835-24V	Golden Number 9	1.44 m
204809-24V	Golden Letter K	1.47 m	204825-24V	Golden Hashtag	1.85 m
204810-24V	Golden Letter W	1.32 m			
204811-24V	Golden Letter M	1.80 m			
204812-24V	Golden Letter N	1.43 m			
204813-24V	Golden Letter O	1.70 m			
204814-24V	Golden Letter D	1.18 m			
204815-24V	Golden Letter Q	1.71 m			
204816-24V	Golden Letter R	1.31 m			
204817-24V	Golden Letter S	1.31 m			
204818-24V	Golden Letter T	1.30 m			
204819-24V	Golden Letter U	1.81 m			
204820-24V	Golden Letter V	1.88 m			
204821-24V	Golden Letter W	2.48 m			
204822-24V	Golden Letter X	1.66 m			
204823-24V	Golden Letter Y	1.75 m			
204824-24V	Golden Letter Z	1.66 m			



NUMBERS AND CAPITAL LETTERS

2D floorstanding decorations - H 1.80 m

Requires 2 concrete pads ref.032327 par reference, or stakes ref.600171.



REFERENCE	DESCRIPTION	WIDTH	REFERENCE	DESCRIPTION	WIDTH
204932-24V	Capital A BF	1.85 m	204982-24v	Number 0 BF	1.53 m
204933-24V	Capital B BF	1.61 m	204958-24V	Number 1 BF	0.93 m
204934-24V	Capital C BF	1.62 m	204959-24V	Number 2 BF	1.47 m
204935-24V	Capital D BF	1.44 m	204960-24V	Number 3 BF	1.43 m
204936-24V	Capital E BF	1.47 m	204961-24V	Number 4 BF	1.55 m
204937-24V	Capital F BF	1.36 m	204962-24V	Number 5 BF	1.50 m
204938-24V	Capital G BF	1.77 m	204963-24V	Number 6 BF	1.47 m
204939-24V	Capital H BF	1.69 m	204964-24V	Number 7 BF	1.44 m
204940-24V	Capital I BF	0.53 m	204965-24V	Number 8 BF	1.47 m
204941-24V	Capital J BF	1.49 m	204966-24V	Number 9 BF	1.47 m
204942-24V	Capital K BF	1.84 m	204967-24V	Hashtag BF	1.47 m
204943-24V	Capital L BF	1.36 m			
204944-24V	Capital M BF	2.03 m			
204945-24V	Capital N BF	1.69 m			
204946-24V	Capital O BF	1.80 m			
204947-24V	Capital D BF	1.61 m			
204948-24V	Capital Q BF	1.92 m			
204949-24V	Capital R BF	1.67 m			
204950-24V	Capital S BF	1.53 m			
204951-24V	Capital T BF	1.61 m			
204952-24V	Capital U BF	1.61 m			
204953-24V	Capital V BF	1.79 m			
204954-24V	Capital W BF	2.42 m			
204955-24V	Capital X BF	1.86 m			
204956-24V	Capital Y BF	1.89 m			
204957-24V	Capital Z BF	1.59 m			



ABCDEF
 GHIJKL
 MNOPQR
 STUVW
 XYZ # @
 0 1 2 3 4
 5 6 7 8 9

SUSPENSION ALPHABET

REFERENCE	DESCRIPTION	HEIGHT	WIDTH	WEIGHT P/230V
202430	A	0.50 m	0.50 m	2 Kg 12 W
202431	B	0.50 m	0.35 m	2 Kg 12 W
202432	C	0.50 m	0.35 m	2 Kg 12 W
202433	D	0.50 m	0.35 m	2 Kg 12 W
202434	E	0.50 m	0.30 m	2 Kg 12 W
202435	F	0.50 m	0.30 m	2 Kg 12 W
202436	G	0.50 m	0.30 m	2 Kg 12 W
202437	H	0.50 m	0.40 m	2 Kg 12 W
202438	I	0.50 m	0.20 m	2 Kg 12 W
202439	J	0.50 m	0.30 m	2 Kg 12 W
202440	K	0.50 m	0.35 m	2 kg 12 W
202441	L	0.50 m	0.30 m	2 Kg 12 W
202442	M	0.50 m	0.40 m	2 Kg 12 W
202443	N	0.50 m	0.35 m	2 Kg 12 W
202444	O	0.50 m	0.45 m	2 Kg 12 W
202445	P	0.50 m	0.25 m	2 Kg 12 W
202446	Q	0.50 m	0.40 m	2 Kg 12 W
202447	R	0.50 m	0.25 m	2 Kg 12 W
202448	S	0.50 m	0.30 m	2 Kg 12 W
202449	T	0.50 m	0.35m	2 Kg 12 W
202450	U	0.50 m	0.30 m	2 kg 12 W
202451	V	0.50 m	0.45 m	2 Kg 12 W
202452	W	0.50 m	0.55 m	2 Kg 12 W
202453	X	0.50 m	0.30 m	2 kg 12 W
202454	Y	0.50 m	0.30 m	2 kg 12 W
202455	Z	0.50 m	0.35 m	2 Kg 12 W



SUSPENSION NUMBER

REFERENCE	DESCRIPTION	HEIGHT	WIDTH	WEIGHT P/230V
202456	Zero	0.50 m	0.30 m	2 Kg 8 W
202457	One	0.50 m	0.15 m	2 Kg 8 W
202458	Two	0.50 m	0.20 m	2 kg 8 W
202459	Three	0.50 m	0.30 m	2 Kg 8 W
202460	Four	0.50 m	0.35 m	2 Kg 8 W
202461	Five	0.50 m	0.20 m	2 Kg 8 W
202462	Six	0.50 m	0.25 m	2 Kg 8 W
202463	Seven	0.50 m	0.30 m	2 Kg 8 W
202464	Eight	0.50 m	0.25 m	2 Kg 8 W
202465	Nine	0.50 m	0.25 m	2 Kg 8 W
202466	At sign	0.50 m	0.45 m	2 Kg 12 W
202467	Hashtag	0.50 m	0.35 m	2 Kg 12 W

Installation

All our decorations are made with 100% LED.

They are delivered with power cables and fastening kits, without bulbs and satilights. All our floorstanding 3D decorations are cabled in SELV.








OUR INSTALLATIONS

ACCROSS STREET ACCESSORIES

REF.	DESCRIPTION	COMPOSITION
113010	Wall/wall kit (for Ø 6 mm cable)	2 capstan screws M12, 2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 wall plates - Kits delivered without cable
113020	Wall/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 1 post plate + 1 wall plate + 2 capstan screws - Kits delivered without cable
113030	Lamp column/lamp column kit (for Ø 6 mm cable)	tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 post plates + 2 capstan screws M12 - Kits delivered without cable
031855	Wall plate	Supplied by unit
031852	Capstan screws	1 ring, 1 screws de 12 x 20 mm
100504	Tensioner	Supplied by unit - 235 kg maxi
031895	Alpine karabiners 100 mm	Supplied by 10, Ø 10 mm
122900	Shackles	Supplied by 10 for 6 mm cable
101500	Cable grips 6 mm	Supplied by 10
032335	Self-locking gripple system	2 6-mm self-locking Gripples, 1 setting key. Use on 6-mm diameter non-sheathed cable (not supplied)
060726	Steel cable 4 mm with sleeve at 6 mm	Length 100 m - 1 260 kg maxi. break load
100503	Shackles	Supplied by 10
031990	Fastening kit	1 nut, 1 washer, 1 capstan screw M12, 1 alpine karabiner 100 mm - 930 kg max.

Assemble in 3 stages:

Choose a bracket according to the decoration width.
Plan the hanging kit. Plan on the metal band and the clips.



031855



031852



100504



031895



122900



101500



032335



060726



100503



031990

SUSPENSION ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
032197	Rapid fix clip	1 self-locking system, 1 Gripple, 1 M10 tip fillet, 2 nuts, 2 Ø 10 mm washers, 1 Ø 2 mm x 1.15 m galvanised cable, 1 flag Key (Gripple). For use with 6 mm galvanised cable (sleeved or unsleeved) - 45 kg max
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor
032198	Suspension clip	1 self-locking system, 1 Ø 65 mm galvanised cable ring Ø 2 mm For use with 6 mm galvanised cable (sleeved or unsleeved). 45 kg maxi.



032197



050768 / 050769



051039




032198


OUR INSTALLATIONS

BRACKETS

REFERENCE	DESCRIPTION	COMPOSITION
792001	Aluminium bracket 1 m	Supplied by unit - Maximum load 10 kg
792101	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 10 kg
792201	Aluminium bracket 2 m	Supplied by unit - Maximum load 10 kg
032289	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 40 kg



792001 / 792101 / 792201




032289

SUSPENSIONS

REFERENCE	DESCRIPTION	COMPOSITION
792002	Hanging kit	4 alpine karabiners 60 mm, 2 eye hooks M6, 2 x 1 m chain, 2 washers Ø 6 mm, 2 nuts M6
032233	Suspension Kit M6	1 alpine karabiner 60 mm, 1 eye hook M6, 2 washers, 2 nuts M6
032220	Suspension Kit M10	1 alpine karabiner 100 mm, 2 Ø 10 mm washers, 2 nuts M10, 1 eye hook M10x70 mm
101640	Chain with soldered links	Length 1 m - 164 kg maxi
031894	Alpine karabiners 60 mm	Supplied by 10, Ø 6 mm



792002



032233 / 032220

101640

031894

STRAPS

REFERENCE	DESCRIPTION	COMPOSITION
032180	Strap	L 1 m x l 25 mm - Thickness : 2 mm -Tensioner included - 1 600 kg max
032361	Pliers for metal necklace	Pliers for metal necklace - Supplied by unit
032362	Metal necklaces	L 831 mm x l 19 mm - Supplied by 50



032180



032361



032362

PROTECTION AND SAFETY

REFERENCE	DESCRIPTION	COMPOSITION
722101	Support for concrete post	H 100 mm x W 300 mm - L element, shaped, suitable for any concrete post
032370	Silenbloc	Can be added to conventional attachments in the event of strong wind. Maximum load 10 kg
060637	Post plate protection	One side self-adhesive rubber foam strip - W 10 mm x l 19 mm



722101




032370




060637

RAPIDE FIX




Lamp column Cadre du décor




032094

REFERENCE	DESCRIPTION	COMPOSITION
032242	4 sides Rapide Fix	4 plates with protection, 4 fastening parts, 4 washers, 8 nuts M10, 4 screws HM10x70, 8 washers Ø 10, 4 screws HM10x110
032094	Rapide Fix	1 plate, 1 fastening parts, 1 washer, 2 nuts M10, 1 screws HM10x70, 2 Ø 10 mm washers
032235	Wall plate Rapide Fix	1 plate, 1 fastening parts, 1 washer, 1 nut M10
032341	Multiple sides plate	Use to install a decoration in 4 or 8 sides, without a central pole.




032341



032235

4 sides Rapide Fix is suitable for cylindrical, hexagonal or octagonal lamp columns of a diameter from 100 mm to 200 mm (for other types of lamp columns, please contact us).

Plate to fix on the pole with screws provided



032242

GRID CONNECTION

REFERENCE	DESCRIPTION	COMPOSITION
059556	Angled connector cable	Cable with angled female connector for lamp column with connecting cable with bared end.
059557	Cap for female connector	Cap for female connector, black with safety lead.
059558	Connecting cable 2 m	Male cable with connecting cable with bared end.



059556



059557



059558


All the Leblanc illuminations decorations are delivered with power supply cables. Find our various cables and accessories on the Plug & Light section (p.260).



Angers

FASTENINGS FOR CIRCULAR DECORATIONS ON LAMP COLUMNS

REFERENCE	DESCRIPTION	COMPOSITION
031937	Simple crown Ø 600 mm	For pole Ø between 60 and 200 mm maximum.
031938	Simple crown Ø 800 mm	For pole Ø between 60 and 200 mm maximum.
031939	Crown extension Ø 600 mm	For pole Ø between 60 and 200 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031940	Crown extension Ø 800 mm	For pole Ø between 60 and 350 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031941	Big simple crown Ø 2 m	For pole Ø between 60 and 350 mm maximum.
031942	Big simple crown Ø 4 m	For pole Ø between 60 and 350 mm maximum.




Bar le Duc

WEIGHT AND PACKING


REFERENCE	DESCRIPTION	COMPOSITION
032392	Square concrete pad - beige	Superposable concrete pad - H 170 x W 700 mm - 200 Kg
300003	Square concrete pad - grey	Superposable concrete pad - H 170 x W 700 mm - 200 Kg
300004	Sling*	Sling for lifting of concrete pad 700x700, 1.2T max
032241	Concrete pad fastening kit	4 threaded studs M24, 8 nuts M24, 8 washers M24 Enables to set a pole on one or more blocks ref.032392 or ref.300003
032277	Circular concrete pad	H 190 mm x Ø 980 mm - 155 kg
032327	Rectangular concrete pad	H 170 x W 200 x D 400 mm - 28 kg - Grey
600171	Stake / Peg	Supplied by unit - W 500 mm
550495	Fastening line	Set of 10 - W 600 mm
550496	Securing tool kit	Driving tool, mandrin, laying plate and bracket
001949	Storage rack	Effective dimensions : W 1.78 x D 0.96 m
001948	4 candles	Height : 1.68 m

*Sling ref.300004 not included in concrete pads ref.032392 and ref.300003.



The mooring line is strong, economical and quick to install.

Specially designed for stony ground, it avoids all the disadvantages of traditional anchoring systems.



CREAFIX FLEXIBLE BARS

REFERENCE	DESCRIPTION	WIDTH	LENGTH
032275	Set of 4 Creafix bars	0.05 m	0.95 m
032274	Set of 10 multipurpose sliders for Creafix bars	-	-
059986	Threaded end for Creafix bars (2 ends + 1 threaded stud)	-	-
050475	Connector for Creafix flexible bar	-	-




Patented system

- Flexible mounting system for decorative lighting and/or items to be hanged.
- Quicker, easier installation.
- Makes it easy to lay P&L cables.
- Invisible cables.
- Sturdy.
- Can be used to create curtains, canopies and innovative shapes.

INDOOR FASTENINGS ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
100117	Spring double hook	Supplied by 50 - Perfect for attaching Xmas balls on motives (Ø 30 cm max)
100118	Chain	L 25 m - Maximum load 35 kg - Adaptable height
100119	Hooks C shape	Supplied by 100 - Quick and discreet fixing of hanging kits
100120	Hooks 8 shape	Supplied by 100 - For every hanging kit
401667	White barrier	Supplied by unit - White lacquered - W 1 x H 0.70 m
032358	Water bag	Perfect to stabilize floorstanding decorations without drilling (filled: 38 Kg)



401667



FAULT-DETECTING SWITCH

FAULT-DETECTING PROTECTION CASE

REFERENCE	DESCRIPTION
010011	Fault-detecting protection case with manual reset



010011

- 1 bipolar plug + earth
- 30 mA circuit breaker
- 10 A fuse holder
- 1 earth terminal

ENERGY SAVER

REFERENCE	DESCRIPTION
010014	Energy saver



010014

- Enables stopping and restarting the illuminations in predefined periods : 7h stop after power, reset 6h (steady) after stopping.
- Automatic disconnection, automatic reset (guide UTE NF C17-210).
- 10 A - 2300 W - 300 mA.
- This product is designed to be mounted directly on plexo box sets, by yourself or in our factory.

IP54 ANIMATION CONTROLLERS

ANIMATION CONTROLLERS

REFERENCE	DESCRIPTION
105000	Flasher 1 x 5 A - Flasher with adjustable frequency
205000	Flasher 2 x 5 A - Flasher with adjustable frequency
010001	4 channels controller 5A - 10 programmes with adjustable frequency (from P0 to P9)
059708	2 channels controller with rectifier

Programmes :

- Coming and going between the two ways.
- Flash between the two ways.
- Alternate blinking between the two ways, then simultaneously.
- Alternate flashing between the two ways, then simultaneously.



Animateur



Clignoteur

4 channels controller programmes :

- P0: scrolling
- P1: P0 + Flash
- P2: stacking
- P3: P2 + Flash
- P4: reverse scrolling
- P5: P4 + Flash
- P6: forward / back
- P7: stacking / unstack
- P8: reverse forward / back
- P9: flashing 1/2 and 3/4
- PA: P0+P2+P4+P1+P3
- PB: P5+P6+P7+P8+P9
- PC: flashing 1/2 and 3/4
- PD: PC + flash
- PE: 4 forward / back + flash
- PF: alternating scrolling

CABLE GLAND

REFERENCE	DESCRIPTION
031858	Cable gland - 1 seal and 1 nut



031858

Chromex,

Professional Quality at the Service of Lighting



For more than 80 years, the Chromex brand has given you the benefits of its experience. It also serves private customers for whom it provides products of professional quality all year round.

Place your orders at once on the special shopping website!



CHROMEX.FR



**P&L
230V**

Connectable
230V Plug & Light

**P&L
24V**

Connectable
24V Plug & Light



DMX changing colour



Steady



Glittering



Flash / Crackling



Chasing



Flame effect



Confetti effect



Latest generation SMD LED



Indoor only



LED colour



Cable colour



All our 230V products are rubber wired to ensure the best possible insulation.
All our products in 24V are wired in resistant PVC (except from 24V Titan range, rubber wired).

Lighting Solutions



This is a major innovation in the lighting industry.

Point to point controllable garland,


Twinkly Pro is the most important technological development of the last few years on the lighting decoration market.

All our products are made with 100% LED.


Leblanc illuminations is a distributor of the Twinkly Pro controllable lights in Europe, USA and around the world.



Easily find all the products in the Twinkly Pro range thanks to this pictogram.



Discover breathtaking animations at Pau (France)







SPI TECHNOLOGY

Achieve the most spectacular shows with the new Twinkly SPI technology.

With SPI technology, you can install an unlimited number of Twinkly lighting products without having to multiply the controllers.

 SPI	ETHERNET	WIFI
CONNECTIVITY	Ethernet	Bluetooth & WiFi
NB OF PORTS	2	1
NB MAX OF LED	2 000 LED max	Depending on the nb of products
MAX POWER	150 W max	48W max
INDEX OF PROTECTION	IP65	IP44

Example of cabling plan with ref. 551177:



PLC TECHNOLOGY

★ PLC	ETHERNET	WIFI
CONNECTIVITY	Ethernet	Bluetooth & WiFi
NB OF PORTS	6	1
NB MAX OF LED	250 LED max	250 LED max
MAX POWER	150 W max	48W max
INDEX OF PROTECTION	IP65	IP44

The new generation of Twinkly LED string lights can be controlled point by point.

Thanks to its on-board Wi-Fi, you can have access to an infinite number of fully customisable effects.


Ref. 550737: Allows you to connect up to 1,500 LEDs.

Ref. 550738: Allows you to connect up to 500 LEDs, using the connector ref. 550740.




Discover breathtaking animations

Example of cabling plan with ref. 550737:



Example of cabling plan with ref. 550738:





SPI CONTROLLERS & CONNECTORS

24V





REFERENCE	DESCRIPTION	LGT
551176*	Ethernet controller, 2 outputs, 2 000 pixels + 6.3 A output transformer	-
110026*	Ethernet controller, 2 outputs, 2 000 pixels + 6.3 A output transformer + connectable P&L	-
551177*	WiFi controller, 1 output	1 m



SPI ACCESSORIES

REFERENCE	DESCRIPTION	LGT	CABLE
551186*	4 A output transformer	-	—
551184*	SPI extension cable	3 m	—
551185*	SPI Injector	0.25 m	—



Synchronised Twinkly Pro modules and lights illuminate the facades and the Portofino tree.







CONTROLLABLE MODULES

24V

SPI
 DC
 * NEW

REFERENCE	DESCRIPTION	LENGTH	SPACING	NB LED	LED	CABLE	P. / 230V
551178*	A modules	60 cm	15 cm	10			10 W
551179*	B modules	3.60 m	15 cm	50			38 W
551180*	C modules	1.20 m	30 cm	10			10 W
551181*	D modules	7.20 m	30 cm	50			38 W




Point by point controllable modules.

An infinite number of fully customisable effects.

Connect up to 2,000 LEDs per controller via Ethernet. Extend your installation to 15 m by simply adding a power supply and an Ethernet controller.

With Wi-Fi, you can connect up to 750 LEDs per controller. Extend your installation by 9 m by adding a power supply and a Wifi controller.



Carcassonne lights up with a multicoloured marquee that can be controlled by smartphone.



PLC ACCESSORIES

REFERENCE	DESCRIPTION	LGT	CABLE
061218	Transformer 1.25 A max. output	-	—
061219	Transformer 2.5 A max. output	-	—
061220	Transformer 4 A max. output	-	—
550628	Transformer 6.25 A max. output	-	—
550336	Transformer 2x 6.25 A max. output	-	—
550739	Twinkly Pro Extension cable	5 m	—
550740	Y connector for WiFi controller	30 cm	—
550754	Adapter Tm Ø7 to Tf Ø13	15 cm	—
550762	Adapter Tm Ø13 to Tf Ø7	15 cm	—
032371	Power supply transformer	3 m	—
300029	Ethernet cable	5 m	—
300030	Ethernet cable	10 m	—
300031	Ethernet cable	15 m	—


PLC CONTROLLERS & CONNECTORS

24V



REFERENCE	DESCRIPTION	LENGTH
551225*	Ethernet controller, 6 outputs, 1500 pixels + 6.3 A input	-
110023*	Ethernet controller, 6 outputs, 1500 pixels + 6.3 A input transformer + connectable P&L	-
550738	WiFi controller, 1 output, 500 RGB pixels	1 m
551009*	WiFi controller, 4 outputs, 1000 RGB pixels	1 m
550763	WiFi Routeur - POE ⁽¹⁾ 4G, IP65	1 m
550645	6 output Ethernet switch, POE ⁽¹⁾ , IP65	1 m


⁽¹⁾ Power Over Ethernet






CONTROLLABLE CURTAINS

24V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550741	H 4 x W 0.40 m	250			34.5 W
550742	H 4 x W 0.40 m	250			34.5 W
550743	H 4 x W 0.40 m	250			34.5 W




CONTROLLABLE ICICLE LIGHTS

24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550966	H 0.70 x W 5 m	250			34.5 W
550968	H 0.70 x W 5 m	250			34.5 W
550967	H 0.70 x W 5 m	250			34.5 W




CONTROLLABLE GARLANDS

24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
550744	25 m	250			30 W
550745	25 m	250			30 W
550746	25 m	250			25 W
550747	25 m	250			25 W
550748	25 m	250			35 W
550749	25 m	250			35 W



twinkly™ PRO MUSIC


This new module will enable you to take the customization of your animations even further.

Use it to synchronize your video with your music on your Twinkly project.


24V



REFERENCE	DESCRIPTION	CABLE
550965	Twinkly Pro Music Player	—



In Saint Jean de Luz, Santa Claus honors the Basque Country and goes in search of the colors of Christmas.





Garlands, curtain & icicle lights

The majority of our products are available in both 230V and SELV*.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing.
AC/DC: alternating / direct current.

Optima range




With its IP 67 rating, the optima range is even more reliable.

One ton of plastic saved. Designed without a rectifier, the Optima range requires less plastic for its manufacture.

Four tonnes of CO₂ saved. Optima uses approximately 20% less energy.

Requires a non-rectified power cable ref.550734 or 550735.

* SELV: Safety Extra Low Voltage, lower than 50V.







OPTIMA CURTAIN LIGHTS

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550851	H 1.5 x W 2 m	360	○	≡	16.6 W	1+39
550852	H 1.5 x W 2 m	360	●	≡	20 W	1+39
550853	H 1.5 x W 2 m	360	●	≡	22 W	1+39
550854	H 1.5 x W 2 m	360	●	≡	20 W	1+39
550855	H 3 x W 2 m	540	○	≡	19 W	1+24
550856	H 3 x W 2 m	540	●	≡	25 W	1+24
550857	H 3 x W 2 m	540	●	≡	35 W	1+24
550858	H 3 x W 2 m	540	●	≡	25 W	1+24
550860	H 5 x W 2 m	900	○	≡	50 W	1+12
550861	H 5 x W 2 m	900	●	≡	50 W	1+12
550862	H 5 x W 2 m	900	●	≡	67 W	1+9
550863	H 5 x W 2 m	900	●	≡	50 W	1+12
550864	H 7 x W 2 m	1260	○	≡	48 W	1+12
550865	H 7 x W 2 m	1260	●	≡	50 W	1+12
550866	H 7 x W 2 m	1260	●	≡	67 W	1+12
550867	H 7 x W 2 m	1260	●	≡	50 W	1+12
550868	H 10 x W 2 m	1800	○	≡	103 W	1+5
550869	H 10 x W 2 m	1800	●	≡	101 W	1+5
550870	H 10 x W 2 m	1800	●	≡	101 W	1+5
550871	H 10 x W 2 m	1800	●	≡	101 W	1+5




Drancy • France

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550668	H 1.5 x W 2 m	150	○	≡	11 W	1+27
550669	H 1.5 x W 2 m	150	●	≡	11 W	1+27
550670	H 1.5 x W 2 m	150	●	≡	11 W	1+27
550671	H 1.5 x W 2 m	150	●	≡	11 W	1+27
550672	H 3 x W 2 m	280	○	≡	23 W	1+15
550673	H 3 x W 2 m	280	●	≡	19 W	1+15
550674	H 3 x W 2 m	280	●	≡	23 W	1+15
550675	H 3 x W 2 m	280	●	≡	23 W	1+15
550676	H 5 x W 2 m	442	○	≡	43 W	1+8
550677	H 5 x W 2 m	442	●	≡	43 W	1+8
550678	H 5 x W 2 m	442	●	≡	43 W	1+8
550679	H 5 x W 2 m	442	●	≡	43 W	1+8
550680	H 7 x W 2 m	598	○	≡	36 W	1+6
550681	H 7 x W 2 m	598	●	≡	36 W	1+6
550682	H 7 x W 2 m	598	●	≡	46 W	1+6
550683	H 7 x W 2 m	598	●	≡	46 W	1+6
550684	H 10 x W 2 m	858	○	≡	46 W	1+5
550685	H 10 x W 2 m	858	●	≡	46 W	1+5



OPTIMA CEILING LIGHTS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	WIDTH MAX
551250*	H 30 x W 2 m	480	○	□	24 W	1+9



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	WIDTH MAX
551252*	H 30 x W 2 m	480	○	□	28 W	1+9

Starry sky effect to your streets or town square.

Preprogrammed glittering effect (1/5 LED), and staggered lights any 25 cm intervals (i.e. total interval of 50 cm on the same drop). Height max. 90 m.



OPTIMA BOAS


230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
551251*	6 m	600	○	□	35 W	1+7
551249*	6 m	600	○	□	37 W	1+7

Volume effect.

With self-supporting steel cable.
Preprogrammed glittering effect (1/5 LED).
Requires a non-rectified power cable.



Our ambition

Continue our commitment to a continuous and voluntary process of reducing our environmental footprint.

OPTIMA GARLANDS


230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550885	20 m	200	○	□	13 W	100m max
550886	20 m	200	○	□	13 W	100m max
550887	20 m	200	●	□	15 W	100m max
550888	20 m	200	●	□	13 W	100m max
550889	20 m	200	○	■	13 W	100m max
550890	20 m	200	○	■	13 W	100m max
550891	20 m	200	●	■	15 W	100m max
550892	20 m	200	●	■	13 W	100m max



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550689	20 m	200	○	□	13 W	100 m max
550690	20 m	200	○	□	13 W	100 m max
550691	20 m	200	○	■	13 W	100 m max
550692	20 m	200	○	■	13 W	100 m max
550693	20 m	200	●	■	13 W	100 m max
550694	20 m	200	●	■	13 W	100 m max
550695	20 m	200	●	■	15 W	100 m max
550696	20 m	200	●	■	13 W	100 m max
550697	20 m	200	●	■	13 W	100 m max
550698	20 m	200	●	■	13 W	100 m max
550699	20 m	200	●	■	13 W	100 m max
550700	20 m	200	●	■	13 W	100 m max



Requires an unrectified power supply
ref. 550734 or 550735.



Sainte Maxime • France

OPTIMA ICICLE LIGHTS


230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550872	H 0.50 x W 4 m	150	○	⊔	6 W	100m max
550873	H 0.50 x W 4 m	150	○	⊔	6 W	100m max
550874	H 0.50 x W 4 m	150	●	⊔	4 W	100m max
550875	H 0.50 x W 4 m	150	●	⊔	6 W	100m max
550876	H 0.80 x W 4 m	200	○	⊔	9 W	100m max
550877	H 0.80 x W 4 m	200	○	⊔	13 W	100m max
550878	H 0.80 x W 4 m	200	●	⊔	9 W	100m max
550879	H 0.80 x W 4 m	200	●	⊔	13 W	100m max
550880	H 0.80 x W 4 m	200	●	⊔	13 W	100m max
550881	H 1.50x W 4 m	300	○	⊔	13 W	100m max
550882	H 1.50x W 4 m	300	○	⊔	13 W	100m max
550883	H 1.50x W 4 m	300	●	⊔	13 W	100m max
550884	H 1.50x W 4 m	300	●	⊔	13 W	100m max



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550686	H 0.80 x W 4 m	200	○	⊔	12 W	100m max
550687	H 0.80 x W 4 m	200	○	⊔	13 W	100m max
550688	H 0.80 x W 4 m	200	●	⊔	12 W	100m max



Requires a non-rectified power cable ref.550734 or 550735.



Optima range

With its IP 67 rating, the optima range is even more reliable.

One ton of plastic saved. Designed without a rectifier, the Optima range requires less plastic for its manufacture.

Four tonnes of CO₂ saved. Optima uses approximately 20% less energy.

Requires a non-rectified power cable ref.550734 or 550735.



Our ambition

Continue our commitment to a continuous and voluntary process of reducing our environmental footprint.

Pau • France







CURTAIN LIGHTS



230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	WIDTH MAX
050097	H 1.5 x W 2 m	360	○	□	29 W	1+11
050098	H 1.5 x W 2 m	360	●	□	29 W	1+11
550831	H 1.5 x W 2 m	360	●	□	29 W	1+11
050101	H 3 x W 2 m	540	○	□	44 W	1+7
050102	H 3 x W 2 m	540	●	□	44 W	1+7
550832	H 3 x W 2 m	540	●	□	44 W	1+7
059854	H 5 x W 2 m	900	●	□	72 W	1+4
550833	H 5 x W 2 m	900	●	□	72 W	1+4
550835	H 10 x W 2 m	1800	●	□	144 W	1+1




Preprogrammed glittering effect (1/5 LED).
 Extendable curtain lights.
 Height max. 100 m for height-extendable curtains.

CURTAIN LIGHTS

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550035	H 1.5 x W 2 m	150	○	□	13 W	1+27
550042	H 3 x W 2 m	280	●	□	28 W	1+15
550044	H 5 x W 2 m	442	●	□	40 W	1+6
550046	H 5 x W 2 m	442	●	□	40 W	1+6
550045	H 5 x W 2 m	442	●	□	40 W	1+6
550047	H 7 x W 2 m	598	○	□	50 W	1+6
550536	H 10 x W 2 m	858	●	□	53 W	1+5



Curtains lights:
Ideal for facades & across street.


Width can be extended.
 Energy-saving.




Pau • France

CURTAIN LIGHTS

24V



REFERENCE	HGT.	WIDTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550063	2 m	2 m	240	○	≡	16.5 W - 687.5 mA	1+2
550064	2 m	2 m	240	●	≡	16.5 W - 687.5 mA	1+2
550065	3 m	2 m	360	○	≡	20 W - 1333 mA	1+1
550066	3 m	2 m	360	●	≡	32 W - 1333 mA	1+1
550067	5 m	2 m	360	○	≡	32 W - 1333 mA	1+1
550068	5 m	2 m	360	●	≡	20 W - 1333 mA	1+1



**Extendable 24V range:
find all accessories p.263.**

Preprogrammed glittering effect (1/5 LED).
Extendable in width. Translucent cable for further discretion. Encapsulated LED. Compatible with our 24V transformers.



Carros • France

SPARKLING CURTAINS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550923	H 5 x W 2 m	900	○	—	82 W	1+3
550924	H 5 x W 2 m	900	●	—	82 W	1+3

All the LED curtain lights sparkle.
Requires a rectified power supply.



Watch the animation



COMET CURTAINS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550921	H 5 x W 1 m	400	○	—	75 W	1+8
550922	H 5 x W 1 m	400	●	—	75 W	1+8

Chasing and sparkling effects.

Expandable in width. Requires a non-rectified power supply. Works at 230 V.



Watch the animation



Saint Remy de Provence • France

CEILING LIGHTS

230V





REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	WIDTH MAX.
050506	H 30 x W 2 m	480	○	□	32 W	1+9
550836	H 30 x W 2 m	480	●	□	32 W	1+9



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	WIDTH MAX.
059098	H 30 x W 2 m	480	○	□	40 W	1+7
050526	H 30 x W 2 m	480	●	□	27.9 W	1+7

Starry sky effect to your streets or town square.

Preprogrammed glittering effect (1/5 LED), and staggered lights any 25 cm intervals (i.e. total interval of 50 cm on the same drop). Height max. 100 m.




Saint Omer • France

ICICLE LIGHT SPARKLE

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551172*	H 0.80 x W 3.75 m	132	○	□	50 W	1+9



Sparkling and crackling effect.

Crackling effect on the collector cable, spinning effect on the down conductors. Requires a unrectified power cable. Extendable in width.



Watch the animation



ICICLE LIGHTS


230V





REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
051329	H 0.50 x W 4 m	159			12 W	1+28
550824	H 0.50 x W 4 m	159			12 W	1+28
059927	H 0.80 x W 4 m	200			17 W	1+19
050518	H 0.80 x W 4 m	200			17 W	1+19
550825	H 0.80 x W 4 m	200			17 W	1+19
050536	H 0.80 x W 4 m	200			17 W	1+19
050537	H 1.50 x W 4 m	300			26 W	1+12
050538	H 1.50 x W 4 m	300			26 W	1+12
550826	H 1.50 x W 4 m	300			26 W	1+12
050540	H 1.50 x W 4 m	300			26 W	1+12
050539	H 1.50 x W 4 m	300			26 W	1+12




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
059237	H 0.80 x W 4 m	200			19 W	1+18
059553	H 0.80 x W 4 m	200			19 W	1+18



24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550914	H 0.50 x W 4 m	174			8.2 W - 196 mA
550915	H 0.50 x W 4 m	174			8.2 W - 196 mA



Extendable 24V range: find all accessories p.263.

Preprogrammed glittering effect (1/5 LED).
Width can be extended. Translucent cable for further discretion. Encapsulated LED. Compatible with our 24V transformers.



Fos sur Mer • France

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
051260	20 m	200	○	□	16 W	100 m max
550008	20 m	200	●	□	16 W	100 m max
550009	20 m	200	●	□	16 W	100 m max
550011	20 m	200	○	▤	16 W	100 m max
550016	20 m	200	●	▤	16 W	100 m max


CLASSIC'LINE GARLANDS

Latest generation high brightness SMD LED.

All the advantages of SMD LED with a traditional design. Preprogrammed glittering effect (1/5 LED).




550011



WATERCOLOUR GARLANDS

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550315	20 m	200	●	□	12 W	100 m max
550316	20 m	200	●	□	17 W	100 m max
550317	20 m	200	●	□	12 W	100 m max

Garlands in soft pastel colors.



REMOTE-CONTROLLED RGB GARLANDS & ROPE LIGHTS

230V




P&L
230V AC

REFERENCE	DESCRIPTION	LGT	NB LED	LED	CABLE	P. / 230V	EXTEND.
550222	RGB garland	10 m	100			37 W	3 000 LED
550221	RGB rope light	30 m	36 LED /m		-	2.8 W/m	3 000 LED

230V CONTROLLER

REFERENCE	DESCRIPTION	CABLE
032376	230V power cable	
550220	230V controller	

Example of 230V cabling plan:



REMOTE CONTROL


REFERENCE	DESCRIPTION
550575	Remote control

RGB rope lights: 36 LED/m, Ø 13 mm, anti-UV treated, extendable.

230V range: Requires an unrectified power supply and a controller. Compatible with Plug & Light accessories. Rope light is cuttable every 2 m.

36V range: Requires a power supply cable, a transformer and a controller. Rope light is cuttable every 0.27 m.

36V



DC

REFERENCE	DESCRIPTION	LGT	NB LED	LED	CABLE	EXTEND.
550240	RGB garland	10 m	100			350 LED
550241	RGB rope light	30 m	36 LED /m		-	350 LED


36V CONTROLLER

REFERENCE	DESCRIPTION	CABLE
032371	Bipolar power cable + earth	
550239	36V controller	
550242	36V transformer 150W	

ACCESSORIES BEYOND 36V TRANSFORMER

REFERENCE	DESCRIPTION	LENGTH CABLE
032367	T-connector	25 cm
032366	Extend power cable	1 m
550244	Extend power cable	2 m
032368	Connector 6 falls	1 m
032365	Connection rope light to garland	30 cm
032364	Connection garland to rope light	30 cm

Example of 36V cabling plan:





Change colour or animation as you wish, with a simple remote control.

Choose your colour and pre-programmed animation:
glittering, steady or automatic colour change.

A controller before any installation is required to control the
garlands or rope lights. A single remote control allows you to
control all the decorations up to 10 m.



Consult us
for the implementation
of your projects.



GARLANDS


230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550828	20 m	200	●	□	17 W	100m max
050765	20 m	200	○	■	17 W	100m max
050766	20 m	200	○	■	17 W	100m max
550829	20 m	200	●	■	17 W	100m max



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
059937	20 m	200	●	■	17 W	100m max




24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
051097	20 m	200	○	□	9 W - 380 mA
051098	20 m	200	○	□	9 W - 380 mA
051099	20 m	200	●	□	9 W - 380 mA
051100	20 m	200	●	□	4.5 W - 190 mA
051101	20 m	200	●	□	9.5 W - 730 mA
051103	20 m	200	●	□	9 W - 380 mA
550468	20 m	200	○	■	11.5 W - 240 mA
550469	20 m	200	○	■	11.5 W - 240 mA



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
051105	20 m	200	○	□	9.5 W - 395 mA
051106	20 m	200	○	□	9.5 W - 355 mA
051107	20 m	200	●	□	8.5 W - 354 mA
051108	20 m	200	●	□	6.5 W - 270 mA
051109	20 m	200	●	□	11 W - 458 mA
051111	20 m	200	●	□	9.5 W - 395 mA
051112	20 m	200	●	□	11 W - 458 mA



Our ambitions by 2025

Reduce all plastics in our manufacturing and distribution processes: 2.3 million plastic sheaths have already been removed from our 24V garlands.

Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers.
Maximum length in series: 80m of wire.

Le Mans • France



TITAN GARLANDS


24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550213	10 m	100	○	—	5.5 W - 229 mA
550214	10 m	100	○	—	5.5 W - 229 mA



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550211	10 m	100	○	—	5.5 W - 229 mA
550212	10 m	100	○	—	5.5 W - 229 mA
550334	10 m	100	●	—	5.5 W - 229 mA



Light strings in black rubber cable, to decorate trees safely.

Preprogrammed glittering effect (1/5 LED).
Compatible with our 24V transformers.
Maximum length in series: 80m of wire.

New P&L 24V accessoires available p.263.



Carros • France

CONFETTI GARLANDS


230V




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
051095	20 m	160			4 W / 230V	100m max



24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550558	20 m	168			4.1 W - 170 mA




New pastel hues

Each LED is gradually and randomly colourchanging.
Ref.550558: Maximum length in series: 80m of wire.




GARLANDS WITH SPARKLING EFFECT


230V




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550568	20 m	140			17 W	100m max
550570	20 m	140			17 W	100m max
550569	20 m	140			17 W	100m max
550656	20 m	140			17 W	100m max



24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550556	20 m	140			7.2 W - 300 mA
550557	20 m	140			7.2 W - 300 mA



All LED garland sparkle.

Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers.
Maximum length in series: 80m of wire.

CANOA GARLANDS


230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550643	20 m	136	○	—	13.5 W	100 m max
550644	20 m	136	●	—	13.5 W	100 m max

The perfect garland to cover trees branches.

Preprogrammed crackling effect (1/5 LED).




Park Ridge • U.S.A.




FLAME EFFECT GARLAND

24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550565	20 m	200	●	—	4.8 W - 200 mA



Flame effect.

One out of every two LEDs flickers to give the effect of a candle.

Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers.

Maximum length in series: 80m of wire.

The microLED

**Next generation microLED,
3 times brighter.**

All our products are made with 100% LED.

For all glittering microLED products, every fourth LED is animated. AC/DC: alternating / direct current.

We advise you to connect microLED products **in parallel rather than in series**, to maximize their extendability. By default, it is the serial value that is noted in the tables.






RIDEAU BOA MICROLED

24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
550522	H 0.50 x W 6 m 800	○	▬	19.6 W - 817 mA	1+2	



MICROLED GARLANDS


24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550811	10 m	100	○	▬	5.5 W - 227 mA	1+3



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550810	10 m	100	○	▬	5.5 W - 227 mA	1+3



**Next generation microLED,
3 times brighter.**

Find all accessories p.263.

Pre-programmed glittering effect (1/4 LED). Ideal for indoor or outdoor use. Ivory white LED. Requires a power cable and a 24V transformer. Ref.550810 & 550811: Reinforced cable. Max length in series: 40m of wire.



MICROLED WATERFALL BOUQUET



24V


P&L
24V



DC



REFERENCE	LGT	NB LED	LED CABLE	P. / 24V	EXTEND.
550219	2.40 m	1152	○ —	46 W - 1900 mA	1+2



MICROLED WATERFALL BOUQUET WITH LEAVES




24V


P&L
24V



DC



REFERENCE	LGT	NB LED	LED CABLE	P. / 24V	EXTEND.
550530	2.40 m	1152	○ —	46 W - 1900 mA	1+2



**Next generation microLED,
3 times brighter.**

Find all accessories p.263.

Pre-programmed glittering effect (1/4 LED). Indoor/outdoor use.

Extendable. Ivory white LED.

Requires a power cable and a 24V transformer.

Connect up to 3 products in series.



MICROLED BOAS


24V



REFERENCE	LGT	NB LED	LED CABLE	P. / 24V
550217	20 m	1600	○ —	24 W - 1000 mA



REFERENCE	LGT	NB LED	LED CABLE	P. / 24V
550218	20 m	1600	○ —	24 W - 1000 mA



**Next generation MicroLED,
3 times brighter.**


Find all accessories p.263.

Pre-programmed glittering effect (1/4 LED).
Indoor/outdoor use. Ivory white LED.
100 LED/m. Requires a power cable and
24V transformer. Not extendable in series.



MICROLED VOLUME GARLANDS

230V/6V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
550263	3 m	120	○	—	4 W
550264	3 m	120	○	—	4 W
550265	3 m	120	●	—	5 W

**Next generation MicroLED,
3 times brighter.**

Indoor/Outdoor use.
40 LED /m, power supply included.
Ref. 550263 et 550266: ivory white LED.
Coloured packaging.

Not compatible with 24V P&L.

230V/12V

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
550266	6 m	240	○	—	17 W
550267	6 m	240	○	—	17 W
550268	6 m	240	●	—	17 W




GAÏA, THE FOLDABLE MICROLED SPHERE

24V


P&L
24V



DC



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550528	Suspension Gaïa	Ø 30 cm	180	○	—	5.8 W - 240 mA
550529	Suspension Gaïa	Ø 60 cm	400	○	—	12.5 W - 510 mA
550526	Suspension Gaïa	Ø 30 cm	180	○	—	5.8 W - 240 mA
550527	Suspension Gaïa	Ø 60 cm	400	○	—	12.5 W - 510 mA



**Next generation MicroLED,
3 times brighter.**

**Ideal for indoor or outdoor use.
Foldable aluminium structure.
Strengthened cable.**


Compatible with our 24V transformers.
Maximum distance between the first and
the last product: 80m of wire.





MICROLED CHRISTMAS TREE AND STARS



230V/24V



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550516	3D Christmas tree	H 118 x W 94 x D 15 cm	600	○	—	21W
550517	3D Christmas tree	H 98 x W 87 x D 12 cm	240	○	—	12 W
550518	3D star	H 118 x W 118 x D 15 cm	600	○	—	25 W
550519	3D star	H 98 x W 98 x D 12 cm	240	○	—	16 W
550520	3D star	H 75 x W 75 x D 7 cm	200	●	—	16 W



Extendable 24V range: find all accessories p.263.

Gold lacquered aluminium frame, except ref.550520 (brown lacq.).
 3 attachment rings. Compatible with our 24V transformers.
 Max distance between the first and the last product: 80m of wire.



Zoom ref. 550520




Zoom ref. 550519

24V

P&L
24V



DC




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550523	Ø 20 cm	80	○	≡	2.8 W - 113 mA
550524	Ø 30 cm	100	○	≡	3 W - 130 mA
550525	Ø 40 cm	200	○	≡	5.4 W - 220 mA

**Next generation MicroLED,
3 times brighter.**

Extendable 24V range: find all accessories p.263.

Attachment ring. Suitable for outdoor use or inside buildings not ruled by ERP. Supplied without sling. Compatible with our 24V transformers. Maximum distance between the first and the last product: 80m of wire.



MICROLED GLOBES



ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor



Suspensions

The majority of our products are available in both 230V and SELV*.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing.
AC/DC: alternating / direct current.

* SELV: Safety Extra Low Voltage, lower than 50V.





BOUQUETS

230V




REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
050763	50 cm	100	○	≡	7 W
050764	50 cm	100	○	≡	7 W



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
051187	50 cm	100	●	≡	5 W




24V



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
550559	50 cm	100	○	≡	7.2 W - 300 mA



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
550560	50 cm	100	●	≡	9.6 W - 400 mA



20 branches per bouquet

Perfect in suspension or trees.

230 V: Don't forget your power supply.
Work on 120V to 230V.

Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers.

ANGEL HAIR

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
050602	1 m	150	○	≡	25 W
050603	1 m	150	●	≡	25 W



24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550561	1 m	150	○	≡	9.6 W - 400 mA
550562	1 m	150	●	≡	9.6 W - 400 mA



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550563	1 m	150	●	≡	14.4 W - 600 mA



BOAS

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
059914	1 m	100	○	—	7 W	1+47
050505	1 m	100	○	—	7 W	1+47
550818	1 m	100	●	—	7 W	1+47
059785	6 m	600	○	—	42 W	1+7
050504	6 m	600	○	—	42 W	1+7
550819	6 m	600	●	—	42 W	1+7
550651	1 m	100	○	—	7 W	1+47
550652	1 m	100	○	—	7 W	1+47
550653	6 m	600	○	—	42 W	1+7
550654	6 m	600	○	—	42 W	1+7




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550925	1 m	100	○	—	10 W	1+47
550926	1 m	100	○	—	10 W	1+47

Volume effect.

With self-supporting steel cable.
Preprogrammed glittering effect (1/5 LED).
Crackling: All the boa's LED crackle.



Watch the animation



FIREWORK BOAS

230V



* NEW




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
551160*	1.20 m	120	○	—	21 W
551161*	3 m	144	○	—	46 W
550078	1.20 m	120	○	—	21 W
550079	3 m	144	○	—	46 W
550081	5 m	240	○	—	42 W

Burning wick effect animation.

Requires an unrectified power supply.
A cable is required for horizontal use.
Non-extendable product.



Watch the animation



Cannes • France

LIGHTING BULBS




050754

230V

P&L
230V AC

REFERENCE	DIAMETER	LED	CABLE	P. / 230V
050754	29 cm	○	—	5 W - 21 mA
050757	40 cm	○	—	5 W - 21 mA
411966	29 cm	●	—	5 W - 21 mA



Intense brightness.


Pearly effects during the day/ light bulbs at night.
Supplied with alpine karabiners.
Requires an unrectified power supply.

BELLIZ

230V

P&L
230V AC/DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
551182	40 cm	296	○	≡	16 W
551183	40 cm	296	●	≡	16 W



Snowfall effect.

Frosted lace covering.
Suitable for outdoor use or inside buildings
not ruled by ERP.
Requires a rectified power supply.
Supplied without sling (ref.051039 p.172)



Watch the animation

Cadolive • France



551182




551183

DROPLIGHTS

230V




REFERENCE	HGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
051180	50 cm	50	○	≡	6 W	1+19
550485	50 cm	50	●	≡	6 W	1+19
550250	50 cm	50	●	≡	6 W	1+19
051181	100 cm	72	○	≡	6 W	1+19
550486	100 cm	72	●	≡	6 W	1+19
550251	100 cm	72	●	≡	6 W	1+19




24V



REFERENCE	HGT.	NB LED	LED	CABLE	P. / 24V
550172	50 cm	50	○	≡	2.2 W - 90 mA
550483	50 cm	50	●	≡	2.2 W - 90 mA
550229	50 cm	50	●	≡	2.2 W - 90 mA
550173	100 cm	72	○	≡	2.2 W - 90 mA
550484	100 cm	72	●	≡	2.2 W - 90 mA



Caen • France



Snowfall effect.

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights.
230V: Requires an unrectified power supply. Work on 120V to 230V.

Extendable 24V range:
find all accessories p.263.


Compatible with our 24V transformers.

SPARKLE DROPLIGHTS

230V




REFERENCE	HGT.	NB LED	LED	CABLE	P. / 230V
550725	50 cm	36	○	▬	9 W
550726	100 cm	72	○	▬	12 W
550765	50 cm	36	●	▬	9 W
550766	100 cm	72	●	▬	12 W



24V



REFERENCE	HGT.	NB LED	LED	CABLE	P. / 24V
550727	50 cm	36	○	▬	4 W - 170 mA
550728	100 cm	72	○	▬	4.2 W - 175 mA
550767	50 cm	36	●	▬	4.2 W - 170 mA
550768	100 cm	72	●	▬	4.2 W - 175 mA



Chasing & crackling effect

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights.

230V: Requires an unrectified power supply.

Work on 120V to 230V.

Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers.




Watch the animation

MINI DROPLIGHTS GARLAND

230V/12V



REFERENCE	HGT.	LENGTH	NB LED	LED	DROPLIGHTS	CABLE	P. / 230V	EXTEND.
059805	0.50 m	11 m	144	○	6	▬	9 W	1+5



Snowfall effect.

Garland of 6 droplights synchronized in pairs.

Not compatible with 24V P&L.




ZEF CURTAIN LIGHT SPARKLE

230V



REFERENCE	WIDTH	HGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
551174*	0.9 m	3.60 m	240	○	—	49 W	1+3
551173*	0.9 m	3.60 m	240	●	—	49 W	1+3




Scrolling animation for your trees and city entrances.

Chasing and crackling effect. Ready to use.

Curtain light of 4 mini decorations made of chasing rope light, with self-supporting steel wire. Anti-UV treated PVC. Fixing points included. Requires an unrectified power cable.



Watch the animation




SUR'LINE MINI DECOR ICICLE LIGHT

230V



REFERENCE	WIDTH	HGT.	LED	CABLE	P. / 230V	EXTEND.
550018	1.50 m	4 m	○	—	69 W	1+4
550019	1.50 m	4 m	●	—	69 W	1+4
550020	1.50 m	4 m	●	—	69 W	1+4



Bonaire Island • West Indies



Latest generation high brightness SMD LED.

With self-supporting steel cable.
Ref.550018: ivory white LED.

3D STAR SUSPENSION

24V

P&L
24V



DC

* NEW


REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	STRUCTURE	P. / 24V
551166*	3D star	50 x 55 x 10 cm	240			10 W - 420 mA

Perfect in suspension or in trees.

3D decoration to suspend. Gold lacquered aluminum frame. Fixing ring included.

Gamme 24V: find all accessories p.263.

Requires a power cable and a 24V transformer. Compatible with our 24V transformers.



DOUBLE SUR'LINE DECORATIONS

24V

P&L
24V


SMD
LED

DC

REFERENCE	DESCRIPTION	LED	CABLE	WEIGHT	P. / 24V
550499	Chasing snowflake			1.3 Kg	45 W - 1.9 mA



550499



Animation: explosion of light visible on both sides.

Latest generation high brightness SMDLED. Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers. Double Sur'line rope light 60 LED/m. Supplied without sling (ref.051039 p.172).



Watch the animation

RGB MINI SUSPENSIONS

230V





REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550077	Floko white	55 x 37 cm	2 x 48	○	≡	9 W

24V



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550555	Floko white	55 x 37 cm	2 x 48	○	≡	9.6 W - 400 mA



550077

Perfect in a small street with icicle lights, or in suspension on trees.

Animated: Blast of light.

Lighting decorations to hang. Requires an unrectified power supply.



Lorient • France



Watch the animation

Velaux • France



Radiant animation.


One hook per star.

STELLIZ GARLANDS

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
050793	3 m	180	○	≡	11 W
050795	3 m	180	●	≡	11 W



STELLY STARS

230V



REFERENCE	HGT.	NB LED	LED	CABLE	P. / 230V
050791	50 cm	110	○	≡	8 W
050792	50 cm	110	●	≡	8 W
550233	50 cm	110	●	≡	8 W


24V



REFERENCE	HGT.	NB LED	LED	CABLE	P. / 24V
550552	50 cm	120	○	≡	7.2 W - 300 mA
550553	50 cm	120	●	≡	7.2 W - 300 mA

Radiant animation to liven up trees and town gateway.

Product mainly designed for outdoor use : PVC anti-UV treated, stainless steel screws. Fixing point included. Requires an unrectified power supply.



550233

050791

Watch the animation




RIBBON LIGHTS FOR POLE

24V



REFERENCE	LG T	WIDTH	NB LED	LED	MAT	P. / 24V
550170	4 m	20 cm	104	●	■	4.7 W - 195 mA
550171	4 m	20 cm	104	●	■	4.7 W - 195 mA
550548	4 m	20 cm	104	○	□	3.8 W - 158 mA



Pole decoration, quick and easy to set up.


Extendable 24V range: find all accessories p.263.

Preprogrammed glittering effect (1/5 LED).
Green or silver PVC mat. Indoor/Outdoor use.
Compatible with our 24V transformers.




CHRISTMAS TREE GARLAND

24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550989*	2.70 m	200	●	■	7 W - 291 mA



Traditional & natural effect.

Extendable 24V range: find all accessories p.263.

Requires a power cable and a 24V transformer.
8 products maximum per series.




Branches, trees & floorstanding decorations

The majority of our products are available in both 230V and SELV*.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing.
AC/DC: alternating / direct current.



* SELV: Safety Extra Low Voltage, lower than 50V.



CEILING LIGHTS BRANCHES

230V




REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
050508	Ø 0.70 x W 3.50 m	300	○	—	20 W	1+16
550821	Ø 0.70 x W 3.50 m	300	●	—	20 W	1+16



REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
059243	Ø 0.70 x W 3.50 m	300	○	—	25 W	1+13



REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
050541	Ø 0.70 x W 1.50 m	150	○	—	9 W	1+39



Volume effect.

Semi-rigid branches, simple and easy to install.
Preprogrammed glittering effect (1/5 LED).

BRANCH GARLAND

230V

P&L
230V




DC

* NEW



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551167*	Ø 1 x W 2 m	320	○	—	18 W	1+19
551168*	Ø 1 x W 2 m	320	●	—	18 W	1+19



Volume effect.

Semi-rigid branches, simple and easy to install.
 Fixing ring at each end. Pre-programmed glittering effect (1/5 LED).
 Rectified power supply required.



ACROSS STREET WITH TEXT

230V



REFERENCE	DESCRIPTION	DIMENSIONS	LED	WEIGHT	P. / 230V
550627	Across str. Joyeuses Fêtes	W 3 x H 1.5 m	○	16 Kg	46 W



3D FLOORSTANDING DECORATION


230V/31V



* NEW

REFERENCE	DESCRIPTION	DIMENSIONS	LED	WEIGHT	P. / 230V
551212*	Renne féérique	W 0.6 x H 1.52 x D 0.2 m	○	4.6 Kg	7 W

Floorstanding 3D illuminated reindeer. Transformer included. Fastenings accessories included (6 pegs).



CARACAS PALM TREES


230V/24V



REFERENCE	HGT.	NB LED	LED	TREE	P. / 230V
550646	1.52 m	196			10.5 W
550647	1.82 m	280			11.5 W
550648	2.13 m	302			12.5 W

Guaranteed tropical effect.

Floorstanding microLED tree. Indoor/Outdoor use.
Suitable for use inside buildings not ruled by ERP.
Not compatible with 24V P&L. Transformer included.



Rope lights

The majority of our products are available in both 230V and SELV*.

All our products are made with 100% LED.

For all glittering products, one LED in five is glittering in white.
Confetti: each LED is gradually and randomly colour-changing.
AC/DC: alternating / direct current.




* SELV: Safety Extra Low Voltage, lower than 50V.



SUR'LINE

230V

P&L
230V **SMD**
LED **DC**




REFERENCE	LENGTH LED		P. / 230V	EXTEND.
051010	3 m	○	27 W	50 m max
051032	3 m	●	21 W	50 m max
051033	3 m	●	27 W	50 m max
051012	5 m	○	45 W	50 m max
051013	5 m	○	45 W	50 m max
051034	5 m	●	35 W	50 m max
051035	5 m	●	45 W	50 m max
051036	7 m	●	49 W	50 m max


Latest generation high brightness SMD LED.
92 LED SMD /m, extendable

SUR'LINE ACCESSORIES

REFERENCE	DESCRIPTION	LENGTH
032353	Fastening rail	2 m
058989BL	White power supply cable	1.50 m




032353



ROP'LINE

230V

P&L 230V SMD LED DC



REFERENCE	LENGTH ROLL LED	P. / 230V	CUTTABLE	MAX. L ⁽¹⁾
051264	30 m	○	6 W /m every 1 m	100 m
550313	30 m	○	6 W /m every 1 m	100 m
051265	30 m	○	6 W /m every 1 m	100 m
550118	30 m	●	3.3 W /m every 1 m	100 m
550119	30 m	●	3.3 W /m every 1 m	100 m
550120	30 m	●	3.3 W /m every 1 m	100 m
550121	30 m	●	3.3 W /m every 1 m	100 m

Latest generation high brightness SMD LED.

60 LED SMD/m.

Dual-sided rope light Ø 13 mm, extendable.

Requires a connection kit (ref.550732).

⁽¹⁾ Max. length with ref.550732.

CONNECTION KIT 230V

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	□



CHASING ROPE LIGHTS

230V



REFERENCE	LENGTH	NB LED	LED	P. / 230V
550713	1 m	36	○	13 W
550714	1 m	36	●	13 W
550715	1 m	36	●	13 W
550716	2 m	60	○	19 W
550717	2 m	60	●	19 W
550718	2 m	60	●	13 W
550719	5 m	120	○	30 W
550720	5 m	120	●	30 W
550721	5 m	120	●	30 W
550722	10 m	240	○	80 W
550723	10 m	240	●	80 W
550724	10 m	240	●	80 W

24V



REFERENCE	LENGTH	NB LED	LED	P. / 24V
550701	1 m	30	○	9 W - 375 mA
550702	1 m	30	●	9 W - 375 mA
550703	1 m	30	●	9 W - 375 mA
550704	2 m	60	○	12.5 W - 520 mA
550705	2 m	60	●	12.5 W - 520 mA
550706	2 m	60	●	12.5 W - 520 mA
550707	5 m	120	○	24 W - 1000 mA
550708	5 m	120	●	24 W - 1000 mA
550709	5 m	120	●	24 W - 1000 mA
550710	10 m	240	○	48 W - 2000 mA
550711	10 m	240	●	48 W - 2000 mA
550712	10 m	240	●	48 W - 2000 mA

Chasing effect.

Anti-UV treated, Ø 13 mm. Don't forget your power supply.

Extendable 24V range: find all accessories p.263.


Compatible with our 24V transformers.



Watch the animation

ACCESSORY 230V

REFERENCE	DESCRIPTION	LENGTH
032376	White power supply cable	L 3 m



Béziers • France

ROPE LIGHT SPARKLE

230V



REFERENCE	LENGTH	NB LED	LED	P. / 230V
550729	2 m	60	○	19 W
550756	2 m	60	●	19 W


ACCESSORY 230V

REFERENCE	DESCRIPTION	LENGTH
032376	White power supply cable	L 3 m

24V



REFERENCE	LENGTH	NB LED	LED	P. / 24V
550730	2 m	60	○	8.9 W - 370 mA
550757	2 m	60	●	8.9 W - 370 mA



Chasing & crackeling effect.

Anti-UV treated, Ø 13 mm.
Don't forget your power supply.

Extendable 24V range: find all accessories p.263.

Compatible with our 24V transformers.



Watch the animation

FLASH ROPE LIGHT

230V



REFERENCE	LENGTH	ROLL LED	P. / 230V	CUTTABLE	MAX. L (1)
550054	30 m	○	3.5 W /m	every 2 m	100 m
550055	30 m	●	3.5 W /m	every 2 m	100 m
550057	30 m	●	3.5 W /m	every 2 m	100 m
550056	30 m	●	3.5 W /m	every 2 m	100 m
550058	30 m	●	3.5 W /m	every 2 m	100 m

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—

Flashing animation 1 LED in 2.

36 LED/m, anti-UV treated, Ø 13 mm.
Requires a connection kit (ref.550732).



Intense brightness 360°



Watch the animation



CANDY ROPE LIGHT

230V

DC

REFERENCE	LENGTH ROLL LED	P. / 230V	CUTTABLE	MAX. L
550126	30 m	○	1.8 W /m every 2 m	100 m

CONNECTION KIT 230V

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	□



Intense brightness 360°

Candy cane effect.

36 LED/m, anti-UV treated, Ø 13 mm.
Requires a connection kit (ref.550732).



HIGHT QUALITY ROPE LIGHTS

**Very high quality rope lights.
Intense brightness 360°.**

36 LED/m, anti-UV treated, Ø 13 mm.

230V - Without power supply

DC

REFERENCE	LENGTH	ROLL LED	P. / 230V	CUTTABLE	MAX. L
058911	30 m	○	2.5 W /m	every 2 m	100 m
050567	90 m	○	4 W /m	every 1 m	100 m
059544	30 m	○	2.5 W /m	every 2 m	100 m
050689	90 m	○	4 W /m	every 1 m	100 m
058914	30 m	●	1.6 W /m	every 3.30 m	100 m
550822	30 m	●	2.5 W /m	every 2 m	100 m
550823	90 m	●	2.5 W /m	every 2 m	100 m
050686	90 m	●	4 W /m	every 1 m	100 m
058912	30 m	●	2.5 W /m	every 2 m	100 m
050685	90 m	●	4 W /m	every 1 m	100 m
058913	30 m	●	2.5 W /m	every 2 m	100 m
050688	90 m	●	4 W /m	every 1 m	100 m
058915	30 m	●	1.6 W /m	every 3.30 m	100 m
050687	90 m	●	4 W /m	every 1 m	100 m
059974	30 m	●	3.0 W /m	every 1.50 m	100 m

The one you can find on our decorations.

Requires a connection kit (ref.550732).

CONNECTION KIT


REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—



230V - Power supply included


DC

REFERENCE	LENGTH	ROLL LED	P. / 230V	CUTTABLE	MAX. L
550307	45 m	○	2.3 W /m	every 1.5 m	100 m
550311	45 m	●	2.3 W /m	every 1.5 m	100 m
550309	45 m	●	2.3 W /m	every 1.5 m	100 m
550310	45 m	●	2.3 W /m	every 1.5 m	100 m




Intense brightness 360°

Supplied with a mounted overmoulded power cable.



HIGH QUALITY ROPE LIGHTS

24V



Intense brightness 360°

REFERENCE	LENGTH	ROLL	LED	P. / 230V	P. / 24V	CUTTABLE	MAX. L ⁽¹⁾
051079	30 m	○	○	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
550736	30 m	○	○	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051083	30 m	●	●	2.3 W /m	1.4 W /m - 58 mA	every 33 cm	20 m
051082	30 m	●	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051081	30 m	●	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051084	30 m	●	●	2.3 W /m	1.4 W /m - 58 mA	every 33 cm	20 m
550577	30 m	●	●	2.3 W /m	1.4 W /m - 58 mA	every 16.6 cm	20 m


⁽¹⁾ Max. length with transformer ref.061219.

36 LED/m, anti-UV treated, Ø 13 mm.

Requires a connection kit.

Extendable 24V range: find all accessories p.263.

CONNECTION KIT P&L 24V



STANDARD ROPE LIGHTS

230V



REFERENCE	LENGTH	ROLL	LED	P. / 230V	CUTTABLE	MAX. L
059711	44 m	○	○	1.4 W /m	every 4 m	100 m
059715	44 m	●	●	1.4 W /m	every 4 m	100 m
059712	44 m	●	●	1.4 W /m	every 4 m	100 m
059713	44 m	●	●	1.4 W /m	every 4 m	100 m
059714	44 m	●	●	1.4 W /m	every 4 m	100 m

Standard rope lights.

18 LED/m, anti-UV treated, Ø 13 mm.

Requires a connection kit (ref.550732).






Detroit • U.S.A.

ROPE LIGHT QUICK CONNECTION

*** NEW**

Find out how to connect your cords easily & quickly.



CONNECTION KITS

REF.	DESCRIPTION	COMPOSITION	CABLE
551169*	Quick connect kit rope light - rope light	connection module + 2 seals	—
551170*	Quick connect kit garland - rope light	Cable with connector Bm + E connection module + 1 seal	—
551171*	Quick connect kit rope light - garland	Cable with connector Bf + E connection module + 1 seal	—
550732	Power supply kit	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply kit	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
059975	Power supply kit	Power supply cable with rectifier 1.6 A + round tip connector + end cap + heat shrink sleeve	—

GUARLANDS AND ROPE LIGHTS ACCESSORIES

ROPE LIGHTS ACCESSORIES

REFERENCE	DESCRIPTION
001867	2 m nylon strip light
331300	1 T-connector
720102	1 transparent heat shrink sleeves ø 19 mm - Lgt: 1.20 m
055193	1 junction kit to connect 2 rope lights together (1 double pin connector + 2 heat shrink sleeves)
201300	10 junction kits 055193
413000	100 nylon clips
351000	100 double pin connectors
354000	100 round tip connectors
513000	100 safety caps
055476	10 safety caps
060959	1000 white nylon collars 3.6 x 203 mm



060959



001867



331300



720102



550974



513000 / 055476



351000



354000



055193



413000

GUARLAND ACCESSORIES

REFERENCE	DESCRIPTION
550974	10 white caps

B22 & E27 range

All our products are made with 100% LED.

AC: alternating current.

DC: direct current.

AC/DC: alternating / direct current.






TRADITIONAL FILAMENT GARLANDS

230V



REFERENCE	LENGTH	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551137*	20 m	40	40 filament		22 W	1+4
551138*	20 m	40	40 filament		22 W	1+4
551136*	20 m	40	40 filament		22 W	1+4



Traditional style, icicle light or garlands available according to your needs.

LED filament. Extendable.


Transparent globes Ø 45 mm, in unbreakable polycarbonate.. Non-removable bulbs. Traditionnal effect. One filament per globe. Requires a rectified power cable.

TRADITIONAL FILAMENT ICICLE LIGHT

230V



REFERENCE	DIMENSIONS	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551139*	H 0.80 x W 4 m 30	40	40 filament		16.5 W	1+4




TRADITIONAL GARLANDS

230V



REFERENCE	LENGTH	BULBS	EFFECT	NB LED	LED	CABLE	P. / 230V	EXTEND.
550634	5 m	10	milky	60			4 W	100 m
550635	5 m	10	milky	60			4 W	100 m
051004	5 m	10	filament	60			4 W	100 m
051026	5 m	10	filament	60			4 W	100 m
051072	5 m	10	filament	60			4 W	100 m



Filament or milky effect.

Unbreakable polycarbonate globes. Non-removable bulbs.
 Traditionnal effect.
 Ref.051026 & 051072: 2 yellow, 3 red, 3 green and 2 blue bulbs.
 Coloured packaging.




GLOBES GARLAND

24V



REFERENCE	LENGTH	GLOBE	NB LED	LED	CABLE	P. / 24V
551162*	5m	10	30			5.28 W - 220 mA
551163*	5m	10	30			5.28 W - 220 mA
551164*	5m	10	30			5.28 W - 220 mA



Ideal for messing up your trees, patios & terraces.

Extendable.

Globes Ø 10 cm. Bulbs cannot be removed. Requires a power supply and a 24V transformer. Maximum 8 products per series.
 Ref. 551164: turquoise cable.

Gamme 24V: find all accessories p.263.






E27 JAVA GARLANDS

230V

P&L
230V AC

REFERENCE	LENGTH	BULBS	SOCKETS	LED	CABLE	P. BULB	EXTEND.
550300	5 m	10	10 E27	○	—	2.5 W / 44 mA	100 m
550472	5 m	10	10 E27	○	—	2.5 W / 44 mA	100 m
550299	5 m	10	10 E27	●	—	2.5 W / 44 mA	100 m




Extendable garland supplied with plug & bulbs.

E27 LED bulbs Ø 60 mm. Sockets equipped with seals. Coloured packaging.

230V

P&L
230V AC * NEW

REFERENCE	LENGTH	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551070*	5 m	10 E27	—	2 x 1.5 mm ²	15 W max	100 m
551069*	5 m	10 E27	—	2 x 1.5 mm ²	15 W max	100 m



Extendable garland supplied with plug, without bulbs.


Sockets equipped with seals.

B22 GUINGUETTE GARLAND

230V

AC

REFERENCE	LENGTH	BULBS	SOCKETS	LED	CABLE	SECT° CABLE	P. BULB
059783	10 m	10	10 B22	●	—	2 x 1.5 mm ²	0.5 W / 24 mA
050117	10 m	10	10 B22	○	—	2 x 1.5 mm ²	0.5 W / 24 mA



Ready to use: power supply + garland + bulbs.

Supplied with plug and LED bulbs.

Ref. 059783: blue, 2 green, 3 yellow, 3 red bulbs.

Ref. 050117: 10 warm white bulbs.

Sockets equipped with seals. Coloured packaging.




E27 JAVANESE GARLAND

230V

P&L 230V AC * NEW

REFERENCE	DIMENSIONS	SOCKETS	CABLE	SECT° CABLE	P. SOCKETS	EXTEND.
551140*	H 0.35 x W 20 m	40 E27	—	2 x 1.5 mm ²	15 W max	100 m



Delivered without power cable nor bulb.

Each socket is equipped with a seal. 40 falls of different heights. Fixing rings included. Requires an unrectified power supply.




E27 GARLAND WITHOUT BULB

230V

P&L 230V AC

REFERENCE	LENGTH	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
550236	10 m	20 E27	—	2 x 1.5 mm ²	15 W max	100 m max



Extendable garland. Supplied with socket, without bulb.

Each socket is equipped with a seal.




B22 GARLANDS WITHOUT BULBS

230V

AC

REFERENCE	LGT	SOCKETS	CABLE	SECT° CABLE	P. SOCKET
058772	9 m	20 B22	■	2 x 1.5 mm ²	15 W max
058776	15 m	40 B22	■	2 x 1.5 mm ²	15 W max



ACCESSORY

REFERENCE	DESCRIPTION
050989	100 black seals for B22 sockets


Supplied with plug, without bulb.



230V

AC

REFERENCE	LGT	SOCKETS	CABLE	SECT° CABLE	P. SOCKET
058785	50 m	140 B22	■	2 x 1.5 mm ²	15 W max
058828	50 m	200 B22	■	2 x 1.5 mm ²	15 W max
058810	100 m	100 B22	■	2 x 1.5 mm ²	15 W max
058811	100 m	200 B22	■	2 x 1.5 mm ²	15 W max
058242	100 m	300 B22	■	2 x 1.5 mm ²	15 W max



Supplied without plug nor bulb.



B22 - E27 GARLANDS TO ASSEMBLE

For professional use only.

These garlands can be assembled according to your requirements with a 100 m cable roll and sockets (100 pieces in a box). Use non-removable screws.

AC

FLAT CABLE GARLAND TO ASSEMBLE

REFERENCE	DESCRIPTION	LGT	COL.	P. / 230 V
057032NRB	Flat cable H05RNH2F 2 x 2.5 mm ²	100 m	■	4600 W max
031873	100 B22 sockets	-	■	15 W max
059763	100 E27 sockets	-	■	15 W max
058965	100 seals for B22 sockets	-	■	-
059838	100 seals for E27 sockets	-	■	-
058260	10 protective end caps	-	■	-



AC

SINGLE WIRE GARLANDS TO ASSEMBLE


REFERENCE	DESCRIPTION	LGT	COL.	P. / 230 V
060255NR	Single wire H05RN-F 1.5 mm ²	300 m	■	3680 W max
070008BL	100 B22 sockets	-	□	15 W max
059546	100 seals for B22 sockets	-	□	-



E27 SOCKET SUSPENSION

230V

P&L
230V AC

REFERENCE	LENGTH	SOCKET	CABLE	SECT° CABLE	P. SOCKET
550180	1.50 m	E27		2 x 1.5 mm ²	15 W max





**Perfect as suspensions
in a tree or ceiling lights.**

Suspension supplied without bulbs.
Requires an unrectified power supply.



B22 - E27 LED FLAME BULB



REFERENCE	CAP	DIAMETER	HEIGHT	NB LED	LED	GLOBE	P. / 230 V
550087	B22	60 mm	134 mm	96			4.4 W - 38 mA
550122	E27	60 mm	134 mm	96			4.4 W - 38 mA

**Flame effect.
No matter which way up you use the
bulb, the flame will always burn upwards.**

White polycarbonate globe. Work on 120V to 230V.
P. / 120V: 4.4 - 69 mA.



Watch the animation

E27 A60 LED FILAMENT BULBS

AC | * NEW

REFERENCE	DÉSIGNATION	CAP	DIAM.	NB LED	LED	GLOBE	P. / 230 V
551078*	5 bulbs	E27	60 mm	2			2 W

**Filament LED. Large size bulbs,
very high luminosity.**

Set of 5 bulbs, transparent polycarbonate globe.
Coloured packaging.



E27 A60 LED BULBS

AC

REFERENCE	CAP	DIAM.	NB LED	LED	GLOBE	P. / 230 V
550473	E27	60 mm	11	○ ○	○ ○	2.5 W - 44 mA
550474	E27	60 mm	11	○ ○	○ ○	2.5 W - 44 mA
551145	E27	60 mm	11	● ●	● ●	2.5 W - 44 mA
550476	E27	60 mm	11	● ●	● ●	2.5 W - 44 mA
550475	E27	60 mm	11	● ●	● ●	2.5 W - 44 mA
550479	E27	60 mm	11	● ●	○ ○	2.5 W - 44 mA
550478	E27	60 mm	11	● ●	○ ○	2.5 W - 44 mA



Large bulbs, very high brightness.

Tinted polycarbonate bulb. Packed by 5. Coloured packaging.


B22 SMD LED SPHERE BULBS



Quebec • Canada

SMD LED AC

REFERENCE	CAP	DIAM.	NB LED	LED	GLOBE	P. / 230 V
050744	B22	50 mm	32	● ○	○ ○	2 W - 20 mA
050745	B22	50 mm	32	○ ○	○ ○	2 W - 20 mA
051161	B22	50 mm	8	● ○	○ ○	1.5 W - 15 mA



Latest generation SMD LED, high brightness.

Ref.051161: slow changing-colour.




Watch the animation

B22 COLOUR-CHANGING LED BULB



AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	LED	GLOBE	P. / 230 V
059080	4 pre-programmed bulbs	B22	50 mm	14	 		1.5 W - 47 mA

Changing colours animation.

Polycarbonate globe. Work on 120V to 230V.
14 synchronized animations, without animator.



Watch the animation



Optimised SMD LED bulbs

The power displayed corresponds to the real power consumption.



















B22 OPTIMISED SMD LED BULBS



SMD LED

AC

* NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	LED	GLOBE	P. / 230 V
550932*	20 bulbs	B22	45 mm	3	 		1.4 W - 6 mA
550933*	20 bulbs	B22	45 mm	3	 		1.4 W - 6 mA
550934*	20 bulbs	B22	45 mm	3	 		1.4 W - 6 mA
550935*	20 bulbs	B22	45 mm	3	 		1.4 W - 6 mA
550936*	20 bulbs	B22	45 mm	3	 		1.4 W - 6 mA
550937*	20 bulbs	B22	45 mm	3	 		1.4 W - 6 mA

B22 SMD LED BULBS

SMD LED AC

REFERENCE	DESCRIPTION	SOCKETS	DIAM.	NB LED	LED	GLOBE	P. / 230 V
050992	1 bulb	B22	50 mm	18	○	○	1.8 W - 27 mA
050993	1 bulb	B22	50 mm	18	●	○	1.8 W - 27 mA
050883	20 bulbs	B22	45 mm	3	○	○	0.5 W - 24 mA
050885	20 bulbs	B22	45 mm	3	●	○	0.5 W - 24 mA
050887	20 bulbs	B22	45 mm	3	●	○	0.5 W - 24 mA
050888	20 bulbs	B22	45 mm	3	●	○	0.5 W - 24 mA
050886	20 bulbs	B22	45 mm	3	●	○	0.5 W - 24 mA

Latest generation high brightness SMD LED.


Polycarbonate globe.
18 LED bulb: work on 120V to 230V.



B22 - E27 FILAMENT LED BULBS

AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	LED	GLOBE	P. / 230 V
550166	20 bulbs	B22	45 mm	1	○	⊗	3.22 W - 14 mA
550167	20 bulbs	E27	45 mm	1	○	⊗	3.22 W - 14 mA
550467	20 bulbs	B22	45 mm	1	●	⊗	3.22 W - 14 mA
550169	20 bulbs	E27	45 mm	1	●	⊗	3.22 W - 14 mA
550201	20 bulbs	B22	45 mm	1	●	⊗	3.22 W - 14 mA
550205	20 bulbs	B22	45 mm	1	●	⊗	3.22 W - 14 mA
550210	20 bulbs	E27	45 mm	1	●	⊗	3.22 W - 14 mA



Filament effect.

Packed by 20. Polycarbonate globe.
Ref.550209 & 550210: 5 red + 5 green + 5 yellow + 5 blue bulbs.

B22 - E27 SUPER FLASH BULBS



REFERENCE	CAP	DIAMETER	NB LED	LED	P. / 230 V
550235	B22	45 mm	6	○	5 W - 20 mA
050857	E27	45 mm	18	○	2 W - 10 mA

Work on 120V to 230V.
 Approximately 30 flashes/minute on 120 V.
 Approximately 45 flashes/minute on 230 V.



B22 FLASH BULBS



REFERENCE	CAP	DIAMETER	NB LED	LED	P. / 230 V
051289	B22	45 mm	4	○	0.9 W - 5 mA
051266	B22	45 mm	4	○	0.9 W - 5 mA
051268	B22	45 mm	4	●	0.9 W - 5 mA
051267	B22	45 mm	4	●	0.9 W - 5 mA

**Latest generation
 high brightness SMD LED.**

Approximately 45 flashes/minute on 230 V.




CONNECTOR FLASH BULBS



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230 V
050761	40 mm	24	○	—	0.8 W - 3.5 mA
050762	40 mm	24	○	—	0.8 W - 3.5 mA

**Latest generation
 high brightness SMD LED.**


Suitable for garlands with B connector.
 Approximately 60 flashes/minute.
 Work on 120V to 230V.



Plug & light

There are 4 different types of connectors:

- A connectors plug together (230V).
- B connectors plug together (230V).
- C connectors plug together (230V).
- D connectors plug together (24V).






* NEW

P&L
230V

230V CONNECTORS


RECTIFIED POWER SUPPLY CABLE

REFERENCE	CABLE	LENGTH	CONNECTOR
550663		0.25 m	A
550662		0.25 m	A
550665		0.25 m	B
550664		0.25 m	B




RECTIFIED POWER SUPPLY CABLE

REFERENCE	CABLE	LENGTH
058989BL		1.50 m




POWER SUPPLY CABLE

REFERENCE	CABLE	LENGTH	CONNECTOR P.	230 V
550734		1.5 m	Bf	1840 W
550735		1.5 m	Bf	1840 W
300002		3 m	Af	3680 W
300001		3 m	Af	3680 W
050476		3 m	Bf	1840 W
032376		3 m	Bf	1840 W
050477		5 m	Bf	1840 W




CONNECTORS Ø 2.35 BETWEEN GARLAND AND ROPE LIGHT

REFERENCE	CABLE	LENGTH
032187		0.25 m
032338		0.25 m
031912		1 m




CONNECTORS Ø 2.35 BETWEEN ROPE LIGHT AND GARLAND

REFERENCE	CABLE	LENGTH
031908		0.50 m
032375		0.30 m




EXTENSION CABLE A-A

REFERENCE	CABLE	LENGTH
058815		2 m
032283		2 m




EXTENSION CABLE B-B

REFERENCE	CABLE	LENGTH
032190		1 m
032374		1 m
059072		2 m
300034		2 m
031903		3 m
032342		3 m
300036*		5 m
300035*		5 m




RECTIFIED CONNECTOR B-B

REFERENCE	CABLE	LENGTH
059550		0.25 m
032377		0.25 m




RECTIFIED CONNECTORS TO SUPPLY ROPE LIGHTS

REFERENCE	CABLE	LENGTH
032189		0.30 m
032339		0.30 m




ADAPTER FROM A TO B

REFERENCE	CABLE	LENGTH
059238		0.15 m




2 WIRE STRIPPED MALE CABLES ALLOWING TO SUPPLY A DECOR

REFERENCE	CABLE	LENGTH
058940		3 m
032188		0.30 m



2 WIRE STRIPPED FEMALE CABLES

REFERENCE	CABLE	LENGTH
058968		3 m





* NEW

P&L
230V

230V CONNECTORS


CONNECTION CABLE BETWEEN GARLAND Ø 2.35 AND SOCKET

REFERENCE	CABLE LENGTH	CAP
059549	0.20 m	B22
032337	0.20 m	B22
050487	0.40 m	E27




ADAPTER SOCKET E27 TO CONNECTOR B

REFERENCE	CABLE LENGTH
551165*	0.37 m




ADAPTER SOCKET B22 TO CONNECTOR B

REFERENCE	CABLE LENGTH
059910*	0.37 m




T CONNECTORS

REFERENCE	CABLE LENGTH
032093	0.25 m
032278	0.50 m
032279	0.50 m




Y CONNECTOR

REFERENCE	CABLE LENGTH
058814	1.50 m




COLLECTOR CABLE 4 FALLS

REFERENCE	CABLE LENGTH
058919	1 m
050479	1 m




COLLECTOR CABLE 6 FALLS

REFERENCE	CABLE LENGTH
059241	0.80 m
059240	0.80 m



COLLECTOR CABLE 10 FALLS


REFERENCE	CABLE LENGTH
032356	10 m
032357	10 m





TRANSFORMERS 230V AC / 24V DC


REFERENCE	DESCRIPTION
550514	Transformer 0.5 A max. (12W/24VDC) output



Ref.550514: Works in AC or DC. B connector input.


This reference is ideal for powering our 24V P&L suspensions.

REF.	DESCRIPTION
061218	Transformer 1.25 A max. (30W/24VDC) output
061219	Transformer 2.5 A max. (60W/24VDC) output
061220	Transformer 4 A max. (96W/24VDC) output
550628	Transformer 6.25 A max. (150W/24VDC) output
550336	Transformer 2x 6.25 A max. (2x150W/24VDC) output




ACCESSORIES AHEAD 230V TRANSFORMER


REFERENCE	DESCRIPTION	LENGTH	CABLE	P. MAX/ 230V
032371	Bipolar power supply cable + grounding	3 m		1840 W



REFERENCE	DESCRIPTION	LENGTH	CABLE	P. MAX/ 230V
032372	Bipolar extension cable + grounding	2 m		1840 W




REFERENCE	DESCRIPTION	LENGTH	CABLE	P. MAX/ 230V
032373	Bipolar T-connector + grounding	50 cm		1840 W




ACCESSORIES BEYOND TRANSFORMER

REFERENCE	DESCRIPTION	LENGTH	CABLE
032367	T-connector	25 cm	
550471	T-connector	25 cm	
550931	T-connector Titan ⁽¹⁾	25 cm	


⁽¹⁾ Products with rubber cable.




REFERENCE	DESCRIPTION	LENGTH	CABLE
032366	Extension cable	1 m	
550470	Extension cable	1 m	
550244	Extension cable	2 m	
550930	Extension cable Titan ⁽¹⁾	2 m	
550342	Extension cable	10 m	



REFERENCE	DESCRIPTION	LENGTH	CABLE
032368	Connector 6 falls	1 m	




REFERENCE	DESCRIPTION	LENGTH	CABLE
032365	Cable to garland connection	30 cm	



REFERENCE	DESCRIPTION	LENGTH	CABLE
032364	Garland to cable connection	30 cm	



Example of series and parallel wiring:



Day time decorations






PRINTED PRODUCTS

Made in France.

Our 3D printed products are fully recyclable. The material will be transformed into new granules for new decorations.

Integrate decoration visible during the day into your illuminations.

Design by Leblanc illuminations. UV resistant. Suitable for use in buildings not subject to regulations governing buildings receiving the public.



170658



170656



170662



170738



170282



170278



170286

NON-LUMINOUS 3D FLOORSTANDING DECORATIONS

3D floorstanding decorations. Delivered flat.

Attachment points included. Non-luminous decorations.

Available individually. Four colours are available: gold, white, blue or red.

*** NEW**

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170738*	Cadeau gold	W 0.3 x H 0.43 x D 0.3 m	Mellow
170655*	Renne Pop gold	W 0.72 x H 1.27 x D 0.37 m	Rainbow
170658*	Sapin Pop gold	W 0.81 x H 1.52 x D 0.81 m	Rainbow
170662*	Barrière Pop gold	W 0.7 x H 0.6 x D 0.3 m	Rainbow
170282	Maxi Cadeau Pop gold	H 0.50 x Ø 0.48 m	Rainbow
170278	Petit Cadeau Pop gold	H 0.50 x Ø 0.30 m	Rainbow
170286	Étoile Pop gold	H 0.64 x Ø 0.64 m	Rainbow



More information

on our 3D printing process
e-deco by Leblanc illuminations
p.12

Collections of 2D decorations.

Attachment points included. Non-luminous decorations.
Available individually. The Lyria collection is available in red, white or gold. The Givre collection is available in white or gold. The Holly collection is available in green or gold.

*** NEW**

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170703*	Lyria across street red	H 1.50 x W 5 m	Rainbow
170702*	Lyria lamp column red	H 3 x W 1.40 m	Rainbow
170701*	Lyria lamp column red	H 2 x W 1.40 m	Rainbow
170786*	Givre across street white	H 1 x W 5 m	Rainbow
170785*	Givre lamp column & across street white	H 3 x W 1.45 m	Rainbow
170784*	Givre lamp column & across street white	H 2.50 x W 1.20 m	Rainbow
170783*	Givre lamp column & across street white	H 2 x W 1 m	Rainbow
170782*	Givre lamp column & across street white	H 1.50 x W 0.75 m	Rainbow
170781*	Givre lamp column & across street white	H 1 x W 0.50 m	Rainbow
170787*	Givre globe white	H 2 x W 1.20 m	Rainbow
170788*	Givre suspension white	H 0.80 x W 0.80 m	Rainbow
170809*	Holly across street green	H 1 x W 5 m	Rainbow
170808*	Holly lamp column & across street green	H 3 x W 1.45 m	Rainbow
170807*	Holly lamp column & across street green	H 2.50 x W 1.20 m	Rainbow
170806*	Holly lamp column & across street green	H 2 x W 1 m	Rainbow
170805*	Holly lamp column & across street green	H 1.50 x W 0.75 m	Rainbow
170804*	Holly lamp column & across street green	H 1 x W 0.50 m	Rainbow
170810*	Holly globe green	H 2 x W 1.20 m	Rainbow
170811*	Holly suspension green	H 0.80 x W 0.80 m </tr	



Lyria Collection

Holly Collection

Givre Collection



204988




204992



204996



205001



205313



205005



205009



205013



205017

LUMINOUS 3D SUSPENSIONS

**Snowfall effect droplight.
Lighting decorations to hang.
Delivered flat.**

Attachment points included. Available individually.
Four colours are available: gold, white, blue or red.
Find our droplights p. 223.

*** NEW**

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
205313*	Magie gold	H 0.50 x Ø 0.10 m	Mellow
204988	Boule de Noël Pop gold	H 0.50 x Ø 0.37 m	Rainbow
204992	Boule Tradi Pop gold	H 0.50 x Ø 0.39 m	Rainbow
204996	Maxi Cadeau Pop gold	H 0.50 x Ø 0.48 m	Rainbow
205001	Petit Cadeau Pop gold	H 0.50 x Ø 0.30 m	Rainbow
205005	Flocon Étoile Pop gold	H 0.50 x Ø 0.46 m	Rainbow
205009	Flocon Givré Pop gold	H 0.50 x Ø 0.50 m	Rainbow
205013	Étoile Pop gold	H 0.64 x Ø 0.64 m	Rainbow
205017	Éclat Pop gold	H 0.54 x Ø 0.52 m	Rainbow

Our ambition

To continue our commitment to a continuous and voluntary process of reducing our environmental footprint.




170721



170723




170727



170838



170833



NON-LUMINOUS 3D SUSPENSIONS

3D floorstanding decorations. Delivered flat.

Attachment points included. Non-luminous decoration. Available individually. Four colours are available: gold, white, blue or red.

*** NEW**

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170721*	Lanterne Pop gold	W 0.27 x H 0.5 x D 0.27 m	Rainbow
170723*	Perle	W 0.3 x H 0.6 x D 0.3 m	Mellow
170727*	Goutte	W 0.35 x H 0.6 x D 0.12 m	Mellow
170838*	Moulin	W 0.65 x H 0.65 m	Mellow
170833*	Nœud	W 0.57 x H 0.54 m	Mellow

PRINTED PRODUCTS



170304



170340



170292



170320



170300



170328



170288



170312



170308




170332



170296



170316



170336



170324



170344



170348

NON-LUMINOUS 2D SUSPENSIONS

2D suspensions.

Attachment points included.
Non-luminous decoration. Sold in packs of 5, except for ref.170336
Four colours are available: gold, white, blue or red.

REFERENCE	DESCRIPTION	DIMENSIONS
170304	Cadeau Étoiles gold	W 38.7 x H 65.8 cm
170300	Cadeau Dream gold	W 52.8 x H 42.8 cm
170308	Cadeau Zig gold	W 38.7 x H 40.7 cm
170292	Boule de Noël gold	W 32.7 x H 45.4 cm
170288	Boule Tradi gold	W 31.2 x H 40.7 cm
170296	Petite Boule gold	W 21.3 x H 16 cm
170340	Flocon Givré gold	W 39.7 x H 39.7 cm
170328	Flocon Étoile gold	W 21.7 x H 31.7 cm
170332	Petit Flocon gold	W 18.5 x H 21.3 cm
170320	Éclat gold	W 40.7 x H 31.3 cm
170312	Grande Étoile gold	W 38.7 x H 40.7 cm
170316	Petite Étoile gold	W 19.7 x H 20.7 cm
170324	Flocon Snow gold	W 36.2 x H 40.7 cm
170344	Pain d'Épices gold	W 33.5 x H 40.6 cm
170348	Sucre d'Orge gold	W 21.8 x H 30 cm
170336	Flocon Baroque gold	W 95.2 x H 83 cm




INFLATABLE SHINING BAUBLES

REFERENCE	DIAMETER	COLOUR
550101	40 cm	Grey
550100	40 cm	Gold
550102	40 cm	Red
550103	40 cm	Green

Inflatable structure covered with fabric.

Suitable for use in buildings not subject to regulations governing buildings receiving the public. Compressor required.




FOLDABLE SHINING STARS

REFERENCE	DIAMETER	COLOUR
550093	80 cm	Grey
550092	80 cm	Gold
550094	80 cm	Red
550095	80 cm	Green
550097	150 cm	Grey
550096	150 cm	Gold
550098	150 cm	Red
550099	150 cm	Green

Foldable decoration.


Foldable structure covered with fabric. Suitable for use in buildings not subject to regulations governing buildings receiving the public.



CHRISTMAS KNOTS

* NEW

REFERENCE	DESCRIPTION	DIMENSIONS AXBXC
550938*	Red & gold Xmas knot	38 x 45 x 10 cm
550939*	Red & gold Xmas knot	60 x 76 x 17 cm
550940*	Red & gold Xmas knot	91 x 114 x 23 cm
550941*	Red Xmas knot	30 x 38 x 7.5 cm
550942*	Red Xmas knot	45 x 58 x 15 cm



Extremely resistant for outdoor use.

Wire fastening on the back. Suitable for use in buildings not subject to regulations governing buildings receiving the public.



FOLDABLE LANTERNS

* NEW

REFERENCE	DIMENSIONS	COLOUR
550488	Ø 25 cm	●
550489	Ø 25 cm	●
550490	Ø 25 cm	●
550491	Ø 25 cm	●
550492	Ø 25 cm	●
550493	Ø 25 cm	●
550494	Ø 25 cm	○
550572	Ø 25 cm	●●●●●
550949*	Ø 15 x H 25 cm	○



550491



550949

Foldable decoration.
Volume effect, flat storage.

Sold in sets of 5.

Metal structure covered with fabric. Suitable for use inside buildings not ruled by ERP.
UV resistant. Designed to be assembled on suspension sockets ref.550180, or B22/E27 garlands.


Ref.550572: 1 red, 1 yellow, 1 blue, 1 green and 1 white lantern.

FIBERGLASS DECORATIONS

Can be decorated with garlands or illuminated with a projector.

Visible in daylight and easy to highlight at night.
 Light and strong structures.
 Available in different sizes.
 Water drops can be combined with half spheres.



REFERENCE	DESCRIPTION	DIAMETER	HEIGHT	FIBER
050174	Half-sphere	50 cm	25 cm	□
050172	Half-sphere	50 cm	25 cm	■
050176	Half-sphere	100 cm	50 cm	□
050177	Half-sphere	100 cm	50 cm	■
050681	Water drop (top only)	50 cm	65 cm	□
050682	Water drop (top only)	100 cm	125 cm	□
050683	3D pot	100 cm	100 cm	□
050180	Cone	60 cm	120 cm	□
050182	Cone	115 cm	250 cm	□
050184	Ribbon	50 cm	150 cm	□



050682



050683



050180



050184



050174

RIFLETTI SUSPENSIONS

REFERENCE	DESCRIPTION	DIAMETER
051066	Golden Rifletti mini star	280 mm
051063	Silver Rifletti star	500 mm
051067	Golden Rifletti disc	500 mm
051069	Silver Rifletti disc	500 mm

**Delivered flat.
Swivelling in the wind.**

Gold or silver stainless steel suspensions.
Delivered flat. Swivel hook included.
Mini stars packed by 5.
Stars and discs available individually.



Swivel hook



VOLUME JABOTS

REFERENCE	LENGTH	DIAMETER	WEIGHT
051016	2.70 m	14 to 35 cm	2 kg
051076	4 m	14 to 50 cm	6 kg

Natural effect.

Supplied with 2 alpine karabiners.
Flexible and luxuriant.



VOLUME CROWN

REFERENCE	DIAMETER	WEIGHT
051091	75 cm	1.5 kg

Traditional & natural effect.

2 attachment rings. Flexible and luxuriant.



CHRISTMAS BALLS

DIAMETER	PEARL	SILVER	GOLD	BLUE	RED	PINK
100 mm	060742	060743	061052	001814	061024	061020
140 mm	060820	060759	060812	001813	060808	061030
200 mm	060821	060745	060813	060856	060809	061061
280 mm	060822	060817	061056	060857	000002	061107
400 mm	060823	060818	060814	001242	060810	060980



Outdoor drilled balls (from Ø 200 mm).
Attachment included. Glossy finish (except from pearly).
Choose your diameter.




ROUNDED SPANGLES

DIAMETER	DELIVERED BY	WHITE	GOLD	BLUE	RED
100 mm	10	600439	600434	600449	600444
140 mm	10	600440	600435	600450	600445
200 mm	5	600441	600436	600451	600446
280 mm	5	600442	600437	600452	600447
400 mm	4	600443	600438	600453	600448



600439



600434



600449

Our ambition

To continue our commitment to a continuous and voluntary process of reducing our environmental footprint.



SPANGLES

REFERENCE	DESCRIPTION	DIAMETER
050772	Silver and gold spangles	10 cm

**Gold on the front,
silver on the back.**

Packed by 10.




SUSPENSIONS WITH MIRROR EFFECT

REFERENCE	DESCRIPTION	DIAMETER
050562	Mirror flakes	26 cm
050563	Mirror sparkles	25 cm

Reflects light.

Mirrored surfaces on both sides.
2 attachment points.
Suitable for use inside buildings not ruled by ERP.
Packed by 10.



050562


050563

FEATHERS AND LEAVES

REFERENCE	DESCRIPTION	DIMENSIONS
600428	Little silver feather	43 x 8 cm
600429	Little golden feather	43 x 8 cm
600430	Silver leaves	36 x 20 cm
600431	Golden leaves	36 x 20 cm
600432	Width silver feather	50 x 12 cm
600433	Width golden feather	50 x 12 cm

A touch of nature and delicacy...

Integrate decoration visible during the day into your illuminations.
 Suitable for use inside buildings not ruled by ERP.
 Packed by 12.



PAPILLOTE GARLANDS

*** NEW**

REFERENCE	LENGTH	DIAMETER	COLOUR
550958*	10 m	15 cm	○

Resistant for outdoor use.

Visible by day and by night. Suitable for use in buildings not subject to regulations governing buildings receiving the public.



GUARLANDS WITH SPANGLES

REFERENCE	DESCRIPTION	LENGTH
060790	Garland with silver spangles	20 m
060791	Garland with golden spangles	20 m
060792	Garlands with blue spangles	20 m
060793	Garland with red spangles	20 m
550386	Garlands with pink spangles	20 m

Reflects light.

Reflective coloured spangles. Visible day and night.



060791



060793

DECORATIVE GARLANDS

REFERENCE	DESCRIPTION	LENGTH
050579	Brilliant glass beads	10 m
050578	Pearls and sequins	10 m

Reflections, sequins, splinters...

Integrate decoration visible during the day into your illuminations. Suitable for use inside buildings not ruled by ERP.



050579



050578


NATURAL CHRISTMAS TREES



Choose a tailor-made giant natural Christmas tree and support European Christmas tree growers.

This innovative metal structure brings together lots of standard-sized natural fir trees, to form an impressive festive centrepiece. Validated by technical consultants, the resulting structure stands up to the most extreme weather conditions and can be safely installed in a public place.

The spruce or Nordmann fir Christmas trees used to form this giant tree, have been grown in special forests in France. The giant tree can be created in your desired height and includes full installation kit: metal structure, Christmas trees, ballast and bracing kit, screws and assembly drawing.



Our ambition

To continue our commitment to a continuous and voluntary process of reducing our environmental footprint.

Technological animations





LOOMIE



Try an immersive enhanced-reality experience in the town- or city-centre!

Visitors can interact with the illuminations and their environment. Create traffic and energize the city center!

Loomie is a seasonal augmented reality app for smartphones (Android and IOS), downloadable from App Store and Play Store. It works within a specific area, defined for your event. Thanks to a QR code sign (provided by Leblanc illuminations), visitors are invited to download the app to access a variety of interactive 3D games to play within the heart of your city.



Discover Loomie

The aim of this app: create a buzz about your place, while inviting visitors to share pictures featuring your logo to their friends and family!

Thanks to its simplicity and in-built shareability, the app encourages social sharing featuring your logo, via the internet and social networks (facebook, instagram, snapchat, etc...)



1
Activate geolocation

2
Start application

3
Play and share

Download Loomie



5 applications proposed by Loomie



This is primary function of the application. Also available at the end of each game, it allows you to create personalised digital greeting cards in a matter of seconds.



Father Leon hires Detective Rudolph to go in search of the objects that make the Christmas Spirit. A real treasure hunt in your city!



The wind scattered Pigloo's clothes while he was taking his bath. In this game, the user must find them by scanning the environment with the screen.



In this race against the clock, you have to help Father Leon catch a maximum of gifts that have fallen from the sky by moving him around the screen.



Even more visibility and traffic! This function sends the user directly to your website.

A turnkey offer including:

- 1 Freestanding totem pole ref. 300006
- 3 games for young and old: Pigloo, the chilly penguin, Father Leon, the gift catcher and Detective Rudolph - Let's save Christmas!
- Personalization of the digital greeting cards with your logo, as well as 8 fun photo filters.
- redirection link to your website.
- The different graphic elements in your city's promotional materials.



PLAY
with Augmented Reality



TAKE YOU SELFIES
next virtual characters



CUSTOMIZE
your photos using postcard type filters and add a text




SHARE
your picture



REFERENCE	DESCRIPTION
LOOMIE	Loomie app. + Freestanding totem pole
300006	Freestanding totem pole with Loomie plate with QR Code
300007	Loomie plate with QR Code

REMOTE CONTROL SOLUTION OR YOUR ILLUMINATIONS



Technology designed
to save energy.

Nearly **50%**
energy saving
with our patented solution!

I can programme my illuminations and their turned on/off period and hours, zone by zone, with a few clics on my tablet or smartphone.

It's so easy. I don't need any extra power supply cable.

Indeed, with the Saver Box installed on Leblanc illuminations products, I simply **download the App** and let myself be led.

Further information
on our remote control solution



Simple and intuitive

- Intuitive app
- Wireless communication (Bluetooth / 868 MHz)
- One power cut period and 4 exceptions
- Memorising of programmes guaranteed even switched off
- Super-easy installation thanks to the Plug & Light connectors

PASS BOX⁽¹⁾

REFERENCE	REACH	AUTONOMY
010020	50 m	7 hours



Communication link between decoration and tablet/ smartphone.

Controls and programs the street decorations equipped with a Saver Box, thanks to the App, the tablet/smartphone application.

- Dimensions: H 117 x W 72 x P27 mm
- Wireless radio / bluetooth communication
- Bluetooth reach to the 1st Saver Box is 50 m maxi.
- 7 hours battery life - supplied with battery, mains charger 230V, and mini USB cable.
- IP 20

P&L
230V

SAVER BOX⁽¹⁾

REFERENCE	REACH	P. MAX/230V
010019	50 m	460W/AC + 460W/DC



Power supply which turns on/off street decorations according to required hours.

Enables you to create a power cut period at night. The Savers Boxes talk to each others wireless.


- Dimensions: H 115 x W 78 x D 33 mm
- Power supply 230V AC
- 1 AC max 2A output + 1 DC max 2A output, P&L Bf
- Connection 2.35 mm P&L Bm
- IP 54

⁽¹⁾ Works in Europe only.

Accessories to avoid cutting the Maestro housing connector.


MALE CONNECTOR WITH CABLE GLAND

REFERENCE	CABLE	LENGTH
032355	—	0.18 m



FEMALE CONNECTOR WITH CABLE GLAND

REFERENCE	CABLE	LENGTH
032369	—	0.18 m



KUBIX³

Produce
amazing
light shows
with Kubix³!

Kubix³, an exclusive Leblanc illuminations technology.

These DMX transmission boxes let you control, dim and synchronise very precisely all our street decorations, lighting solutions, projectors, let you set up independant networks and make the most amazing light designs possible.

Discover Kubix³



Laval



Les Deux Alpes

Kubix³

230V

P&L
230V IP67

REFERENCE DESCRIPTION C. DMX

110004 Kubix³ 230V 1/3



Front side adressable DMX controller.


Stand alone mode with preset programmes for non DMX use.

- Dimensions: W 170 x l 73.6 x D 38 mm

ADAPTER 3 WAYS / P&L

REFERENCE LENGTH

300009 40 cm



DMX ACCESSORIES


REFERENCE DESCRIPTION DIMENSIONS WEIGHT C. DMX

180034 E-Board 512 97 x 166 x 38 mm 0.18 kg 1 x 512

REFERENCE DESCRIPTION LENGTH

080805 Adapter DMX in/outdoor 20 cm
 080190 ID 67 DMX cable light 10 m
 080191 ID 67 DMX cable light 5 m
 080192 ID 67 DMX cable light 2.50 m

Example of 230V cabling plan



The dynamic highlight

For more than 30 years, the HALTO brand has dedicated its work to light designers, visual artists, scenographers, and event agencies.



Based on its experience, HALTO provides custom-designed lighting! To YOUR measure!

Whether it is for use in an aquatic, urban, dynamic environment or in extreme cold... HALTO will turn your creative ideas into exceptional achievements!

www.halto.fr

Discover the
HALTO catalogue





HALTO
by Leblanc

HALTO, exclusively from
LEBLANC illuminations.

Architectural Lighting



BAR

IP66

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180201	BAR 9	RGBL 9 LED	305 x 66 x 80 mm	1.2 kg 20 W	15°	1/3/4/5/6/7
180202	BAR 18	RGBL 18 LED	610 x 66 x 80 mm	2.1 kg 40 W	15°	1/3/4/5/6/7/11
180203	BAR 27	RGBL 27 LED	915 x 66 x 80 mm	3.2 kg 60 W	15°	1/3/4/5/6/7/15



As a new generation of linear wall washer, the BAR series exist in 3 versions from 9 to 27 LEDs. The IP66 Bars are designed as a flexible solution to highlight a large variety of outdoor building structures. The Bars are equipped with the RDM function and can be controlled by sections (Bar 9 – 1 section, Bar 18 – 2 sections, Bar 27 – 3 sections). Every section requires 1 filter (example: 1 filter for Bar 9, 2 filters for Bar 18 and 3 filters for Bar 27).

- 9, 18 or 27 RGBL multichip LEDs
- Beam angle 15°
- RDM
- IP66



BAR filters list



SPO 15

- 1 RGLB LED
- Power 15W



SPO 100

- 4 RGLB LEDs
- Power 100W




SPO 180

- 9 RGLB LEDs
- Power 180W



SPO 450

- 30 RGLB LEDs
- Power 450W



SPO & SQA 270 use the latest 4 in 1 LED technology to get the highest color saturation and exceptional color mixing. The different filters provide several beam angles for the best expected effect. Thanks to the RDM function, the projectors instantly give feedback about their working condition, which simplifies the set-up operations.

- RGLB LEDs
- Beam angle 6°
- Advanced color processing
- RDM
- IP67



SPO & SQA
filters list



SQA 270

- 18 RGLB LEDs
- Power 270W

IP67

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180087	SPO 450	RGLB 30 LED	423 x 284 x 443 mm	18 kg 450 W	6°	1/3/4/5/7/15
180091	SQA 270	RGLB 18 LED	530 x 179 x 313 mm	13 kg 270 W	6°	1/3/4/5/7/8
180088	SPO 180	RGLB 8 LED	287 x 245 x 284 mm	8 kg 180 W	6°	1/3/4/5/7/8
180089	SPO 100	RGLB 4 LED	206 x 197 x 217 mm	5 kg 100 W	6°	1/3/4/5/7/8
180090	SPO 15	RGLB 1 LED	176 x 111 x 164 mm	1.7 kg 15 W	6°	1/3/4/5/7/8

GOBO SELECTION




800259



800042



800000



800519



800278



800283



800202



800564



800038

CUSTOMISED GOBOS

On request, we can produce your personalised visual.



NEWTON 210 HD+



IP66

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180063	Newton 210 HD+	RGBAL LED	668 x 344 x 273 mm	16 kg	250 W 15° > 30°	8/10/13/19

Newton 210 HD+ is an IP66 profile projector equipped with a RGBA + Lime LED of 250W and with a medium size gobo holder (water effect gobo included). The light has 12 white macros from 2700° to 8000° and Lee and Rosco color presets. The light body is die-casting aluminum resistant from -20° to +45°.

- IP66 profile
- Zoom 15 to 30°
- Motorized zoom focus
- 4 manual shutters
- Medium size indexable rotating gobo
- Water effect gobo included
- Wireless DMX by Wireless Solution
- RDM
- Illuminance 4662 Lux at 5m in 15°





Watch the animations

KEPLER 350

Kepler 350 is an IP66 gobo projector equipped with 1 white LED of 350W 7000°, perfect for outdoor projection use. Thanks to the different gobo effects, CMY, prism, frost and with a 8° to 40° zoom, the spotlight achieves a very interesting short and long-distance projection. The product is IP66 waterproof rating, ideal for a wide use in theme parks, commercial centers, architectural buildings, historical monuments, etc.



- 350W white LED
- Zoom 8 to 40°
- Power 380W
- 7 rotating gobos + white wheel
- 7 colors + white wheel
- CMY
- Animation wheel
- 3 facets prism
- Frost
- Wireless Solution
- RDM
- IP66



KEPLER 150

IP66

*** NEW**

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180064	Kepler 350	□ White 1 LED 350 W	605 x 343 x 250 mm	23 kg 350 W	8° > 40°	17/20
180208*	Kepler 150	□ White 1 LED 150 W	454 x 201 x 186 mm	9.2 kg 150 W	18° > 40°	11/14

The latest addition to the range, Kepler 150 is a IP66 gobo projector equipped with a 100W 5900K white LED engine, developing a flux of 2850 lumens. It embeds in a compact case a 5 colors wheel, a 4 rotating gobos wheel, a 4 facets prism, an animation wheel and 18° to 40° zoom. Kepler 150 will project images on buildings or any other outdoor support at short or medium distance. Kepler 150 is also equipped with a Wireless solution DMX receiver which eliminates the need to install a control cable.

- 100W white LED
- Zoom 18 to 40°
- Power 150W
- 4 rotating gobos
- 5 colors wheel
- CMY
- Animation wheel
- 4 facets prism
- Wireless Solution
- RDM
- IP66



UND 12R

Designed for in-ground or in-wall installations, UND 12R uses 3 RGBW LEDs. It has customized optics to create the optimum performance, delivering both perfect color mixing and high output. The IP67 housing and the IK10 protection index allow UND12R to be installed in a wide range of outdoor and indoor applications. Thanks to the RDM function, the projector instantly gives feedback about its working condition, which simplifies the set-up and installation operations.

- 3 RGBW LEDs
- Beam angle 16°
- Power 12W
- RDM
- IP67
- IK10



UND 46

Designed for in-ground or in-wall installations, UND 46R is using 12 RGBW LEDs. It has customized optics to create the optimum performance, delivering both perfect color mixing and high output. The IP67 housing and the IK10 protection index allow UND46R to be installed in a wide range of outdoor and indoor applications. Thanks to the RDM function, the projector instantly gives feedback about its working condition, which simplifies the set-up and installation operations.

- 12 RGBW LEDs
- Beam angle 16°
- Power 46W
- 1 or 2 sections control
- RDM
- IP67
- IK10



UND 43

Designed for in-ground or in-wall installations, UND 43 uses 12 RGBW LEDs. It has customized optics to create the optimum performance, delivering both perfect color mixing and high output. The IP67 housing and the IK10 protection index allow UND43 to be installed in a wide range of outdoor and indoor applications. Thanks to the RDM function, the projector instantly gives feedback about its working condition, which simplifies the set-up and installation operations.

- 12 RGBW LEDs
- Beam angle 16°
- Power 43W
- 1 or 2 sections control
- RDM
- IP67
- IK10

IP67

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180103	UND 46	RGBW 12 LED	320 x 320 x 146 mm	8 kg 46 W	16°	8
180105	UND 12R	RGBW 3 LED	Ø 153 x 177.2 mm	2 kg 12 W	16°	5
180104	UND 43	RGBW 12 LED	660 x 96 x 128 mm	3.5 kg 43 W	16°	8

ACCESSORIES

FILTERS

REFERENCE	DESCRIPTION
100197	Filter 20° for SQA 270
100196	Filter 40° for SQA 270
100195	Filter 55° for SQA 270
100198	Filter 60° x 10° for SQA 270
100216	Filter 20° for SPO 450
100217	Filter 40° for SPO 450
100220	Filter 55° for SPO 450
100221	Filter 60° x 10° for SPO 450
100210	Filter 20° for SPO 180
100211	Filter 40° for SPO 180
100212	Filter 55° for SPO 180
100207	Filter 60° x 10° for SPO 180
100205	Filter 20° for SPO 100
100201	Filter 40° for SPO 100
100206	Filter 55° for SPO 100
100202	Filter 60° x 10° for SPO 100
100190	Filter 10° for SPO 15
100188	Filter 30° for SPO 15
100187	Filter 40° for SPO 15
100186	Filter 60° for SPO 15
100189	Filter 80° for SPO 15
100185	Filter 10° x 60° for SPO 15
100280	Frost filter 30° x 1° for BAR
100282	Frost filter 15° x 1° for BAR
100284	Frost filter 60° for BAR
100286	Frost filter 10° x 30° for BAR
100288	Frost filter 60° x 1° for BAR
100289	Frost filter 30° x 60° for BAR

FILTER HOLDERS

REFERENCE	DESCRIPTION
100199	Filter holder for SQA 270
100200	Filter holder for SPO 100
100215	Filter holder for SPO 180
100222	Filter holder for SPO 450

BARNDOORS

REFERENCE	DESCRIPTION
100204	Anti-glare shield for SQA 270
100290	Barndoors for BAR 9
100291	Barndoors for BAR 18
100292	Barndoors for BAR 27




POWER BOX

REFERENCE	DESCRIPTION
100249	DMX/240V 10A power box for BAR



SIGNAL AMPLIFIERS

REFERENCE	DESCRIPTION
100251	IP66 Signal amplifier 1 in / 4 out
100252	IP66 Signal amplifier 1 in / 2 out



E-CODER

REFERENCE	DESCRIPTION
900225	E-Coder to address and set-up



COMBO EXTENSION CABLES FOR BAR

REFERENCE	DESCRIPTION
900100	Combo extension cables (DMX/240V) 2.5m
900101	Combo extension cables (DMX/240V) 5m
900102	Combo extension cables (DMX/240V) 10m

POWER EXTENSION CABLES FOR KEPLER 350 / NEWTON 210 HD+

REFERENCE	DESCRIPTION
900010	IP67 power cable - 10m
900011	IP67 power cable - 5m
900012	IP67 power cable - 2.5m

SIGNAL EXTENSION CABLES FOR KEPLER 350 / NEWTON 210 HD+

REFERENCE	DESCRIPTION
900030	IP67 signal cable - 10m
900031	IP67 signal cable - 5m
900032	IP67 signal cable - 2.5m



IZY 80

Rotating gobo spotlight



XMAS GOBOS

For IZY 80



FLOODLITE

This projector contains in its small size an RGBW COB LED that will surprise you with its power of 200 W and its opening angle of 60°.

Its weight and size make it easily concealable.

IP65

REFERENCE	DESCRIPTION LAMP	DIMENSIONS	WEIGHT P. / 230V OPTICS
551157	IZY 80 <input type="checkbox"/> White 1 LED 80 W	260 x 195 x 130 mm	2,3 kg 92 W 33°
800360	Set of 6 Christmas gobos		
551221	Optics 20° for IZY 80		
551222	Optics 53° for IZY 80		

IP65

REFERENCE	DESCRIPTION LAMP	DIMENSIONS	WEIGHT P. / 230V OPTICS	C. DMX
180108	Floodlite HD <input type="checkbox"/> RGB 1 LED 200 W	235 x 110 x 190 mm	3 kg 200 W 60°	4/7/10/11/15



E-BOARD

This box will allow you to animate all your events as well as your luminous decorations.

In version 512 or 1024 DMX channels, you will be able to recall your recorded scenographies thanks to the buttons on the front panel.



IP20

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180163	E-Board 1024 MKIII	127 x 110 x 40 mm	0.18 kg	2 x 512
180034	E-Board 512	97 x 166 x 38 mm	0.18 kg	1 x 512

Facilitate your installations by removing cables, opt for wireless DMX!

These boxes can support 512 to 1024 DMX channels, and can be used as DMX transmitters, receivers or repeaters, all IP65.

CRMX



CRMX Outdoor FX is the ultimate wireless DMX and RDM product for any installation.

CRMX OUTDOOR FX - 412321

- DMX512 and RDM support
- Power over Ethernet support
- Ethernet or wired DMX input/output
- Up to 1000 meter link range
- 5 ms latency
- Automated Cognitive Coexistence
- Forward Error Correction
- IP67 classification
- Vandal proof casing

CRMX Outdoor RX is an IP67 outdoor receiver for one DMX universe being transmitted by a CRMX transmitter (indoor or outdoor).

CRMX OUTDOOR RX - 412323

- One universe supported
- DMX512 and RDM support
- Up to 1000 meter link range
- 5 ms latency
- Automated Cognitive Coexistence
- Forward Error Correction

GALILEO



Galileo makes your next installation project easier than ever by providing reliable Wireless DMX in an install friendly form factor.

GALILEO TX - 412328

Supported Protocols:

- DMX / RDM
- CRMX Classic
- W-DMX G3/G4S
- Bluetooth 5.0

RF Characteristics:

- 2402-2480 MHz frequency
- 7 - 280 mW output power
- 5ms latency
- 128-bit encryption
- Forward Error Correction

Physical:

- DIN-rail 2 module width
- RP-SMA antenna connector
- 12-24 VDC/VAC pluggable screw terminal
- DMX/RDM 3 pin pluggable screw terminal


Approvals :

- CE, FCC, IC, NRTL (MET), KC, MIC, UKCA

GALILEO RX - 412329

Supported Protocols:

- DMX / RDM
- CRMX², CRMX Classic
- W-DMX G3/G4/G4S/G5
- Bluetooth 5.0





SERVICES

*To accompany you in your projects, we offer different types of services.
From the preparation of cables to the start-up of the installation,
everything will be done to guide you in the best possible way in the realisation of your lighting.*

MEL-CABLAGE :

- Action carried out on a projector to match the product's connectors to the customer's project
- Address projector / Define static programme

MEL-PREPA :

- Project wiring plan
- Programming of a show defined with the customer
- Hotline with dedicated spotlighting contact person

MEL-ASSIST :

- On-site travel
- Project wiring plan
- Programming a show defined with the customer
- Helpline with dedicated contact person for spotlighting
- Adjusting spotlights and checking installation
- Validation of product operation

MEL-FORMA :

- On-site training 4 people maximum per course
- Training in projector use
- Pilot software training
- Various training courses

MEL-SCAN :

- On-site travel
- Measuring buildings
- Supply of data files

MEL-TWINKLY :

- On-site travel
- Project study
- Project wiring diagram
- Set-up of decorations/products and verification of installation
- Validation of product operation
- On-the-spot training in the use and control of Twinkly PRO technology

Our high-performance scanner enables precise 3D surveying of complex objects and buildings.

This automated dimensioning system is an invaluable asset as it enables all the necessary measurements to be taken in record time and integrate this data into the simulation of your lighting project.

You can also retrieve neutral files from a simple and intuitive interface, compatible with any compatible with any operating system, for all your future uses.



REFERENCE

MEL-CABLAGE

MEL-PREPA

MEL-ASSIST

MEL-FORMA

MEL-SCAN

MEL-TWINKLY


Sound & lighting

Thanks to our project managers specialising in creating sound light shows, your installations (Christmas trees, ceilings, etc.) come to life for the duration of an event.

Sound and light shows tell a story, whether imaginary or heritage. Depending on the location and the atmosphere you wish to create, we can propose solutions tailored to your needs. A light show can be installed in a place steeped in history: a historic building, a facade, an avenue...

In this way, you can enhance the value of your heritage and make it possible to see what no one else has noticed!

Spectators are captivated, and it's up to you to fill them with even more wonder: light, sound, fragrance... Programmed scenes or sensor-triggered, anything is possible to accompany your story...



Pau • France



DYNAMIC CEILING LIGHTS UP
THE CHRISTMAS MARKET

Megève • France




SYNCHRONISED CONCERT & ILLUMINATIONS


SANTA CLAUS HONORS THE BASQUE COUNTRY



Saint-Jean-de-Luz • France



Mandelieu-la-Napoule • France



NATIONAL DAY

ALCOR



- ✓ 1 385 lumens
- ✓ 3 LEDs RGB+Lime
- ✓ Uniform colour mixing
- ✓ Pure white
- ✓ 10° opening
- ✓ 30°, 80°, 60x10° magnetic filters
- ✓ 20H autonomy
- ✓ IP65
- ✓ 4 rubber pads
- ✓ 15° adjustable cylinder
- ✓ Engraved QR code (notice)
- ✓ Matt black aluminium
- ✓ Universal key lock
- ✓ 1.9 Kg
- ✓ Can be used on load
- ✓ IR remote control
- ✓ Stand-alone mode
- ✓ Audio mode
- ✓ Master/slave mode
- ✓ W-DMX compatible
- ✓ Accessories
- ✓ Irresistible

www.starway.eu



**FURTHER
INFORMATION**

 **Starway**
The magic of light



Technical Appendix

COMPLIANCE OF OUR PRODUCTS

All Leblanc illuminations' products comply with all European standards and directives. The product compliance certificates are provided on request.

DIRECTIVE NAME

AREA OF APPLICATION

ROHS

2011/65/UE Directive

The ROHS European directive aims to restrict the use of 6 dangerous substances (lead, mercury, cadmium, hexavalent chrome, polybrominated biphenyls (PBBs), and polybrominated diphenyl ethers (PBDEs).

RoHS signifies 'Restriction of the use of certain Hazardous Substances' in electrical and electronic equipment.



Directive
DEEE

2012/19/UE Directives

Waste Electronic and Electrical Equipment (WEEE) is a category of waste defined by European regulations as 'equipment functioning with electric currents or electromagnetic fields, as well as equipment which produces, transfers, and measures these currents and fields, designed to be used at a voltage which does not exceed 1000 volts AC and 1500 volts DC'.

In Europe, this directive aims to make the recycling of WEEE mandatory and establish the principle of producers' responsibility. Consumers will contribute to this process by paying an eco-contribution or eco-tax, included in the purchase price for new equipment.

INTERNATIONAL PROTECTION

IP is the protection index against solids and liquids. Outside, the minimum protection index is IP44.

I P X X

1st protection figure = SOLIDS

2nd protection figure = LIQUIDS

IP PROTECTION

- 0** No protection.
- 1** Protected against solids of more than 50 mm (unintentional contact with hands).
- 2** Protected against solids of more than 12.5 mm (fingers).
- 3** Protected against solids of more than 2.5 mm (tools, screws).
- 4** Protected against solids of more than 1 mm (small tools, small wires).
- 5** Protected against dust (no harmful deposits).
- 6** Fully protected against dust.

IP PROTECTION

- 0** No protection.
- 1** Protected against drops of water falling vertically (condensation).
- 2** Protected against drops of water up to 15° from vertical.
- 3** Protected against rainwater up to 60° from vertical.
- 4** Protected against water spray from all directions.
- 5** Protected against hosed water from all directions.
- 6** Fully protected against water spray similar to waves.
- 7** Protected against the effects of immersion.
- 8** Protected against the effects of prolonged immersion in the specified conditions (followed by an indication of the maximum immersion depth in metres).

PUBLIC ACCESSIBILITY TO 230V DECORATIONS

Installations which are accessible to the public

They are located at a height lower than 3 m above the ground or at least 1 m horizontally outwards from a balcony, terrace or any place accessible to the public. Light installations positioned directly on the ground are also included.

What precautions need to be taken?



- Extract from the standard C 17-202, § 5.1.2

'The circuits must be protected at their source by high sensitivity residual current devices (30mA) for additional protection against direct contact.'



- Extract from the standard C 17-202, § 5.2.2

'Maintained inaccessibility provides protection against direct contact. In terms of indirect contact, the circuits must be protected by a medium sensitivity residual current device (300mA). The connection must be made with fixed connections. Non-fixed connections and even inaccessible sockets are protected by high sensitivity residual current devices (30mA). If part of the temporary installation does not comply with inaccessibility regulations, the requirements of 5.1.2 must be applied at least to the part in question.'

INSTALLATIONS ACCESSIBLE TO THE PUBLIC



INSTALLATIONS NOT ACCESSIBLE TO THE PUBLIC



TECHNICAL VOCABULARY

AMPERE (A)

Unit which measures the intensity of current which corresponds to the number of electrons which pass through a point in a circuit per second.

VOLT (V)

Unit which measures the voltage. The voltage is the difference in electrostatic potential between two points and is associated with the energy that an electron needs to move between these two points.

WATT (W)

Unit which measures the power consumed by a product.

Calculation of the intensity of the current : $P = U \times I$

(P : power in W, U : voltage in V, I : intensity in A)

FREQUENCY (Hz)

Number of times the polarity of the signal changes per second. It is given in Hertz.

COLOUR TEMPERATURE

The colour temperature makes it possible to determine the colour of a light source. The apparent colour of a light source varies from the orange-red of a candle flame (1850 K) to the blueish colour of an electronic flash (between 5000 and 6500 K according to the manufacturer). It is measured in Kelvin (K).

- Warm white: 2600 K
- Neutral white: 3500 K
- Cool white: 4500 K



CE MARKINGS

It is mandatory for all products covered by one or several European directives which specifically provide for it. To put CE marking on a product, the manufacturer must carry out, or have carried out, checks and tests to ensure that a product complies with the essential requirements, particularly in terms of health and safety, defined in the directive(s) concerned. It is not a certification mark or an indication of the geographical origin of the product. It is mandatory and of a regulatory nature and is the visible commitment of the manufacturer that its product complies with European legislation. It gives the products concerned the right of free movement throughout the European Union.



'PROCESSING OF ELECTRIC AND ELECTRONIC PRODUCTS' END-OF-LIFE

Applied to all products except incandescent bulbs, gas bulbs, spotlights, power cables and all non-electric products

LEAKAGE CURRENT

The leakage current is current which, by definition, leaks between the active parts and the grounding connection in the absence of an electrical fault. It is part of the installation's normal functioning. The design of an electric installation must provide for residual current protection to ensure the safety of persons and goods by taking these leakages into account. These, along with the installation's upstream cables, can reach the threshold value for activating the protection. The solution is to limit the number of devices protected by the same residual current device.

For example, for 10 m of garlands, you measure leakage current equal to 0.09 mA. Knowing that a 30 mA circuit breaker is triggered at 16 mA, you need to heed to a maximum of 50 x 20 m garlands for an HPI type 30 mA differential circuit breaker.

DMX PROJECTION AND MANAGEMENT

DIAMETER PROJECTION TABLE

You can choose the projector suited to your project according to the minimum projection angle to illuminate a building from a given distance.

PROJECTION DISTANCE (IN METRES)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	18	20	25	30	35	40	45	50	60	70	80
10°	0.17	0.35	0.52	0.70	0.87	1.05	1.22	1.40	1.57	1.75	1.92	2.10	2.27	2.45	2.62	3.15	3.50	4.37	5.25	6.12	7.00	7.87	8.75	10.50	12.25	14.00
11°	0.19	0.39	0.58	0.77	0.96	1.16	1.35	1.54	1.73	1.93	2.12	2.31	2.50	2.70	2.89	3.47	3.85	4.81	5.78	6.74	7.70	8.67	9.63	11.55	13.48	15.41
12°	0.21	0.42	0.63	0.84	1.05	1.26	1.47	1.68	1.89	2.10	2.31	2.52	2.73	2.94	3.15	3.78	4.20	5.26	6.31	7.36	8.41	9.46	10.51	12.61	14.71	16.82
13°	0.23	0.46	0.68	0.91	1.14	1.37	1.60	1.82	2.05	2.28	2.51	2.73	2.96	3.19	3.42	4.10	4.56	5.70	6.84	7.98	9.11	10.25	11.39	13.67	15.95	18.23
14°	0.25	0.49	0.74	0.98	1.23	1.47	1.72	1.96	2.21	2.46	2.70	2.95	3.19	3.44	3.68	4.42	4.91	6.14	7.37	8.59	9.82	11.05	12.28	14.73	17.19	19.65
15°	0.26	0.53	0.79	1.05	1.32	1.58	1.84	2.11	2.37	2.63	2.90	3.16	3.42	3.69	3.95	4.74	5.27	6.59	7.90	9.22	10.53	11.85	13.17	15.80	18.53	21.06
16°	0.28	0.56	0.84	1.12	1.41	1.69	1.97	2.25	2.53	2.81	3.09	3.37	3.65	3.94	4.22	5.06	5.62	7.03	8.43	9.84	11.24	12.65	14.05	16.86	19.68	22.49
17°	0.30	0.60	0.90	1.20	1.49	1.79	2.09	2.39	2.69	2.99	3.29	3.59	3.89	4.18	4.48	5.38	5.98	7.47	8.97	10.46	11.96	13.45	14.95	17.93	20.92	23.91
18°	0.32	0.63	0.95	1.27	1.58	1.90	2.22	2.53	2.85	3.17	3.48	3.80	4.12	4.43	4.75	5.70	6.34	7.92	9.50	11.09	12.67	14.25	15.84	19.01	22.17	25.34
19°	0.33	0.67	1.00	1.34	1.67	2.01	2.34	2.68	3.01	3.35	3.68	4.02	4.35	4.69	5.02	6.02	6.69	8.37	10.04	11.71	13.39	15.06	16.73	20.08	23.43	26.77
20°	0.35	0.71	1.06	1.41	1.76	2.12	2.47	2.82	3.17	3.53	3.88	4.23	4.58	4.94	5.29	6.35	7.05	8.82	10.58	12.34	14.11	15.87	17.63	21.16	24.69	28.21
21°	0.37	0.74	1.11	1.48	1.85	2.22	2.59	2.97	3.34	3.71	4.08	4.45	4.82	5.19	5.56	6.67	7.41	9.27	11.12	12.97	14.83	16.68	18.53	22.24	25.95	29.65
22°	0.39	0.78	1.17	1.56	1.94	2.33	2.72	3.11	3.50	3.89	4.28	4.67	5.05	5.44	5.83	7.00	7.78	9.72	11.66	13.61	15.55	17.49	19.44	23.33	27.21	31.10
23°	0.41	0.81	1.22	1.63	2.03	2.44	2.85	3.26	3.66	4.07	4.48	4.88	5.29	5.70	6.10	7.32	8.14	10.17	12.21	14.24	16.28	18.31	20.35	24.41	28.48	32.55
24°	0.43	0.85	1.28	1.70	2.13	2.55	2.98	3.40	3.83	4.25	4.68	5.10	5.53	5.95	6.38	7.65	8.50	10.63	12.75	14.88	17.00	19.13	21.26	25.51	29.76	34.01
25°	0.44	0.89	1.33	1.77	2.22	2.66	3.10	3.55	3.99	4.43	4.88	5.32	5.76	6.21	6.65	7.98	8.87	11.08	13.30	15.52	17.74	19.95	22.17	26.60	31.04	35.47
26°	0.46	0.92	1.39	1.85	2.31	2.77	3.23	3.69	4.16	4.62	5.08	5.54	6.00	6.46	6.93	8.31	9.23	11.54	13.85	16.16	18.47	20.78	23.09	27.70	32.32	36.94
27°	0.48	0.96	1.44	1.92	2.40	2.88	3.36	3.84	4.32	4.80	5.28	5.76	6.24	6.72	7.20	8.64	9.60	12.00	14.40	16.81	19.21	21.61	24.01	28.81	33.61	38.41
28°	0.50	1.00	1.50	1.99	2.49	2.99	3.49	3.99	4.49	4.99	5.49	5.98	6.48	6.98	7.48	8.98	9.97	12.47	14.96	17.45	19.95	22.44	24.93	29.92	34.91	39.89
29°	0.52	1.03	1.55	2.07	2.59	3.10	3.62	4.14	4.66	5.17	5.69	6.21	6.72	7.24	7.76	9.31	10.34	12.93	15.52	18.10	20.69	23.28	25.86	31.03	36.21	41.38
30°	0.54	1.07	1.61	2.14	2.68	3.22	3.75	4.29	4.82	5.36	5.89	6.43	6.97	7.50	8.04	9.65	10.72	13.40	16.08	18.76	21.44	24.12	26.79	32.15	37.51	42.87
31°	0.55	1.11	1.66	2.22	2.77	3.33	3.88	4.44	4.99	5.55	6.10	6.66	7.21	7.77	8.32	9.98	11.09	13.87	16.64	19.41	22.19	24.96	27.73	33.28	38.83	44.37
32°	0.57	1.15	1.72	2.29	2.87	3.44	4.01	4.59	5.16	5.73	6.31	6.88	7.46	8.03	8.60	10.32	11.47	14.34	17.20	20.07	22.94	25.81	28.67	34.41	40.14	45.88
33°	0.59	1.18	1.78	2.37	2.96	3.55	4.15	4.74	5.33	5.92	6.52	7.11	7.70	8.29	8.89	10.66	11.85	14.81	17.77	20.73	23.70	26.66	29.62	35.55	41.47	47.39
34°	0.61	1.22	1.83	2.45	3.06	3.67	4.28	4.89	5.50	6.11	6.73	7.34	7.95	8.56	9.17	11.01	12.23	15.29	18.34	21.40	24.46	27.52	30.57	36.69	42.80	48.92
35°	0.63	1.26	1.89	2.52	3.15	3.78	4.41	5.04	5.68	6.31	6.94	7.57	8.20	8.83	9.46	11.35	12.61	15.76	18.92	22.07	25.22	28.38	31.53	37.84	44.14	50.45
36°	0.65	1.30	1.95	2.60	3.25	3.90	4.55	5.20	5.85	6.50	7.15	7.80	8.45	9.10	9.75	11.70	13.00	16.25	19.50	22.74	25.99	29.24	32.49	38.99	45.49	51.99
37°	0.67	1.34	2.01	2.68	3.35	4.02	4.68	5.35	6.02	6.69	7.36	8.03	8.70	9.37	10.04	12.05	13.38	16.73	20.08	23.42	26.77	30.11	33.46	40.15	46.84	53.54
38°	0.69	1.38	2.07	2.75	3.44	4.13	4.82	5.51	6.20	6.89	7.58	8.26	8.95	9.64	10.33	12.40	13.77	17.22	20.66	24.10	27.55	30.99	34.43	41.32	48.21	55.09
39°	0.71	1.42	2.12	2.83	3.54	4.25	4.96	5.67	6.37	7.08	7.79	8.50	9.21	9.92	10.62	12.75	14.16	17.71	21.25	24.79	28.33	31.87	35.41	42.49	49.58	56.66
40°	0.73	1.46	2.18	2.91	3.64	4.37	5.10	5.82	6.55	7.28	8.01	8.74	9.46	10.19	10.92	13.10	14.56	18.20	21.84	25.48	29.12	32.76	36.40	43.68	50.96	58.24
60°	1.15	2.31	3.46	4.62	5.77	6.93	8.08	9.24	10.39	11.55	12.70	13.86	15.01	16.17	17.32	20.78	23.09	28.87	34.64	40.41	46.19	51.96	57.74	69.28	80.83	92.38

DMX: DIGITAL MULTIPLEXING

The DMX is a protocol which came out of the USA and was introduced in 1986. It is a copyright-free system and it is cheap to implement. The DMX protocol is a switchboard for transmitting information between controls and remote receivers. Everything is based on digital pulse trains made up of square waves transmitted cylindrically on a frequency of 250 kHz. 24 to 512 channels can be transmitted on the same frame, with 512 possible Start codes.

Precautions:

- It has low voltage, so you need to avoid being close to high-emission high voltage.
- The voltage compared to the mass = - 7V to + 12V.
- The current between 2 conductors must be min. 200 mV.
- Y connections are strictly prohibited. You must use an amp junction box.
- The signal must be re-amplified approx. every 200 m or every 20 products.


INSTALLING A CEILING LIGHT

EXAMPLE: to fit a 100 m long x 4 m wide street with an led ceiling light

CALCULATE THE MINIMUM NUMBER OF ATTACHMENT POINTS

$$\frac{100}{9.6} = 10.41$$

Length of street



You need 12 attachment points (or ropes):
10 spaces of 9.6 m + 11th space of 4 m

CALCULATE THE NUMBER OF CONNECTORS ACROSS (REF.058919)

$$\frac{4}{1} = 4$$

Width of street

Length of connector

You need 4 connectors width-wise.


CALCULATE THE TOTAL NUMBER OF 20 M GARLANDS

Given that you need 4 connector cables width-wise and that each connector has 4 connection points, there will be 16 garland outlets ($4 \times 4 = 16$). We also have 10 spaces of 9.6 m (knowing that you need 10 m of garland to cover 9.6 m of ceiling) + 1 space of 4 m (that we could cover with 5 m of garland).

For each of the 16 lengths, you will need 5 x 20 m garlands + 1 x 5 m garland:

- 16 outlets of 5 x 20 m garlands = $16 \times 5 = 80$ x 20 m garlands.
- 16 additions of 5 m = $\frac{16 \times 5}{20} = 4$ x 20 m garlands (dividable every 5 m).

To do this street's 'ceiling', you will therefore need 84 x 20 m garlands.



N.B.: For 10 m of garland, you can only cover 9.6 m of ceiling. You therefore need to have attachment points every 9.6 m or less.

CALCULATE THE NUMBER OF SUPPLIES (REF.550663 + 300002)

Given that a fixed LED garland uses 17W/230V, the total use for the ceiling will be: $84 \times 17 = 1428$ W.



We are limited in terms of power here by the power cable, which can handle a maximum power of 920W/230V

(because of the 4A rectifier). So: $\frac{1428}{920} = 1,55$


2 power cables are therefore required.

INSTALLING A CEILING LIGHT

Examples of cabling :



058919
2-wire connector cable for fixed LED garlands (see p.261)



550663 + 300002
Power cable + 4A rectifier (see p.260)



FITTING A TREE WITH LIGHTING GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m = 3.14 Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0.3}$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$LT = \frac{NC \times P}{2}$$

Total length in m

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{LT}{LG}$$

Number of garlands Length of garland used in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 4.5 = 14.13 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{6}{0.3} = 20$$


CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{20 \times 14.13}{2} = 141.3 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{141.3}{20} = 7.065$$

or 8 garlands are therefore required, depending on the density desired



FITTING A FIR TREE WITH LIGHTING GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m = 3.14 Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0.3}$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$TL = \frac{NT \times P}{2}$$

Total length in m

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{LT}{LG}$$

Number of garlands Length of garland used in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 3 = 9.42 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{8}{0.3} = 26.66$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{26.66 \times 9.42}{2} = 125.6 \text{ m}$$


CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{125.6}{20} = 6.28$$

garlands are therefore required to decorate this tree.

N.B.: Depending on requirements, you can reduce or increase the space between the garlands:

- dense tree: 0.15 m
- normal tree: 0.30 m
- light tree: 0.50 m



FITTING A TREE WITH B22 GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m / $\pi = 3,14$ / Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)


$$NC = \left(\frac{H}{1} \right) / 2$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = NC \times P$$

Total length in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 5 = 15,7 \text{ m}$$


CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)

$$NC = \frac{8}{2} = 4$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = 4 \times 15,7 = 62,8 \text{ m}$$

Depending on the density desired, take either a 50 m/140 socket garland or a 50 m/200 socket garland.



FITTING A FIR TREE WITH B22 GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m / $\pi = 3.14$ / Diameter in m

**CALCULATE THE NUMBER OF GARLANDS (NG)
(2 M BETWEEN EACH DROP)**

$$NG = \frac{P}{2}$$

Number of garlands

CALCULATE THE LENGTH (LG) OF A GARLAND DROP


$$LG = \sqrt{H^2 + \left(\frac{D}{2}\right)^2}$$

Total length in m

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = LG \times NG$$

Total length in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 6 = 18.84 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG)

$$NG = \frac{18.84}{2} = 9.42$$


CALCULATE THE LENGTH (LG) OF A GARLAND DROP

$$LG = \sqrt{10^2 + \left(\frac{6}{2}\right)^2} = 10.44 \text{ m}$$

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = 10.44 \times 9.42 = 98.34 \text{ m}$$

➔ A 100 m B22 garland is therefore required.



Index

A

AGATHE	88
AGATHE BONNES FÊTES	88
ALBERT LE B. DE NEIGE	135
ALPI	69
ALTI	80
ALYA	76
ALYA DROIT	78
ALYA GAUCHE	78
ALYA INFINITY	162
ARBRE INFINITY	162
ARBRE MAGIQUE	152
ARCEAU ALPI	113
ARCEAU CANDY	128
ARCEAU MILLÉSIME	113
ARCEAU MUFFIN	129
ARCEAU SPIRALE	128
ARCHE 3D	104
ARCHE 3D INFINITY	163
ARCHE BOULE	104
ARCHE CADEAU	56, 105
ARCHE CASSE-NOISETTE	105
ARCHE CHAMPAGNE	104
ARCHE COLLIER	74
ARCHE ÉTOILE	104
ARCHE FÉRIQUE	105
ARCHE LUMINEUSE	104
ARCHE MILLÉSIME	76
ARCHE NEIGE	65
ARCHE NOEUD	77
ARCHE NOVA	104
ARCHE RUBAN	79
ARCHE SAPIN	105
ARMONY	74
ARTIKA	62
ATMOS	88
AUGUSTIN LE LUTIN	134
AUTOMOBILE	125
AVION	124

B

BATEAU PIRATE	124
BAUBLE CHAIR	121
BIG CAKE	129
BOA CHIC	54
BOA GIVRÉ	63
BOA TRADI	55
BOÎTE AUX LETTRES	132
BOÎTE DU PÈRE NOËL	132
BOÎTE LUTIN	132
BOÎTE NOËL	132
BOÎTE SANTA	132
BONHOMME DE NEIGE	135
BONHOMME DE NEIGE FUNKY	135
BONHOMME DE NEIGE UP	125

BONNET	138
BONNET LUDIQUE	55
BOUGIE PÉTILLANTE	108
BOULE	57, 129
BOULE ARTY	113
BOULE DÉCO	144
BOULE DÉCO INFINITY	164
BOULE ENCHANTÉE	144
BOULE ÉTOILÉE	144
BOULE GLOUTONNE	125
BOULE INFINITY	164
BOULE LUDIQUE	57
BOULE PÉTILLANTE	109
BOULE STAR	113
BOULE VINTAGE	92
BOULLIZ'	134
BOUQUETIN GLACÉ	140
BULLE D'OR	88
BULLE DORÉE	144

C

CACHE OREILLE	138
CADEAU	56, 145
CADEAU ENCHANTÉ	145
CADEAU FUNKY	52
CADEAU GLOUTON	125
CADEAU INFINITY	162
CADEAU LUDIQUE	56
CADEAU PÉTILLANT	109
CADEAU PHOTO	116
CADEAU RUBAN	117
CADEAU UP	125
CADEAUX FESTIFS	129
CADRE DE NOËL	116
CADRE LUMINEUX	117
CADRE PHOTO	117
CANDY LUDIQUE	55
CANNE	139
CARILLON	77
CARROSSE INFINITY	165
CARROUSEL DE NOËL	141
CARROUSEL MACARONS	129
CASSE-NOISETTE	134
CHALET PAIN D'ÉPICE	105
CHAMOIS	140
CHANDELIER	80
CHAPEAU	138
CHAPIN DE NOËL	133
CHARMILLE INFINITY	163
CHEVAL	140
CHEVAL À BASCULE	125
CHRISTMAS BAUBLE	144
CÎMIER ÉTOILÉ	148
CÎMIER GIVRE	149
CÎMIER HOLLY	149
CÎMIER MAGIE	149

CŒUR PÉTILLANT	108
COLLIER	74
CÔNE GIVRÉ	150
CÔNE GOURMAND	128
CÔNE INFINITY	162
COURONNE	77, 138
COURONNE DE NOËL	54
COURONNE ENCHANTÉE	87
COURONNE GLACÉE	65
COURONNE SONGE	92
COURONNE VINTAGE	92
CRAVATE	139
CRISTAL	64
CRYSTAL FLAKE	69
CRYSTAL INFINITY	162
CUPCAKE	128

D

DAIM	141
DIAMANT INFINITY	162
DREAM	89
DREAM BONNES FÊTES	89
DREAM CERF	89
DREAM HIBOU	89
DREAM RENARD	89
DREAM RENNE	89
DREAM XMAS	89

E

ÉCHARPE	139
ÉCLAT PÉTILLANT	109
ELFIE	87
ÉTOILE INFINITY	165
ÉTOILE PAIN D'ÉPICE	128
ÉTOILE PÉTILLANTE	108
ÉTOILE VINTAGE	92

F

FAUTEUIL CADEAU	120
FAUTEUIL ELSA	120
FAUTEUIL NOËL	120
FAUTEUIL OURS	120
FAUTEUIL RENNE	120
FÉRIQUE	76
FLAKE	112
FLOCON	68
FLOCON PÉTILLANT	108
FLOCON STRASS LED	62
FLOCON VINTAGE	92
FONTAINE E-DECO	165
FONTAINE INFINITY	164
FROZEN	64
FUNKYLAND INFINITY	164

FUSÉE	124
-------	-----

G

GINGER LUDIQUE	55
GINGER PÉTILLANT	109
GIVRE	63, 86
GOUTTE ALYA	76
GRANDE LOUISE	76
GRANDE ROUE	124
GRAND PINGOO	138
GRAND RUDOLPHE	138
GRAND SYLVESTRE	153
GRELOT	133

H

HOLLY	52
HOUX PÉTILLANT	108

I

IGLOO	140
INAYA	81

J

JARDIN FÉRIQUE	86
J'M MA VILLE	112
JOY	54, 68, 74, 93
JOYEUSES FÊTES	77
JOYEUSES FÊTES RUBAN	78
JOYEUSES FÊTES SONGE	88
JOYEUX CADEAU	56
JOYEUX NOËL	117

K

KIOSQUE	117
KIOSQUE INFINITY	163
KIT FROSTY	134
KIT RUDY	134

L

LA BOÎTE DES LUTINS	132
L'ANGE INFINITY	163
LANTERNE	53
LOOMIE	283
LOUISE	76
LUGE DES LUTINS	124
LUNETTES	139
LUSTRE COLLIER	74
LUSTRE DENTELLE	88
LUSTRE PLUMES	89

LUSTRE SNOW	79
LUTIN FUNKY	52
LUTIN OUPS	133
LUTIN PHOTO	116
LUTIN ZÉBULO	134

M

MACARONS	129
MAGIE	75
MAISON BISCUIT	125
MAISON PAIN D'ÉPICE	128
MEILLEURS VOEUX	57
MEL-CABLAGE	301
MEL-PREPA	301
MEL-PRESTA	301
MEL-SCAN	301
MERRY	87
MILA	78
MILLÉSIME	76
MIRA BOULE	86
MIRA ÉTOILE	81
MIRA FLOCON	62
MIRA TRADI	55
M. NOËL	135
MODULE ASSISE	121
MODULE PLAFOND	121

N

NAÉ FLOKO	93
NAÉ STELLIZ	75
NEIGE FUNKY	54
NEIGE GLACÉE	64
NEIGE OUPS	133
NOËL FILANT	57
NOËL FUNKY	52
NOËL OR	92
NOEUD	77
NOEUD PAPILLON BOULE	139
NORDIC	63
NOUGAT	141
NOURS	141
NOVA	80

O

ONDE ENCHANTÉE	92
ORIFLAMME FLOCON	68
OURS FUNKY	54, 138

P

PARAPLUIE	139
PASSAGE DE NOËL	104
PÈRE NOËL CADEAU	135

PÈRE NOËL FUNKY	135
PÈRE NOËL ZÉBULO	134
PETIT ALYA	150
PETIT AMAYA	150
PETIT CÔNE GOURMAND	128
PETITE COURONNE DREAM	92
PETITE LANTERNE	92
PETITE LOUISE	76
PETIT RENNE	124
PETIT TRAIN	124
PINGOO	139
PINGOUIN FUNKY	138
PÔLE NORD	116
POMME D'AMOUR	129
POMPON	135
POP LANTERNE	57
POT ALYA	152
PRÉCIEUSE COURONNE	77

R

RENNE	113
RENNE COMÈTE	140
RENNE FANTASTIQUE	141
RENNE FANTASTIQUE INFINITY	165
RENNE FUNKY	54, 138
RENNE PÉTILLANT	109
RENNES E-DECO	121
RUBAN FLOCON	68
RUBAN INFINITY	162
RUDOLPHE	139

S

SANTA	135
SAPIN	113
SAPIN BOULES	151
SAPIN CADEAUX	148
SAPIN COURONNES	153
SAPIN DIAMANT	148
SAPIN ENCHANTÉ	148
SAPIN ÉTOILÉ	148
SAPIN FLOCONS	148
SAPIN GIVRE	149
SAPIN GLOUTON	125
SAPIN HOLLY	149
SAPIN INFINITY	162
SAPIN LOUISE SOCLE	151
SAPIN LUDIQUE	54
SAPIN MAGIE	149
SAPIN NATURE	153
SAPIN OR	151
SAPIN PAILLETÉ	151
SAPIN PÉTILLANT	108
SAPIN PÉTILLANT	109
SAPIN RUBAN	150


SAPIN UP	125
SAULE ENCHANTÉ	152
SAUTOIR	152
SNOW	79
SNOWBALL INFINITY	164
SNOW FLAKE	69
SNOWMAN	113
SNOWMAN PÉTILLANT	109
SOLDAT ZÉBULO	134
SOUPLE DIAMANT	53
SOUPLE ENCHANTÉE	92
SOUPLE FLOCON	62
SOUPLE GIVRÉE	63
SOUPLE LOUISE	74
SOUPLE MERRY	87
SPHÈRE	56
SPHÈRE INFINITY	164
SPHÈRE PLIABLE	55
SUCETTE	129
SUCRES D'ORGE	129
SUCRES D'ORGE PÉTILLANTS	108
SYLMA INFINITY	163
SYLVESTRE CADEAUX	153

T	
TRAINEAU CRISTAL	120
TRAINEAU E-DECO	121
TRAINOSSIMO	132
TROIS SUCETTES	129

V	
VOITURE DE COURSE	124

W	
WANDA	87
WINTER	64

Z	
ZÉBULON	87
ZEF	92



Laval • France

Index

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
000002	275	032274	176	050117	250	050754	222	051079	244	058814	261	059910	261	061220	186, 263
001242	275	032275	176	050172	273	050757	222	051081	244	058815	260	059914	221	070008BL	252
001813	275	032277	175	050174	273	050761	257	051082	244	058828	252	059927	202	080190	287, 297
001814	275	032278	261	050176	273	050762	257	051083	244	058911	243	059937	206	080191	287
001948	175	032279	261	050177	273	050763	220	051084	244	058912	243	059974	243	080192	287
001949	175	032283	260	050180	273	050764	220	051091	274	058913	243	059975	245	080805	287
010001	177	032289	173	050182	273	050765	206	051095	208	058914	243	059986	176	100117	176
010011	177	032327	175	050184	273	050766	206	051097	206	058915	243	060255NR	252	100118	176
010014	177	032335	172	050475	176	050768	172, 217	051098	206	058916	241, 243	060637	173	100119	176
010019	285	032337	261	050476	260	050769	172, 217	051099	206	058919	261	060726	172	100120	176
010020	285	032338	260	050477	260	050772	276	051100	206	058940	260	060742	275	100185	296
031852	172	032339	260	050479	261	050791	228	051101	206	058965	252	060743	275	100186	296
031855	172	032341	174	050487	261	050792	228	051103	206	058968	260	060745	275	100187	296
031858	177	032342	260	050504	221	050793	228	051105	206	058989BL	238, 260	060759	275	100188	296
031873	252	032353	238	050505	221	050795	228	051106	206	059072	260	060790	278	100189	296
031894	173	032355	285	050506	201	050857	257	051107	206	059080	255	060791	278	100190	296
031895	172	032356	261	050508	232	050883	256	051108	206	059098	201	060793	278	100195	296
031903	260	032357	261	050518	202	050885	256	051109	206	059237	202	060808	275	100196	296
031908	260	032358	176	050526	201	050886	256	051111	206	059238	260	060809	275	100197	296
031912	260	032361	173	050536	202	050887	256	051112	206	059240	261	060810	275	100198	296
031937	175	032362	173	050537	202	050888	256	051161	254	059241	261	060812	275	100199	296
031938	175	032364	204, 263	050538	202	050989	252	051180	223	059243	232	060813	275	100200	296
031939	175	032365	204, 263	050539	202	050992	256	051181	223	059544	243	060814	275	100201	296
031940	175	032366	204, 263	050540	202	050993	256	051187	220	059546	252	060817	275	100202	296
031941	175	032367	204, 263	050541	232	051004	249	051260	203	059549	261	060818	275	100204	296
031942	175	032368	204, 263	050562	276	051010	238	051264	239	059550	260	060820	275	100205	296
031990	172	032369	285	050563	276	051012	238	051265	239	059553	202	060821	275	100206	296
032093	261	032370	173	050567	243	051013	238	051266	257	059556	174	060822	275	100207	296
032094	174	032371	186, 204, 263	050578	278	051016	274	051267	257	059557	174	060823	275	100210	296
032180	173	032372	263	050579	278	051026	249	051268	257	059558	174	060856	275	100211	296
032187	260	032377	263	050602	220	051032	238	051289	257	059708	177	060857	275	100212	296
032188	260	032373	263	050603	220	051033	238	051329	202	059711	244	060959	245	100215	296
032189	260	032374	260	050681	273	051034	238	055193	245	059712	244	060980	275	100216	296
032190	260	032375	260	050682	273	051035	238	055476	245	059713	244	061020	275	100217	296
032197	172	032376	204, 240, 241, 260	050683	273	051036	238	057032NRB	252	059714	244	061024	275	100220	296
032198	172	032377	260	050685	243	051039	172, 217	058242	252	059715	244	061030	275	100221	296
032212	175	032392	175	050686	243	051063	274	058260	252	059763	252	061052	275	100222	296
032220	173	050097	197	050687	243	051066	274	058772	252	059783	250	061056	275	100249	296
032233	173	050098	197	050688	243	051067	274	058776	252	059785	221	061061	275	100251	296
032235	174	050101	197	050689	243	051069	274	058785	252	059805	224	061107	275	100252	296
032241	175	050102	197	050744	254	051072	249	058810	252	059838	252	061218	186, 263	100280	296
032242	174			050745	254	051076	274	058811	252	059854	197	061219	186, 263	100282	296
														100284	296
														100286	296
														100288	296
														100289	296
														100290	296
														100291	296
														100292	296
														100503	172
														100504	172
														101500	172
														101640	173
														105000	177
														110004	287
														110023	186
														110026	184
														113010	172
														113020	172
														113030	172
														122900	172
														170085	56
														170149	55
														170278	266
														170282	266
														170286	266
														170288	270
														170292	270
														170296	270
														170300	270
														170304	270
														170308	270
														170312	270
														170316	270
														170320	270
														170324	270
														170328	270
														170332	270
														170340	270
														170344	270
														170348	270
														170655	266
														170658	266
														170662	266

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
170701	267	180202	290	202455	169	203039	74	203230	139	203372	78	203835	165	204212	68
170702	267	180203	290	202456	169	203040	74	203233	92	203374	150	203836	163	204213	68
170703	267	180208	293	202457	169	203041	152	203234	88	203375	152	203837	145	204214	68
170721	57	201211	62	202458	169	203042	74	203235	89	203378	65	203847	162	204215	68
170723	269	201300	245	202459	169	203071	139	203236	89	203381	64	203848	151	204216	68
170727	269	201744	132	202460	169	203073	139	203237	89	203382	65	203857	162	204262	79
170738	266	201844	88	202461	169	203074	139	203238	89	203383	68	203858	165	204263	79
170754	134	201848	86	202462	169	203075	135	203249	92	203385	65	203859	165	204264	81
170755	134	201966	135	202463	169	203076	139	203253	92	203386	65	203860	164	204274	79
170781	267	201975	92	202464	169	203077	139	203258	152	203387	65	203861	164	204308	81
170782	267	201976	92	202465	169	203078	138	203270	128	203403	79	203862	164	204310	81
170783	267	201977	92	202466	169	203079	138	203271	128	203405	79	203867	163	204332	81
170784	267	201978	92	202467	169	203080	139	203274	64	203418	78	203868	164	204334	81
170785	267	202002	69	202475	78	203081	139	203279	65	203419	77	203869	164	204335	81
170786	267	202010	69	202499	150	203082	139	203280	65	203420	57	203870	164	204336	81
170787	267	202051	141	202529	135	203083	138	203291	105	203424	80	203873	164	204339	62
170788	267	202224	105	202631	120	203084	138	203292	65	203428	141	203874	144	204343	62
170804	267	202226	104	202643	92	203103	133	203293	65	203429	135	203879	164	204345	55
170805	267	202378	133	202672	132	203104	133	203294	87	203430	132	203880	144	204350	55
170806	267	202430	169	202673	120	203105	133	203295	87	203431	134	203884	164	204353	86
170807	267	202431	169	202675	132	203106	133	203296	92	203432	134	203885	144	204355	86
170808	267	202432	169	202679	116	203107	133	203297	92	203433	134	203890	164	204357	86
170809	267	202433	169	202708	141	203108	133	203298	87	203435	153	203891	144	204376	64
170810	267	202434	169	202709	135	203109	133	203304	56	203436	141	203896	163	204379	64
170811	267	202435	169	202724	145	203117	140	203308	117	203657	89	203899	163	204380	64
170833	269	202436	169	202798	121	203118	140	203309	112	203669	92	203900	163	204381	64
170838	269	202437	169	202810	144	203121	140	203312	56	203713	162	203901	163	204382	81
171106	78	202438	169	202884	139	203122	140	203317	57	203722	165	203902	162	204386	81
171108	78	202439	169	202932	87	203131	120	203318	57	203730	116	203903	162	204387	81
171109	78	202440	169	202936	87	203138	151	203319	57	203750	79	203912	112	204388	80
171232	78	202441	169	202942	87	203141	105	203320	57	203751	76	203917	76, 79	204413	88
180034	287, 297	202442	169	202946	87	203142	105	203322	112	203753	76	203925	88	204415	88
180063	292	202443	169	202954	87	203143	105	203323	112	203754	76	204130	89	204416	88
180064	293	202444	169	202958	87	203144	108	203324	112	203755	76	204131	89	204417	88
180087	291	202445	169	202959	87	203145	109	203337	78	203756	151	204132	89	204432	56
180088	291	202446	169	202986	92	203146	109	203347	78	203765	79	204133	89	204437	56
180089	291	202447	169	202987	108	203147	109	203348	76	203767	79	204137	89	204442	57
180090	291	202448	169	202988	109	203153	139	203351	76	203768	79	204139	89	204445	57
180091	291	202449	169	202989	108	203174	153	203352	113	203769	79	204183	80	204455	55
180103	295	202450	169	202991	108	203176	140	203364	150	203778	88	204185	80	204460	55
180104	295	202451	169	203026	78	203183	152	203366	76	203780	88	204186	80	204462	55
180105	295	202452	169	203027	76	203185	144	203368	76	203782	88	204187	80	204466	55
180108	297	202453	169	203034	74	203187	150	203369	76	203783	88	204188	80	204472	55
180201	290	202454	169	203035	74	203189	150	203371	78	203834	165	204211	68	204476	55

Index

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE		
204635	125	204737	108	204822-24V	168	204944-24V	168	205054	129	205134	54	205264	134	205350	113	550056	241
204636	124	204740	108	204823-24V	168	204945-24V	168	205055	129	205137	54	205265	125	205372	121	550057	241
204638	120	204744	153	204824-24V	168	204946-24V	168	205056	129	205138	74	205267	135	205373	121	550058	241
204639	120	204747	151	204825-24V	168	204947-24V	168	205057	129	205142	74	205268	125	205382	149	550063	199
204640	120	204748	153	204826-24V	168	204948-24V	168	205058	129	205145	93	205269	140	205417	149	550064	199
204641	135	204753	145	204827-24V	168	204949-24V	168	205059	129	205147	93	205271	140	205433	149	550065	199
204645	116	204754	145	204828-24V	168	204950-24V	168	205060	129	205150	68	205274	138	205444	149	550066	199
204647	132	204755	145	204829-24V	168	204951-24V	168	205061	128	205152	68	205275	138	205446	124	550067	199
204648	132	204758	162	204830-24V	168	204952-24V	168	205062	129	205155	93	205276	138	300001	260	550068	199
204649	124	204764	148	204831-24V	168	204953-24V	168	205063	128	205157	93	205277	138	300002	260	550077	227
204650	124	204769	148	204832-24V	168	204954-24V	168	205064	128	205160	93	205278	138	300004	175	550078	221
204652	125	204772	162	204833-24V	168	204955-24V	168	205077	125	205162	93	205279	104	300006	283	550079	221
204653	125	204777	148	204834-24V	168	204956-24V	168	205081	125	205163	93	205281	163	300007	283	550081	221
204654	133	204780	148	204835-24V	168	204957-24V	168	205085	125	205201	75	205282	121	300009	287	550087	253
204656	133	204788	162	204877	57	204958-24V	168	205090	62	205204	75	205283	121	300029	186	550092	271
204657	134	204790	165	204881-24V	54	204959-24V	168	205091	62	205205	75	205284	149	300030	186	550093	271
204658	133	204792	140	204882-24V	54	204960-24V	168	205092	62	205217	52	205286	117	300031	186	550094	271
204659	116	204793	148	204883	87	204961-24V	168	205093	62	205220	52	205287	104	300034	260	550095	271
204661	113	204797	148	204884	87	204962-24V	168	205094	62	205221	52	205289	54	300035	260	550096	271
204665	113	204799-24V	168	204885	65	204963-24V	168	205095	62	205222	52	205290	57	300036	260	550097	271
204669	112	204800-24V	168	204886	65	204964-24V	168	205096	62	205223	52	205291	57	331300	245	550098	271
204672	112	204801-24V	168	204887-24V	53	204965-24V	168	205097	77	205225	149	205292	74	351000	245	550099	271
204676	113	204802-24V	168	204888-24V	53	204966-24V	168	205098	80	205228	86	205293	81	354000	245	550100	271
204680	113	204803-24V	168	204889	79	204967-24V	168	205099	78	205230	86	205294	81	401667	176	550101	271
204682	113	204804-24V	168	204890	77	204988	268	205100	74	205231	86	205295	93	411966	222, 245	550102	271
204684	113	204805-24V	168	204891	77	204992	268	205101	74	205232	86	205296	93	413000	245	550103	271
204685	117	204806-24V	168	204892	77	204996	268	205102	78	205233	86	205297	93	513000	245	550118	239
204686	104	204807-24V	168	204893	145	205000	177	205103	77	205235	149	205298	68	550008	203	550119	239
204690	104	204808-24V	168	204894	144	205001	268	205109	63	205240	63	205299	68	550009	203	550120	239
204694	104	204809-24V	168	204895	148	205005	268	205112	63	205241	63	205300	68	550011	203	550121	239
204698	104	204810-24V	168	204932-24V	168	205009	268	205114	63	205242	63	205301	93	550016	203	550122	253
204702	117	204811-24V	168	204933-24V	168	205013	268	205115	63	205243	63	205302	93	550018	225	550126	242
204706	163	204812-24V	168	204934-24V	168	205017	268	205116	63	205247	68	205303	93	550019	225	550166	256
204707	144	204813-24V	168	204935-24V	168	205044	134	205117	69	205252	54	205309	75	550020	225	550167	256
204712	77	204814-24V	168	204936-24V	168	205045	105	205119	69	205253	54	205310	75	550035	198	550169	256
204717	88	204815-24V	168	204937-24V	168	205046	141	205120	69	205254	63	205311	75	550042	198	550170	229
204721	79	204816-24V	168	204938-24V	168	205048	128	205122	69	205255	63	205312	165	550044	198	550171	229
204725	80	204817-24V	168	204939-24V	168	205049	129	205124	69	205256	55	205313	268	550045	198	550172	223
204730	109	204818-24V	168	204940-24V	168	205050	128	205129	69	205257	55	205331	75	550046	198	550173	223
204732	109	204819-24V	168	204941-24V	168	205051	128	205130	69	205261	132	205333	75	550047	198	550180	253
204733	108	204820-24V	168	204942-24V	168	205052	128	205131	69	205262	135	205335	75	550054	241	550201	256
204735	109	204821-24V	168	204943-24V	168	205053	129	205132	69	205263	134	205349	113	550055	241	550205	256

REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE	REF.	PAGE
550210	256	550467	256	550556	208	550678	192	550722	240	550828	206	550889	194	551161	221
550211	207	550468	206	550557	208	550679	192	550723	240	550829	206	550890	194	551162	249
550212	207	550469	206	550558	208	550680	192	550724	240	550831	197	550891	194	551163	249
550213	207	550470	263	550559	220	550681	192	550725	224	550832	197	550892	194	551164	249
550214	207	550471	263	550560	220	550682	192	550726	224	550833	197	550914	202	551165	261
550217	214	550472	250	550561	220	550683	192	550727	224	550835	197	550915	202	551166	226
550218	214	550473	254	550562	220	550684	192	550729	241	550836	201	550921	200	551167	233
550219	213	550474	254	550563	220	550685	192	550730	241	550851	192	550922	200	551168	233
550220	204	550475	254	550565	209	550686	195	550732	239, 242, 245	550852	192	550923	200	551169	245
550221	204	550476	254	550568	208	550687	195	550733	239, 245	550853	192	550924	200	551170	245
550222	204	550478	254	550569	208	550688	195	550734	260	550854	192	550925	221	551171	245
550229	223	550479	254	550570	208	550689	194	550735	260	550855	192	550926	221	551172	201
550233	228	550483	223	550572	272	550690	194	550736	244	550856	192	550930	263	551173	225
550235	257	550484	223	550575	204	550691	194	550737	188	550857	192	550931	263	551174	225
550236	251	550485	223	550577	244	550692	194	550738	186	550858	192	550932	255	551176	184
550239	204	550486	223	550627	234	550693	194	550739	186	550860	192	550933	255	551177	184
550240	204	550488	272	550628	186, 263	550694	194	550740	186	550861	192	550934	255	551178	185
550241	204	550489	272	550634	249	550695	194	550741	187	550862	192	550935	255	551179	185
550242	204	550490	272	550635	249	550696	194	550742	187	550863	192	550936	255	551180	185
550244	204, 263	550491	272	550643	209	550697	194	550743	187	550864	192	550937	255	551181	185
550250	223	550492	272	550644	209	550698	194	550744	187	550865	192	550938	272	551182	222
550251	223	550493	272	550645	186	550699	194	550745	187	550866	192	550939	272	551183	222
550263	214	550494	272	550646	235	550700	194	550746	187	550867	192	550940	272	551184	184
550264	214	550499	226	550647	235	550701	240	550748	187	550868	192	550941	272	551185	184
550265	214	550514	263	550648	235	550702	240	550749	187	550869	192	550942	272	551186	184
550266	214	550516	216	550651	221	550703	240	550754	186	550870	192	550949	272	551212	234
550267	214	550517	216	550652	221	550704	240	550756	241	550871	192	550958	278	551225	186
550268	214	550518	216	550653	221	550705	240	550757	241	550872	195	550966	187	551249	193
550299	250	550519	216	550654	221	550706	240	550763	186	550873	195	550967	187	551250	193
550300	250	550520	216	550656	208	550707	240	550765	224	550874	195	550968	187	551251	193
550307	243	550522	212	550662	260	550708	240	550766	224	550875	195	550974	245	551252	193
550309	243	550523	217	550663	260	550709	240	550767	224	550876	195	550989	229	600171	175
550310	243	550524	217	550664	260	550710	240	550768	224	550877	195	551009	186	600428	277
550311	243	550525	217	550665	260	550711	240	550768	224	550878	195	551069	250	600429	277
550313	239	550526	215	550668	192	550712	240	550810	212	550879	195	551070	250	600430	277
550314	241, 242, 243	550527	215	550669	192	550713	240	550811	212	550880	195	551078	253	600431	277
550315	203	550528	215	550670	192	550714	240	550818	221	550881	195	551136	248	600432	277
550316	203	550529	215	550671	192	550715	240	550819	221	550882	195	551137	248	600433	277
550317	203	550530	213	550672	192	550716	240	550821	232	550883	195	551138	248	600434	275
550334	207	550536	198	550673	192	550717	240	550822	243	550884	195	551139	248	600435	275
550336	186, 263	550548	229	550674	192	550718	240	550823	243	550885	194	551140	251	600436	275
550342	263	550552	228	550675	192	550719	240	550824	202	550886	194	551145	254	600437	275
550386	278	550553	228	550676	192	550720	240	550825	202	550887	194	551157	297	600438	275
		550555	227	550677	192	550721	240	550826	202	550888	194	551160	221	600439	275



Bonaire Island • Caribbean

Decorations delivered with power cable and attachment kits, without bulb or satlight. All the catalogue products are made using LEDs.

Eco-tax:

In light of the development of European directives and interpretations, some of our products, which are not subject to this tax, may be added to this during the year. The scale can also evolve during the year. The eco-tax cannot be discounted or reduced.

Tax on all light bulbs:

The tax is applicable to both professionals and individual customers. For light bulbs, Leblanc illuminations is affiliated with Recylum.

Tax on other electrical products :

The tax is applicable to people who resell to individual customers as well as professionals. The tax is not applicable to professionals on the condition that they deal with the end-of life recycling of products. In this case, the professionals involved must send a confirmation letter to Leblanc illuminations. Leblanc illuminations is affiliated with Ecologic for electrical products.

Design & Execution:

Communication & Design Dpt. | Leblanc illuminations 10.2023 | www.leblanc-illuminations.com

6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France

Export Dpt. | Ph. +33 (0)2 43 61 43 54 - Fax. +33 (0)2 43 61 43 75

SAS with a 7 938 000 € capital - SIRET 482 323 649 000 20 - APE 4669C - RCS 482 323 649 - FR 37 482 323 649

Photos credits:

Adrien Basse-Cathalinat, Artistic Holiday Design, Blandin, Bruno Warion, CSI, Cyril Garrabos, David Piole, F. Vachon, Fédération Française de Ski, France 3, François Parmentier, G. Ellis, Gabriel Zacharski, Gala Lights, Hitecs Bonaire, Jérôme Kelagopian, Laetitia Rouxel Agence ADF, Laurent Cornu, Laurent Cornu, Leblanc illuminations, M. Petit, Maftex, Marie Bougault - Ville de Megève, MEDEF Sarthe, Pact, Pascal Lecœur, Patrick Valteau, Philippe Bréchet, Photographefamillesarthe, Pillerss, Rawbank SA, Sébastien Target, Thierry Vincent, Twinkly, Ville de Royan, Yamas Prod.

Adobe stock : fotolupa, lorenza62, saiko3p. Pixabay : Daniel Nebreda, Diane Picchiottino. Shutterstock : Marcio Jose Bastos Silva.

Unsplash: Pierre Blache, Vitali Adutskevich.

Non contractual pictures & documents. All our decorations are protected by patents at INPI & OMPI. All specifications relative to the decorations are provided for information only and may be revised. Any reproduction, whole or partial, of the catalogue is prohibited.

















Printed in France by ITF, Imprim'vert® certied, a mark of its commitment to reducing the impact of its business activity on the natural environment. This catalogue is printed on paper sourced from sustainably managed forests.



We are proud to be the most certified company in our sector!

PICTOGRAMS CAPTION

-  Connectable 230V Plug & Light
-  Connectable 24V Plug & Light
-  DMX changing colour
-  Steady
-  Glittering
-  Flash / Crackling
-  Chasing
-  Flame effect
-  Confetti effect
-  Latest generation SMD LED
-  Indoor only
-  International Protection
-  LED colour
-  Cable colour



*Dream
all year round*



Leblanc
illuminations

www.leblanc-illuminations.com
international@leblanc-illuminations.com

